

BellSouth Telecommunications, Inc.

333 Commerce Street

Suite 2101

Nashville, TN 37201-3300

guy.hicks@bellsouth.com

02 GEC 5 AM 9 0

Guy M. Hicks General Counsel

615 214 6301 Fax 615 214 7406

TN REGULATORY ANTHORNY Y DOCKET ROOM

November 27, 2002

VIA HAND DELIVERY

Hon. Sara Kyle Chairman Tennessee Regulatory Authority 460 James Robertson Parkway Nashville, Tennessee 37243-0505

Re: Approval of the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc. and American Fiber Systems, Inc. Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996

Docket No. 02-0/273

Dear Chairman Kyle:

Enclosed are six paper copies and a CD Rom of the executed interconnection agreement between BellSouth Telecommunications, Inc. and American Fiber Systems, Inc.

Thank you for your attention to this matter.

Sincerely yours,

Guy M. Hicks

cc: Bruce T. Frankiewich, American Fiber Systems, Inc.

BELLSOUTH® / CLEC Agreement

Customer Name: American Fiber Systems, Inc.

American Fiber Systems, Inc Renegotiation	2
Table of Contents	3
General Terms and Conditions	5
Att 1 - Resale	24
Att 1 - Resale Discounts and Rates	43
Att 2 - UNEs	46
Att 2 - UNE Rates	118
Att 3 - Network Interconnection	241
Att 3 - Local Interconnection Rates	269
Att 4 - Collocation-Central Office	272
Att 4 - Collocation-Remote Site	306
Att 4 - Collocation Rates	338
Att 5 - Number Portability	347
Att 6 - Ordering	351
Att 7 - Billing	358
Att 7 - ODUF/ADUF/EODUF/CMDS Rates	375
Att 8 - Rights of Way	378
Att 9 - Performance Measurements	380
Att 10 - Disaster Recovery Plan	533
Att 11 - BFR and NBR Process	541

INTERCONNECTION AGREEMENT

BETWEEN

BELLSOUTH TELECOMMUNICATIONS, INC.

AND

AMERICAN FIBER SYSTEMS, INC.

TABLE OF CONTENTS

General Terms and Conditions

Definitions

- 1. CLEC Certification
- 2. Term of the Agreement
- 3. Operational Support Systems
- 4. Parity
- 5. White Pages Listings
- 6. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 7. Liability and Indemnification
- 8. Intellectual Property Rights and Indemnification
- 9. Proprietary and Confidential Information
- 10. Resolution of Disputes
- 11. Taxes
- 12. Force Majeure
- 13. Adoption of Agreements
- 14. Modification of Agreement
- 15. Non-waiver of Legal Rights
- 16. Indivisibility
- 17. Waivers
- 18. Governing Law
- 19. Assignments
- 20. Notices
- 21. Rule of Construction
- 22. Headings of No Force or Effect
- 23. Multiple Counterparts
- 24. Filing of Agreement
- 25. Compliance with Applicable Law
- 26. Necessary Approvals
- 27. Good Faith Performance
- 28. Nonexclusive Dealings
- 29. Rate True-Up
- 30. Survival
- 31. Entire Agreement

Version 3Q02: 09/06/02

TABLE OF CONTENTS (cont'd)

- **Attachment 1 Resale**
- **Attachment 2 Network Elements and Other Services**
- **Attachment 3 Network Interconnection**
- **Attachment 4 Physical Collocation**
- **Attachment 5 Access to Numbers and Number Portability**
- Attachment 6 Pre-Ordering, Ordering, Provisioning, Maintenance and Repair
- **Attachment 7 Billing**
- Attachment 8 Rights-of-Way, Conduits and Pole Attachments
- **Attachment 9 Performance Measurements**
- **Attachment 10- BellSouth Disaster Recovery Plan**
- Attachment 11-Bona Fide Request/New Business Request Process

Version 3Q02: 09/06/02

AGREEMENT GENERAL TERMS AND CONDITIONS

THIS AGREEMENT is made by and between BellSouth Telecommunications, Inc., ("BellSouth"), a Georgia corporation, and American Fiber Systems, Inc. ("AFS"), a Delaware corporation, and shall be effective on the Effective Date, as defined herein. This Agreement may refer to either BellSouth or AFS or both as a "Party" or "Parties."

WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, AFS is or seeks to become a CLEC authorized to provide telecommunications services in the states of Florida, North Carolina, and Tennessee; and

WHEREAS, AFS wishes to resell BellSouth's telecommunications services and purchase network elements and other services, and, solely in connection therewith, may wish to utilize collocation space as set forth in Attachment 4 of this Agreement); and

WHEREAS, the Parties wish to interconnect their facilities and exchange traffic pursuant to Sections 251 and 252 of the Act.

NOW THEREFORE, in consideration of the mutual agreements contained herein, BellSouth and AFS agree as follows:

Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

Commission is defined as the appropriate regulatory agency in each state of BellSouth's nine-state region (Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee).

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

Effective Date is defined as the date that the Agreement is effective for purposes of rates, terms and conditions and shall be thirty (30) days after the date of the last

signature executing the Agreement. Future amendments for rate changes will also be effective thirty (30) days after the date of the last signature executing the amendment.

End User means the ultimate user of the Telecommunications Service.

FCC means the Federal Communications Commission.

General Terms and Conditions means this document including all of the terms, provisions and conditions set forth herein.

Telecommunications means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

Telecommunications Service means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

Telecommunications Act of 1996 (Act) means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

1. CLEC Certification

Prior to execution of this Agreement, AFS agrees to provide BellSouth in writing AFS' CLEC certification for all states covered by this Agreement prior to BellSouth filing this Agreement with the appropriate Commission for approval.

2. Term of the Agreement

- 2.1 The term of this Agreement shall be three years, beginning on the Effective Date and shall apply to the BellSouth territory in the states of Florida, North Carolina, and Tennessee. Notwithstanding any prior agreement of the Parties, the rates, terms and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.
- 2.2 The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement (Subsequent Agreement).
- 2.3 If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the

Commission to establish appropriate terms, conditions and prices for the Subsequent Agreement pursuant to 47 U.S.C. 252.

If, as of the expiration of this Agreement, a Subsequent Agreement has not been executed by the Parties, this Agreement shall terminate. Upon termination of this Agreement, BellSouth shall continue to offer services to AFS pursuant to the terms, conditions and rates set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement or arbitrate disputed issues to reach a Subsequent Agreement as set forth in Section 2.3 above, and the terms of such Subsequent Agreement shall be effective as of the effective date as stated in the Subsequent Agreement.

3. Operational Support Systems

AFS shall pay charges for Operational Support Systems (OSS) as set forth in this Agreement in Attachments 1, 2, 3 and 5, as applicable.

4. Parity

When AFS purchases Telecommunications Services from BellSouth pursuant to Attachment 1 of this Agreement for the purposes of resale to End Users, such services shall be equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its Affiliates, subsidiaries and End Users. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to AFS shall be at least equal in quality to that which BellSouth provides to itself, its Affiliates or any other Telecommunications carrier. The quality of the interconnection between the network of BellSouth and the network of AFS shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by BellSouth's End Users and service quality as perceived by AFS.

5. White Pages Listings

- 5.1 BellSouth shall provide AFS and its customers access to white pages directory listings under the following terms:
- 5.2 <u>Listings</u>. AFS shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include AFS residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Interconnection Agreement. Directory listings will make no distinction between AFS and BellSouth subscribers.

- 5.2.1 <u>Rates.</u> So long as AFS provides subscriber listing information (SLI) to BellSouth in accordance with Section 5.3 below, BellSouth shall provide to AFS one (1) primary White Pages listing per AFS subscriber at no charge other than applicable service order charges as set forth in BellSouth's tariffs.
- 5.3 Procedures for Submitting AFS SLI are found in The BellSouth Business Rules for Local Ordering.
- AFS authorizes BellSouth to release all AFS SLI provided to BellSouth by AFS to qualifying third parties via either license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff (GSST), Section A38.2, as the same may be amended from time to time. Such AFS SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI.
- No compensation shall be paid to AFS for BellSouth's receipt of AFS SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of AFS' SLI, or costs on an ongoing basis to administer the release of AFS SLI, AFS shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of AFS' SLI, AFS will be notified. If AFS does not wish to pay its proportionate share of these reasonable costs, AFS may instruct BellSouth that it does not wish to release its SLI to independent publishers, and AFS shall amend this Agreement accordingly. AFS will be liable for all costs incurred until the effective date of the amendment.
- Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by AFS under this Agreement. AFS shall indemnify, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate AFS listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to AFS any complaints received by BellSouth relating to the accuracy or quality of AFS listings.
- 5.4.3 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.
- 5.5 <u>Unlisted/Non-Published Subscribers</u>. AFS will be required to provide to BellSouth the names, addresses and telephone numbers of all AFS customers who wish to be omitted from directories. Unlisted/Non-Published SLI will be subject to the rates as set forth in BellSouth's GSST.
- 5.6 <u>Inclusion of AFS End Users in Directory Assistance Database</u>. BellSouth will include and maintain AFS subscriber listings in BellSouth's Directory Assistance

databases at no recurring charge and AFS shall provide such Directory Assistance listings to BellSouth at no recurring charge.

- 5.7 <u>Listing Information Confidentiality</u>. BellSouth will afford AFS' directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 5.8 <u>Additional and Designer Listings</u>. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in the GSST.
- 5.9 <u>Directories</u>. BellSouth or its agent shall make available White Pages directories to AFS subscribers at no charge or as specified in a separate agreement with BellSouth's agent.

6. Court Ordered Requests for Call Detail Records and Other Subscriber Information

- 6.1 <u>Subpoenas Directed to BellSouth</u>. Where BellSouth provides resold services or local switching for AFS, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to AFS End Users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for AFS End Users for the same length of time it maintains such information for its own End Users.
- 6.2 <u>Subpoenas Directed to AFS</u>. Where BellSouth is providing to AFS
 Telecommunications Services for resale or providing to AFS the local switching
 function, then AFS agrees that in those cases where AFS receives subpoenas or
 court ordered requests regarding targeted telephone numbers belonging to AFS
 End Users, and where AFS does not have the requested information, AFS will
 advise the law enforcement agency initiating the request to redirect the subpoena
 or court ordered request to BellSouth for handling in accordance with 6.1 above.
- In all other instances, where either Party receives a request for information involving the other Party's End User, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

7. Liability and Indemnification

- 7.1 <u>AFS Liability</u>. In the event that AFS consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, all such entities shall be jointly and severally liable for the obligations of AFS under this Agreement.
- 7.2 <u>Liability for Acts or Omissions of Third Parties</u>. BellSouth shall not be liable to AFS for any act or omission of another Telecommunications company providing services to AFS.

7.3 <u>Limitation of Liability</u>

- 7.3.1 Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury, liability or expense, including reasonable attorneys' fees relating to or arising out of any negligent act or omission in its performance of this Agreement, whether in contract or in tort, shall be limited to a credit for the actual cost of the services or functions not performed or improperly performed.
- 7.3.2 <u>Limitations in Tariffs</u>. A Party may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the End User or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) consequential damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.
- 7.3.3 Neither BellSouth nor AFS shall be liable for damages to the other Party's terminal location, equipment or End User premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.
- 7.3.4 Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the services or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.
- 7.3.5 To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.

- Indemnification for Certain Claims. The Party providing services hereunder, its Affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving Party's own communications, or (2) any claim, loss or damage claimed by the End User of the Party receiving services arising from such company's use or reliance on the providing Party's services, actions, duties, or obligations arising out of this Agreement.
- 7.5 <u>Disclaimer</u>. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

8. Intellectual Property Rights and Indemnification

- 8.1 No License. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. The Parties are strictly prohibited from any use, including but not limited to, in the selling, marketing, promoting or advertising of telecommunications services, of any name, service mark, logo or trademark (collectively, the "Marks") of the Other Party. The Marks include those Marks owned directly by a Party or its Affiliate(s) and those Marks that a Party has a legal and valid license to use. The Parties acknowledge that they are separate and distinct and that each provides a separate and distinct service and agree that neither Party may, expressly or impliedly, state, advertise or market that it is or offers the same service as the Other Party or engage in any other activity that may result in a likelihood of confusion between its own service and the service of the Other Party.
- 8.2 Ownership of Intellectual Property. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited, non-assignable, non-exclusive, non-transferable license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right, now or hereafter owned, controlled or licensable by a Party, is granted to the other Party. Neither shall it be implied nor arise by estoppel. Any trademark, copyright or other proprietary notices appearing in association with the use of any facilities or equipment (including software) shall remain on the documentation, material, product, service, equipment or software. It is the responsibility of each Party to ensure at no additional cost to the other Party

that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.

- 8.3 Intellectual Property Remedies
- 8.3.1 <u>Indemnification</u>. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 7 preceding.
- 8.3.2 <u>Claim of Infringement</u>. In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below:
- 8.3.2.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 8.3.2.2 obtain a license sufficient to allow such use to continue.
- 8.3.2.3 In the event Section 8.3.2.1 or 8.3.2.2 are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 8.3.3 Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.
- 8.3.4 <u>Exclusive Remedy</u>. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.

8.4 <u>Dispute Resolution.</u> Any claim arising under this Section 8 shall be excluded from the dispute resolution procedures set forth in Section 10 and shall be brought in a court of competent jurisdiction.

9. Proprietary and Confidential Information

- 9.1 It may be necessary for BellSouth and AFS, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.
- 9.2 <u>Use and Protection of Information.</u> Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees of Recipient with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it.
- 9.3 <u>Exceptions</u>. Recipient will not have an obligation to protect any portion of the Information which:
- 9.3.1 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than Discloser; (c) is previously known to Recipient without an obligation to keep it confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.
- 9.4 Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. 251 or in performing its obligations under this Agreement and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.
- 9.5 Recipient agrees not to publish or use the Information for any advertising, sales or marketing promotions, press releases, or publicity matters that refer either directly

or indirectly to the Information or to the Discloser or any of its affiliated companies.

- 9.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, application or other intellectual property right that is now or may hereafter be owned by the Discloser.
- 9.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 9 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

10. Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

11. Taxes

- Definition. For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.
- 11.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.
- Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 11.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.</u>

- Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 11.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 11.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 11.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.

- 11.4 <u>Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.</u>
- 11.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 11.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 11.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorneys' fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 11.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.

Mutual Cooperation. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

12. Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by AFS, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided, however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

13. Adoption of Agreements

BellSouth shall make available, pursuant to 47 USC § 252 and the FCC rules and regulations regarding such availability, to AFS any interconnection, service, or network element provided under any other agreement filed and approved pursuant to 47 USC § 252, provided a minimum of six months remains on the term of such agreement. The Parties shall adopt all rates, terms and conditions concerning such other interconnection, service or network element and any other rates, terms and conditions that are legitimately related to or were negotiated in exchange for or in conjunction with the interconnection, service or network element being adopted. The adopted interconnection, service, or network element and agreement shall apply to the same states as such other agreement. The term of the adopted agreement or provisions shall expire on the same date as set forth in the agreement that was adopted.

14. Modification of Agreement

14.1 If AFS changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of AFS to notify BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.

- 14.2 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of AFS or BellSouth to perform any material terms of this Agreement, AFS or BellSouth may, on thirty (30) days' written notice, require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in Section 10.

15. Non-waiver of Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

16. Indivisibility

The Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the generality of the foregoing, each of the Parties acknowledges that any provision by BellSouth of collocation space under this Agreement is solely for the purpose of facilitating the provision of other services under this Agreement and that neither Party would have contracted with respect to the provisioning of collocation space under this Agreement if the covenants and promises of the other Party with respect to the other services provided under this Agreement had not been made. The Parties further acknowledge that this Agreement is intended to constitute a single transaction, that the obligations of the Parties under this Agreement are intended to be recouped against other payment obligations under this Agreement.

17. Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the

right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

18. Governing Law

Where applicable, this Agreement shall be governed by and construed in accordance with federal and state substantive telecommunications law, including rules and regulations of the FCC and appropriate Commission. In all other respects, this Agreement shall be governed by and construed and enforced in accordance with the laws of the State of Georgia without regard to its conflict of laws principles.

19. Assignments

Any assignment by either Party to any non-affiliated entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. A Party may assign this Agreement in its entirety to an Affiliate of the Party without the consent of the other Party; provided, however, that the assigning Party shall notify the other Party in writing of such assignment thirty (30) days prior to the Effective Date thereof and, provided further, if the assignee is an assignee of AFS, the assignee must provide evidence of Commission CLEC certification. The Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations. Notwithstanding anything to the contrary in this Section, AFS shall not assign this Agreement to any Affiliate or non-affiliated entity unless either (1) AFS pays all bills, past due and current, under this Agreement, or (2) AFS' assignee expressly assumes liability for payment of such bills.

20. Notices

20.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered by hand, by overnight courier or by US mail postage prepaid, address to:

BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager 600 North 19th Street, 8th floor Birmingham, Alabama 35203

and

ICS Attorney Suite 4300 675 W. Peachtree St. Atlanta, GA 30375

American Fiber Systems, Inc.

Bruce T. Frankiewich 100 Meridian Centre, Suite 250 Rochester, NY 14618

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 20.3 Notwithstanding the foregoing, BellSouth may provide AFS notice via Internet posting of price changes and changes to the terms and conditions of services available for resale per Commission Orders. BellSouth will post changes to business processes and policies, notices of new service offerings, and changes to service offerings not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.

21. Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

22. Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

23. Multiple Counterparts

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

24. Filing of Agreement

Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, and the Parties shall share equally any filing fees therefor. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, AFS shall be responsible for publishing the required notice and the publication and/or notice costs shall be borne by AFS. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as AFS is duly certified as a local exchange carrier in such state, except as otherwise required by a Commission.

25. Compliance with Applicable Law

Each Party shall comply at its own expense with Applicable Law.

26. Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

27. Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

28. Nonexclusive Dealings

This Agreement does not prevent either Party from providing or purchasing services to or from any other person nor, except as provided in Section 252(i) of the Act, does it obligate either Party to provide or purchase any services (except insofar as the Parties are obligated to provide access to Interconnection, services and Network Elements to AFS as a requesting carrier under the Act).

29. Rate True-Up

29.1 This section applies to Network Interconnection and/or Unbundled Network Elements and Other Services rates that are expressly subject to true-up under this Agreement.

- 29.2 The designated true-up rates shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with the designated true-up rates for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties shall submit the matter to the Dispute Resolution process in accordance with the provisions of Section 10 of the General Terms and Conditions of this Agreement.
- An effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and AFS specifically or upon all carriers generally, such as a generic cost proceeding.

30. Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

31. Entire Agreement

- 31.1 This Agreement means the General Terms and Conditions, the Attachments identified in Section 31.2 below, and all documents identified therein, as such may be amended from time to time and which are incorporated herein by reference, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement and AFS acknowledges and agrees that any and all amounts and obligations owed for services provisioned or orders placed under prior agreements between the Parties, related to the subject matter hereof, shall be due and owing under this Agreement and be governed by the terms and conditions of this Agreement as if such services or orders were provisioned or placed under this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.
- This Agreement includes Attachments with provisions for the following:

 Resale

Network Elements and Other Services

Network Interconnection

Collocation

Access to Numbers and Number Portability

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

Billing

Rights-of-Way, Conduits and Pole Attachments

Performance Measurements

BellSouth Disaster Recovery Plan

Bona Fide Request/New Business Request Process

The following services are included as options for purchase by AFS pursuant to the terms and conditions set forth in this Agreement. AFS may elect to purchase said services by written request to its Local Contract Manager if applicable:

Optional Daily Usage File (ODUF)

Enhanced Optional Daily Usage File (EODUF)

Access Daily Usage File (ADUF)

Line Information Database (LIDB) Storage

Centralized Message Distribution Service (CMDS)

Calling Name (CNAM)

LNP Data Base Query Service

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.	American Fiber Systems, Inc.	
By: Original on File	By: Original on File	
Name: Elizabeth R. A. Shiroishi	Name: Amy M. Gilchrist	
Title: Assistant Director	Title: VP – Regulatory Relations	
Date: 11/07/02	Date: 10/28/02	

Attachment 1

Page 1

Attachment 1

Resale

Version: 3Q02: 09/06/02

Table of Contents

1.	Discount Rates	3
	Definition of Terms	
3.	General Provisions	4
4.	BellSouth's Provision of Services to AFS	8
5.	Maintenance of Services	9
6.	Establishment of Service	9
7.	Discontinuance of Service	10
8.	Operator Services (Operator Call Processing and Directory Assistance)	10
9.	Line Information Database (LIDB)	14
10.	. RAO Hosting	14
Re	esale Restrictions	Exhibit A
Liı	ne Information Database (LIDB) Storage Agreemt	Exhibit B
Re	esale Discounts and Rates	Exhibit C

RESALE

1. Discount Rates

- 1.1 The discount rates applied to AFS purchases of BellSouth Telecommunications Services for the purpose of resale shall be as set forth in Exhibit C. Such discounts have been determined by the applicable Commission to reflect the costs avoided by BellSouth when selling a service for wholesale purposes.
- 1.2 The telecommunications services available for purchase by AFS for the purposes of resale to AFS' End Users shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit C to this Agreement and subject to the exclusions and limitations set forth in Exhibit A to this Agreement.

2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as AFS, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

Version: 3Q02: 09/06/02

3. General Provisions

- 3.1 All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to AFS for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff (GSST) and Private Line Services Tariff (PLST), to customers who are not telecommunications carriers.
- 3.1.1 When AFS provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- 3.1.2 In Tennessee, if AFS does not resell Lifeline services to any end users, and if AFS agrees to order an appropriate Operator Services/Directory Services block as set forth in BellSouth's GSST, the discount shall be 21.56%.
- 3.1.2.1 In the event AFS resells Lifeline service to any end user in Tennessee, BellSouth will begin applying the 16% discount rate to all services. Upon AFS and BellSouth's implementation of a billing arrangement whereby a separate Master Account (Q-account) associated with a separate Operating Customer Number (OCN) is established for billing of Lifeline service end users, the discount shall be applied as set forth in 3.1.2 preceding for the non-Lifeline affected Master Account (Q-account).
- 3.1.2.2 AFS must provide written notification to BellSouth within 30 days prior to providing its own operator services/directory services or orders the appropriate operator services/directory assistance blocking, to qualify for the higher discount rate of 21.56%.
- 3.2 AFS may purchase resale services from BellSouth for their own use in operating their business. The resale discount will apply to those services under the following conditions:
- 3.2.1 AFS must resell services to other End Users.
- 3.2.2 AFS cannot be a competitive local exchange telecommunications company for the single purpose of selling to themselves.
- 3.3 AFS will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from AFS for said services.
- 3.4 AFS will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to

the extent provided for herein. Each Party shall provide to the other a nation wide (50 states) toll-free contact number for purposes of repair and maintenance.

- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any End User within the service area of AFS. BellSouth will continue to market directly its own telecommunications products and services and in doing so may establish independent relationships with End Users of AFS. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.5.1 When a subscriber of AFS or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the subscriber's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the subscriber's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.2 BellSouth and AFS will refrain from contacting subscribers who have placed or whose selected carrier has placed on their behalf an order to change his/her service provider from BellSouth or AFS to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- 3.7 Where BellSouth provides local switching or resold services to AFS, BellSouth will provide AFS with on line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. AFS acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. AFS acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier (CLLI) Code; and in such instances, AFS shall return unused intermediate telephone numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 3.8 BellSouth will allow AFS to designate up to 100 intermediate telephone numbers per CLLI code, for AFS' sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. AFS acknowledges that there may be instances where there is a shortage of telephone

numbers in a particular CLLI code and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to AFS' End Users, pursuant to Section 6 of the General Terms and Conditions.
- 3.13 If AFS or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, AFS has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by BellSouth to provide service to AFS remain the property of BellSouth.
- White page directory listings for AFS End Users will be provided in accordance with Section 5 of the General Terms and Conditions.
- 3.16 Service Ordering and Operational Support Systems (OSS)
- 3.16.1 AFS must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. BellSouth has developed and made available interactive interfaces by which AFS may submit LSRs electronically as set forth in Attachment 6 of this Agreement. Service orders will be in a standard format designated by BellSouth.
- 3.16.2 LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic charge as set forth in Exhibit C to this Attachment. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (Mail, fax, courier, etc.) will incur a manual order charge as set forth in Exhibit C to this Attachment. Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

- 3.16.3 <u>Denial/Restoral OSS Charge</u>. In the event AFS provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 3.16.4 <u>Cancellation OSS Charge</u>. AFS will incur an OSS charge for an accepted LSR that is later canceled.
- 3.17 Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
 - Message Waiting Indicator (MWI), stutter dialtone and message waiting light feature capabilities
 - Call Forward Busy Line (CF/B)
 - Call Forward Don't Answer (CF/DA)

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

- 3.18 BellSouth shall provide branding for, or shall unbrand, voice mail services for AFS per the Bona Fide Request/New Business Request process as set forth in Attachment 11.
- 3.19 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.20 In the event AFS acquires an end user whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to AFS that Special Assembly at the wholesale discount at AFS' option. AFS shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.21 BellSouth shall provide 911/E911 for AFS customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate AFS customer information to the PSAP. BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the AFS customer service information in the ALI/DMS (Automatic Location Identification/Location Information) databases used to support 911/E911 services.
- 3.22 BellSouth shall bill, and AFS shall pay, the End User line charge associated with implementing Number Portability as set forth in BellSouth's FCC No. 1 tariff. This charge is not subject to the wholesale discount.
- 3.23 Pursuant to 47 CFR Section 51.617, BellSouth will bill to AFS, and AFS shall pay, End User common line charges identical to the End User common line charges BellSouth bills its End Users.

Version: 3Q02: 09/06/02

4. BellSouth's Provision of Services to AFS

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida and North Carolina, and in A27 in Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by AFS to establish authenticity of use. Such audit shall not occur more than once in a calendar year. AFS shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by AFS for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions of this Agreement.
- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g. a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 AFS may resell services only within the specific service area as defined in its certificate of operation approved by the Commission.
- 4.4 If AFS cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in accordance with BellSouth's GSST and PLST.
- 4.5 Service Jointly Provisioned with an Independent Company or Competitive Local Exchange Company (CLEC) Area
- 4.5.1 BellSouth will in some instances provision resold services in accordance with the GSST and PLST jointly with an Independent Company or other CLEC.
- 4.5.2 When AFS assumes responsibility for such service, all terms and conditions defined in the Tariff will apply for services provided within the BellSouth service area only.

Version: 3Q02: 09/06/02

- 4.5.3 Service terminating in an Independent Company or CLEC area will be provisioned and billed by the Independent Company or CLEC directly to AFS.
- 4.5.4 AFS must establish a billing arrangement with the Independent Company or CLEC prior to assuming an end user account where such circumstances apply.
- 4.5.5 Specific guidelines regarding such service are available on BellSouth's website @ www.interconnection.bellsouth.com.

5. Maintenance of Services

- 5.1 Services resold pursuant to this Attachment and BellSouth's GSST and PLST and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- 5.2 AFS or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- 5.3 AFS accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- 5.4 AFS will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- 5.5 For all repair requests, AFS shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- BellSouth will bill AFS for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.
- 5.7 BellSouth reserves the right to contact AFS' End Users, if deemed necessary, for maintenance purposes.

6. Establishment of Service

- After receiving certification as a local exchange company from the appropriate regulatory agency, AFS will provide the appropriate BellSouth service center the necessary documentation to enable BellSouth to establish a master account for AFS' resold services. Such documentation shall include the Application for Master Account, proof of authority to provide telecommunications services, an Operating Company Number (OCN) assigned by NECA and a tax exemption certificate, if applicable.
- AFS shall provide to BellSouth a blanket letter of authorization (LOA) certifying that AFS will have End User authorization prior to viewing the End User's

customer service record or switching the End User's service. BellSouth will not require End User confirmation prior to establishing service for AFS' End User customer. AFS must, however, be able to demonstrate End User authorization upon request.

BellSouth will accept a request directly from the End User for conversion of the End User's service from AFS to BellSouth or will accept a request from another CLEC for conversion of the End User's service from AFS to such other CLEC. Upon completion of the conversion BellSouth will notify AFS that such conversion has been completed.

7. Discontinuance of Service

- 7.1 The procedures for discontinuing service to an End User are as follows:
- 7.1.1 BellSouth will deny service to AFS' End User on behalf of, and at the request of, AFS. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of AFS.
- 7.1.2 At the request of AFS, BellSouth will disconnect an AFS End User customer.
- 7.1.3 All requests by AFS for denial or disconnection of an End User for nonpayment must be in writing.
- 7.1.4 AFS will be made solely responsible for notifying the End User of the proposed disconnection of the service.
- 7.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise AFS when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by AFS and/or the End User against any claim, loss or damage arising from providing this information to AFS. It is the responsibility of AFS to take the corrective action necessary with its End Users who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)

8.0 Operator Services (Operator Call Processing and Directory Assistance)

- 8.1 Operator Services provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls). (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and Operator-assisted Directory Assistance.
- Upon request for BellSouth Operator Call Processing, BellSouth shall:
- 8.2.1 Process 0+ and 0- dialed local calls

Version: 3Q02: 09/06/02

8.2.2	Process 0+ and 0- intraLATA toll calls.
8.2.3	Process calls that are billed to AFS end user's calling card that can be validated by BellSouth.
8.2.4	Process person-to-person calls.
8.2.5	Process collect calls.
8.2.6	Provide the capability for callers to bill a third party and also process such calls.
8.2.7	Process station-to-station calls.
8.2.8	Process Busy Line Verify and Emergency Line Interrupt requests.
8.2.9	Process emergency call trace originated by Public Safety Answering Points.
8.2.10	Process operator-assisted directory assistance calls.
8.2.11	Adhere to equal access requirements, providing AFS local end users the same IXC access that BellSouth provides its own operator service.
8.2.12	Exercise at least the same level of fraud control in providing Operator Service to AFS that BellSouth provides for its own operator service.
8.2.13	Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls.
8.2.14	Direct customer account and other similar inquiries to the customer service center designated by AFS.
8.2.15	Provide call records to AFS in accordance with ODUF standards.
8.2.16	The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards.
8.3	<u>Directory Assistance Service</u>
8.3.1	Directory Assistance Service provides local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
8.3.2	Directory Assistance Service shall provide up to two listing requests per call, if available and if requested by AFS' End User. BellSouth shall provide calleroptional directory assistance call completion service at rates contained in Exhibit C to one of the provided listings.

- 8.3.3 Directory Assistance Service Updates
- 8.3.3.1 BellSouth shall update end user listings changes daily. These changes include:
- 8.3.3.1.1 New end user connections
- 8.3.3.1.2 End user disconnections
- 8.3.3.1.3 End user address changes
- 8.3.3.2 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.
- 8.4 <u>Branding for Operator Call Processing and Directory Assistance</u>
- 8.4.1 BellSouth's branding feature provides a definable announcement to AFS End Users using Directory Assistance (DA)/ Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows AFS' name on whose behalf BellSouth is providing DA and/or OCP. Rates for the branding features are set forth in Exhibit C.
- 8.4.2 BellSouth offers three branding options to AFS when ordering BellSouth's DA and OCP: BellSouth Branding, Unbranding and Custom Branding.
- 8.4.3 Upon receipt of the branding order from AFS, the order is considered firm after ten (10) business days. Should AFS decide to cancel the order, written notification to AFS' BellSouth Account Executive is required. If AFS decides to cancel after ten (10) business days from receipt of the branding order, AFS shall pay all charges per the order.
- 8.4.4 Selective Call Routing using Line Class Codes (SCR-LCC)
- 8.4.4.1 Where AFS resells BellSouth's services and utilizes an operator services provider other than BellSouth, BellSouth will route AFS' end user calls to that provider through Selective Call Routing.
- 8.4.4.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for AFS to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 8.4.4.3 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service and certain PBX services.
- 8.4.4.4 Where available, AFS specific and unique line class codes are programmed in each BellSouth end office switch were AFS intends to service End Users with customized OCP/DA branding. The line class codes specifically identify AFS' End

Version: 3Q02: 09/06/02

Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and AFS intends to provide AFS-branded OCP/DA to its End Users in these multiple rate areas.

- 8.4.4.5 SCR-LCC supporting Custom Branding and Self Branding require AFS to order dedicated transport and trunking from each BellSouth end office identified by AFS, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the AFS Operator Service Provider for Self Branding. Separate trunk groups are required for OCP and for DA. Rates for transport and trunks are as set forth in applicable BellSouth Tariffs.
- 8.4.4.6 The rates for SCR-LCC are as set forth in Exhibit C of this Attachment. There is a nonrecurring charge for the establishment of each Line Class Code in each BellSouth central office.
- 8.4.4.7 Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by AFS to the BellSouth Tops. The calls are routed to "No Announcement."
- 8.4.5 Branding via Originating Line Number Screening (OLNS)
- 8.4.5.1 BellSouth Branding, Unbranding and Custom Branding are also available for DA, OCP or both via OLNS software. When utilizing this method of Unbranding or Custom Branding, AFS shall not be required to purchase direct trunking.
- 8.4.5.2 For Bellsouth to provide Unbranding or Custom Branding via OLNS software for OCP or for DA, AFS must have its OCN(s) and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, AFS must submit a manual order form which requires, among other things, AFS' OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. AFS shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon AFS' purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all AFS End Users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 8.4.5.3 Rates for Unbranding and Custom Branding via OLNS software for DA and for OCP are as set forth in Exhibit C of this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill AFS applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, AFS shall

continue to pay BellSouth applicable labor and other charges for the use of BellSouth's DA and OCP platforms as set forth in Exhibit C.

- 8.4.5.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicles (NAV) equipment for which AFS requires service.
- 8.4.5.5 Directory Assistance customized branding uses:
- 8.4.5.5.1 the recording of AFS
- 8.4.5.5.2 the loading of-the recording in switch.
- 8.4.5.6 Operator Call Processing customized branding uses:
- 8.4.5.6.1 the recording of AFS
- 8.4.5.6.2 the loading of the recording each switch
- 8.4.5.6.3 the loading on the NAV. All NAV shelves within the region where the customer is offering service must be loaded.

9. Line Information Database (LIDB)

- 9.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit B.
- 9.2 BellSouth will provide LIDB Storage upon written request to AFS' Account Manager stating a requested activation date.

10. RAO Hosting

10.1 RAO Hosting is not required for resale in the BellSouth region.

Exhibit A **EXCLUSIONS & LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 3)**

	True of Courtes	F	L	N	IC	TN		
	Type of Service		Discount	Resale	Discount	Resale	Discount	
1	Grandfathered Services (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	
2	Promotions - > 90 Days (Note 2)	Yes	Yes	Yes	Yes	Yes	Yes	
3	Promotions - \leq 90 Days (Note 2)	Yes	No	Yes	No	Yes	No	
4	Lifeline/Link Up Services	Yes	Yes	Yes	Yes	Yes	Yes	
5	911/E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	
6	N11 Services	Yes	Yes	Yes	Yes	Yes	Yes	
7	MemoryCall [®] Service	Yes	No	Yes	No	Yes	No	
8	Mobile Services	Yes	No	Yes	No	Yes	No	
9	Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	
10	Non-Recurring Charges	Yes	Yes	Yes	Yes	Yes	No	
11	End User Line Chg- Number Portability	Yes	No	Yes	No	Yes	No	
12	Public Telephone Access Svc (PTAS)	Yes	Yes	Yes	Yes	Yes	Yes	
13	Inside Wire Maint Service Plan	Yes	No	Yes	No	Yes	No	

Applicable Notes:

- 1. **Grandfathered services** can be resold only to existing subscribers of the grandfathered service.
- 2. Where available for resale, **promotions** will be made available only to End Users who would have qualified for the promotion has it been provided by BellSouth directly.
- 3. Some of BellSouth's local exchange and toll telecommunications services are not available in certain central offices and areas.

LINE INFORMATION DATA BASE (LIDB)

RESALE STORAGE AGREEMENT

I. Definitions (from Addendum)

- A. Billing number a number used by BellSouth for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number assigned by BellSouth that identifies a telephone line associated with a resold local exchange service, or with a SPNP arrangement.
- C. Special billing number a ten-digit number that identifies a billing account established by BellSouth in connection with a resold local exchange service or with a SPNP arrangement.
- D. Calling Card number a billing number plus PIN number assigned by BellSouth.
- E. PIN number a four-digit security code assigned by BellSouth that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by AFS.
- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number or Calling Card number as assigned by BellSouth and toll billing exception indicator provided to BellSouth by AFS.

II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of AFS and pursuant to which BellSouth, its LIDB customers and AFS shall have access to such information. In addition, this Agreement sets forth the terms and conditions for AFS' provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. AFS understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that

information stored at the request of AFS, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection Agreement upon notice to AFS' account team and/or Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection Agreement shall govern this LIDB Storage Agreement. The terms and conditions contained in the attached Addendum are hereby made a part of this LIDB Storage Agreement as if fully incorporated herein.

B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether AFS has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth, and where the last four digits (PIN) are a security code assigned by BellSouth.

3. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify AFS of fraud alerts so that AFS may take action it deems appropriate.

III. Responsibilities of the Parties

- A. BellSouth will administer all data stored in the LIDB, including the data provided by AFS pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's End User customers. BellSouth shall not be responsible to AFS for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.
- B. Billing and Collection Customers

Page 18

Exhibit B

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses and as such these billing and collection customers (B&C Customers) query BellSouth's LIDB to determine whether to accept various billing options from End Users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate AFS' data from BellSouth's data, the following shall apply:

- (1) BellSouth will identify AFS end user originated long distance charges and will return those charges to the interexchange carrier as not covered by the existing B&C agreement. AFS is responsible for entering into the appropriate agreement with interexchange carriers for handling of long distance charges by their end users.
- BellSouth shall have no obligation to become involved in any disputes between AFS and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to AFS. It shall be the responsibility of AFS and the B&C Customers to negotiate and arrange for any appropriate adjustments.

C. SPNP ARRANGEMENTS

- BellSouth will include billing number information associated with resold exchange lines or SPNP arrangements in its LIDB. AFS will request any toll billing exceptions via the Local Service Request (LSR) form used to order resold exchange lines, or the SPNP service request form used to order SPNP arrangements.
- 2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the resold local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the resold local exchange lines or the SPNP arrangements. For resold local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of AFS. BellSouth will not issue line-based calling cards in the name of AFS' individual End Users. In the event that AFS wants to include calling card numbers assigned by AFS in the BellSouth LIDB, a separate agreement is required.

IV. Fees for Service and Taxes

- A. AFS will not be charged a fee for storage services provided by BellSouth to AFS, as described in this LIDB Resale Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing

Attachment 1

Page 19

Exhibit B

jurisdiction with respect to the provision of the service set forth herein will be paid by AFS in accordance with the tax provisions set forth in the General Terms and Conditions.

RESALE DISCO	OUNTS AND RATES - Florida												Attachi	nent: 1	Exhi	bit: C	
CATEGORY	RATE ELEMENTS	Interi m Zone BCS USOC			usoc	Order Submitt								Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
							Nonrec	urrina	NRC D	NRC Disconnect			oss	Rates(\$)	<u> </u>		
						Recurring	ring		Add'l	SOMEC	SOMAN	SOMAN SOMAN		SOMAN	SOMAN		
APPLICABLE DISC	COUNTS																
Res	esidence %					21.83											
Bus	usiness %					16.81											
CS	SAs %					16.81											
OPERATIONAL SU	UPPORT SYSTEMS (OSS) RATES																
Ele	ectronic LSR				SOMEC		3.50	3.50		3.50							
	anual LSR				SOMAN		19.99	19.99	19.99	19.99							
	ROUTING USING LINE CLASS CODES (SCR-LCC)																
Sel	elective Routing Per Unique Line Class Code Per Request Per Switch						93.55	93.55	11.46	11.46							
DIRECTORY ASSIS	ISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE																
	ecording of DA Custom Branded Announcement						3,000.00	3,000.00									
	pading of DA Custom Branded Anouncement per Switch per OCN						1,170.00	1,170.00									
DIRECTORY ASSIS	ISTANCE UNBRANDING via OLNS SOFTWARE																
	pading of DA per OCN (1 OCN per Order)						420.00	420.00									
	pading of DA per Switch per OCN						16.00	16.00									
	STANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE																
	ecording of Custom Branded OA Announcement						7,000.00	7,000.00									
	pading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00									
Loa	pading of OA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00									
OPERATOR ASSIS	STANCE UNBRANDING via OLNS SOFTWARE																
Loa	pading of OA per OCN (Regional)						1,200.00	1,200.00									

RESALE DI	SCOUNTS AND RATES - North Carolina												Attachi	ment: 1	Exhi	bit: C
CATEGORY	RATE ELEMENTS	Interi m	i Zone	BCS	USOC							Submitted Manually per LSR		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonrec	urrina	NRC D	isconnec	t		oss	Rates(\$)	1 1	
						Recurring	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN SOMAN		SOMAN	SOMAN
APPLICABLE	DISCOUNTS															
	Residence %					21.50										
	Business %					17.60										
	CSAs %					17.60										
OPERATIONA	L SUPPORT SYSTEMS (OSS) RATES															ı
	Electronic LSR				SOMEC		3.50	3.50		3.50						
	Manual LSR				SOMAN		19.99	19.99	19.99	19.99						
SELECTIVE C	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per Switch						82.25	82.25	14.14	14.14						
DIRECTORY A	ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE															
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Anouncement per Switch per OCN						1,170.00	1,170.00								
DIRECTORY A	ASSISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
OPERATOR A	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE															
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00								
	Loading of OA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00								
OPERATOR A	SSISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								

RESALE DISCOUNTS AND RATES - Tennessee												Attachi	ment: 1	Exhi	bit: C
CATEGORY RATE ELEMENTS	Interi m	Zone	BCS	usoc		S Orr Sub RATES(\$) ed I per					Submitted Manually per LSR	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
		1				Nonrecurring		NRC D	NRC Disconnect			OSS	Rates(\$)	l	ا ا
					Recurring	First	Add'l	First		SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DISCOUNTS															
Residence %					16.00)									
Business %					16.00)									
CSAs %					16.00)									
OPERATIONAL SUPPORT SYSTEMS (OSS) RATES]
Electronic LSR				SOMEC		3.50	3.50		3.50						
Manual LSR				SOMAN		19.99	19.99	19.99	19.99						
SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
Selective Routing Per Unique Line Class Code Per Request Per Switch						179.60	179.60								
DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE															
Recording of DA Custom Branded Announcement						1,555.00	1,553.00	7.03	7.03						
Loading of DA Custom Branded Anouncement per Switch per OCN						240.71	240.71								
DIRECTORY ASSISTANCE UNBRANDING via OLNS SOFTWARE															
Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
Loading of DA per Switch per OCN						16.00	16.00								
OPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS SOFTWARE															
Recording of Custom Branded OA Announcement						1,555.00	1,555.00								
Loading of Custom Branded OA Announcement per shelf/NAV per OCN						240.71	240.71								
Loading of OA Custom Branded Announcement per Switch per OCN						240.71	240.71								
OPERATOR ASSISTANCE UNBRANDING via OLNS SOFTWARE							•								
Loading of OA per OCN (Regional)						1,200.00	1,200.00								

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1	INTRODUCTION	3
2	UNBUNDLED LOOPS	4
3	HIGH FREQUENCY SPECTRUM NETWORK ELEMENT	24
4	LOCAL SWITCHING	34
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	41
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	46
7	BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREENING SERVICE	51
8	LINE INFORMATION DATABASE (LIDB)	51
9	SIGNALING	54
10	OPERATOR SERVICES (OPERATOR CALL PROCESSING AND DIRECTORY ASSISTANCE)	E).60
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS).	65
12	CALLING NAME (CNAM) DATABASE SERVICE	65
13	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SM ADVANCED INTELLIGENT NETWORK (AIN) ACCESS	
14	BASIC 911 AND E911	67
15	OPERATIONAL SUPPORT SYSTEMS (OSS)	68
LII	DB Storage Agreement Exhi	bit A
Rai	tes	bit B

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to AFS in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other services BellSouth makes available to AFS. The rates for each Network Element and combination of Network Elements and other services are set forth in Exhibit B of this Agreement. Additionally, the provision of a particular Network Element or service may require AFS to purchase other Network Elements or services.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment AFS used in the provision of a telecommunications service. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of AFS, and to the extent technically feasible, provide to AFS access to its Network Elements for the provision of AFS' telecommunications services. If no rate is identified in this Agreement, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 AFS may purchase Network Elements and other services from BellSouth for the purpose of combining such network elements in any manner AFS chooses to provide telecommunication services to its intended users, including recreating existing BellSouth services. With the exception of the sub-loop Network Elements which are located outside of the central office, BellSouth shall deliver the Network Elements purchased by AFS to the demarcation point associated with AFS' collocation arrangement.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 AFS may not purchase unbundled network elements (UNEs) or convert special access circuits to UNEs if such network elements will be used to provide wireless telecommunications services.
- 1.7 Rates
- 1.7.1 The prices that AFS shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit B to this Attachment. If AFS purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.

- 1.7.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.7.3 If AFS modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by AFS in accordance with FCC No. 1 Tariff, Section 5.
- 1.7.4 A one-month minimum billing period shall apply to all UNE conversions or new installations.

2 Unbundled Loops

- 2.1 General
- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an end user customer premise, including inside wire owned by BellSouth. The local loop Network Element includes all features, functions, and capabilities of the transmission facilities, including dark fiber and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers) and line conditioning.
- 2.1.2 The provisioning of a Loop to AFS' collocation space will require cross-office cabling and cross-connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross-connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 To the extent available within BellSouth's network at a particular location, BellSouth will offer Loops capable of supporting telecommunications services. If a requested loop type is not available and cannot be made available through BellSouth's Unbundled Loop Modification (ULM) process, then AFS can use the Special Construction (SC) process to request that BellSouth place facilities in order to meet AFS' loop requirements. Standard Loop intervals shall not apply to the SC process.
- Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com. For orders of 15 or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.

- 2.1.5 The Loop shall be provided to AFS in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.6 AFS may utilize the unbundled Loops to provide telecommunications services as long as such services are consistent with industry standards and BellSouth's TR73600.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered. In those cases where AFS has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.), the resulting Loop will be maintained as an unbundled copper Loop (UCL), and AFS shall pay the recurring and nonrecurring charges for a UCL. For non-service specific loops (e.g. UCL, Loops modified by AFS using the ULM process), BellSouth will only support that the Loop has copper continuity and balanced tipand-ring.

2.1.8 <u>Loop Testing/Trouble Reporting</u>

- 2.1.8.1 AFS will be responsible for testing and isolating troubles on the Loops. AFS must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. At the time of the trouble report, AFS will be required to provide the results of the AFS tests which indicate a problem on the BellSouth provided loop.
- 2.1.8.2 Once AFS has isolated a trouble to the BellSouth provided Loop, and has issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its end users.
- 2.1.8.3 If AFS reports a trouble on a non-designed or designed loop and no trouble actually exists, BellSouth will charge AFS for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the loop's working status.

2.1.9 <u>Order Coordination and Order Coordination-Time Specific</u>

2.1.9.1 Order Coordination (OC) allows BellSouth and AFS to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to AFS' facilities to limit end user service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the end user. OC for physical conversions will be

scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.

2.1.9.2 Order Coordination – Time Specific (OC-TS) allows AFS to order a specific time for OC to take place. BellSouth will make every effort to accommodate AFS' specific conversion time request. However, BellSouth reserves the right to negotiate with AFS a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and Universal Digital Channel (UDC), and is billed in addition to the OC charge. AFS may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If AFS specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.10 CLEC to CLEC Conversions for Unbundled Loops

- 2.1.10.1 The CLEC to CLEC conversion process for unbundled Loops may be used by AFS when converting an existing unbundled Loop from another CLEC for the same end user. The Loop type being converted must be included in AFS' Interconnection Agreement before requesting a conversion.
- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same end user location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.10.3 The Loops converted to AFS pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found		
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office		
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office		
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office		
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office		
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office		

For UVL-SL1 and UCLs, AFS must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.2 Unbundled Voice Loops (UVLs)

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations,

BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that AFS will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SLI loops when reuse of existing facilities has been requested by AFS. AFS may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides loop make up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type loops for its end users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that AFS may request further testing on new UVL-SL1 loops. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to AFS. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 loops. The OC feature will allow AFS to coordinate the installation of the loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 <u>Unbundled Digital Loops</u>

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Universal Digital Channel (IDSL Compatible)
- 2.3.2.3 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.4 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.6 4-wire Unbundled DS1 Digital Loop
- 2.3.2.7 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.8 DS3 Loop

- 2.3.2.9 STS-1 Loop 2.3.2.10 OC-3 Loop 2.3.2.11 OC-12 Loop 2.3.2.12 OC-48 Loop
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. AFS will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable loop and end user. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service. BellSouth will not reconfigure its ISDN-capable loop to support IDSL service.
- 2.3.3.1 The Universal Digital Channel (UDC) (also known as IDSL-compatible Loop) is intended to be compatible with IDSL service and has the same physical characteristics and transmission specifications as BellSouth's ISDN-capable loop. These specifications are listed in BellSouth's TR73600.
- 2.3.3.2 The UDC may be provisioned on copper or through a Digital Loop Carrier (DLC) system. When UDC Loops are provisioned using a DLC system, the Loops will be provisioned on time slots that are compatible with data-only services such as IDSL.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of loop length). The loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed loop that is provisioned according to Carrier Serving Area (CSA) criteria and may be up to 12kft long and may have up to 2,500 feet of bridged tap (inclusive of loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the end-user's location.
- 2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and DLR.
- 2.3.8 DS3 Loop. This is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous

digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of AFS in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.

- 2.3.9 STS-1 Loop. This is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of AFS for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 OC-3 Loop/OC-12 Loop/OC-48 Loop. These are optical two-point transmission paths that are dedicated to the use of AFS in its provisioning of local exchange and associated exchange access services. The physical interface for all optical transport is optical fiber. This interface standard allows for transport of many different digital signals using a basic building block or base transmission rate of 51.84 megabits per second (Mbps). Higher rates are direct multiples of the base rate. The following rates are applicable: OC-3 –155.52 Mbps; OC-12 622.08 Mbps; and OC-48 2488 Mbps.
- 2.3.11 DS3 and above services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 and above services.

2.4 <u>Unbundled Copper Loops (UCL)</u>

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 <u>Unbundled Copper Loop – Designed (UCL-D)</u>

2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters). The UCL-D will be offered in two versions - Short and Long.

- 2.4.2.2 A short UCL-D (18kft or less) is provisioned according to Resistance Design parameters, may have up to 6kft of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The long UCL-D (beyond 18kft) is provisioned as a dry copper twisted pair longer than 18kft and may have up to 12kft of bridged tap and up to 2800 Ohms of resistance.
- 2.4.2.4 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by AFS.
- 2.4.2.5 These loops are not intended to support any particular services and may be utilized by AFS to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.2.6 BellSouth will make available the following UCL-Ds:
- 2.4.2.6.1 2-Wire UCL-D/short
- 2.4.2.6.2 2-Wire UCL-D/long
- 2.4.2.6.3 4-Wire UCL-D/short
- 2.4.2.6.4 4-Wire UCL-D/long

2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

- The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6kft of bridged tap between the end user's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18kft in length, although the UCL-ND will not have a specific length limitation. For loops less than 18kft and with less than 1300 Ohms resistance, the loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Make Up process is not required to order and provision the UCL-ND. However, AFS can request Loop Make Up for which additional charges would apply.

- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that AFS may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit B of this Attachment.
- 2.4.3.4 UCL-ND loops are not intended to support any particular service and may be utilized by AFS to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 AFS may use BellSouth's ULM offering to remove bridged tap and/or load coils from any loop within the BellSouth network. Therefore, some loops that would not qualify as UCL-ND could be transformed into loops that do qualify, using the ULM process.

2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

- 2.5.1 Line Conditioning is defined as the removal from the Loop of any devices that may diminish the capability of the Loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, bridged taps, low pass filters, and range extenders.
- 2.5.2 BellSouth shall condition Loops, as requested by AFS, whether or not BellSouth offers advanced services to the End User on that Loop.
- 2.5.3 In some instances, AFS will require access to a copper twisted pair loop unfettered by any intervening equipment (e.g., filters, load coils, range extenders, etc.), so that AFS can use the loop for a variety of services by attaching appropriate terminal equipment at the ends. AFS will determine the type of service that will be provided over the loop. BellSouth's ULM process will be used to determine the costs and feasibility of conditioning the loops as requested. Rates for ULM are as set forth in Exhibit B of this Attachment.
- 2.5.4 In those cases where AFS has requested that BellSouth modify a Loop so that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ISDN, ADSL, etc.), the resulting modified Loop will be ordered and maintained as a UCL.
- 2.5.5 The ULM offering provides the following elements: 1) removal of devices on 2-wire or 4-wire Loops equal to or less than 18kft; 2) removal of devices on 2-wire or 4-wire Loops longer than 18kft; and 3) removal of bridged taps on loops of any length.

- 2.5.6 AFS shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that AFS desires BellSouth to condition.
- 2.5.7 When requesting ULM for a loop that BellSouth has previously provisioned for AFS, AFS will submit a service inquiry to BellSouth. If a spare loop facility that meets the loop modification specifications requested by AFS is available at the location for which the ULM was requested, AFS will have the option to change the loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the loop facility in lieu of providing ULM, AFS will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 <u>Loop Provisioning Involving Integrated Digital Loop Carriers</u>

- 2.6.1 Where AFS has requested an Unbundled Loop and BellSouth uses Integrated Digital Loop Carrier (IDLC) systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to AFS. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will make alternative arrangements available to AFS (e.g. hairpinning).
- 2.6.2 BellSouth will select one of the following arrangements:
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "DACS-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.3 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.4 If no alternate facility is available, BellSouth will utilize its Special Construction (SC) process to determine the additional costs required to provision the loop facilities. AFS will then have the option of paying the one-time SC rates to place the loop.

2.7 <u>Network Interface Device (NID)</u>

2.7.1 The NID is defined as any means of interconnection of end user customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for

that purpose. The NID is a single-line termination device or that portion of a multiple-line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the end user's customer premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the end user each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

2.7.2 BellSouth shall permit AFS to connect AFS' Loop facilities to the end-user's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 AFS may access the end user's customer premises wiring by any of the following means and AFS shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow AFS to connect its loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the end user's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Request BellSouth to make other rearrangements to the end user customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be AFS' responsibility to ensure there is no safety hazard and will hold BellSouth harmless for any liability associated with the removal of the BellSouth loop from

the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.

- 2.7.3.3 In no case shall either Party remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 In no case shall either Party remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with AFS to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the end user's customer premises and the Distribution Media and/or cross connect to AFS' NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. AFS may request BellSouth to do additional work to the NID on a time and material basis. When AFS deploys its own local loops with respect to multiple-line termination devices, AFS shall specify the quantity of NIDs connections that it requires within such device.

2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) and Unbundled Sub-loop Concentration (USLC) System.

2.8.2 **Unbundled Sub-Loop Distribution**

2.8.2.1 The unbundled sub-loop distribution facility is a dedicated transmission facility that BellSouth provides from an end user's point of demarcation to a BellSouth crossconnect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make the following available sub-loop distribution offerings where facilities permit:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a sub-loop facility from the cross-box in the field up to and including the point of demarcation at the end user's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the end-user's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the end-user and the cross-box.
- 2.8.2.3.1 If AFS requests a UCSL and it is not available, AFS may request the Sub-Loop facility be modified pursuant to the ULM process request to remove load coils and/or bridged taps. If load coils and/or bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility inside a building or between buildings on the same continuous property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the end user's premises.
- 2.8.2.4.1 BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for AFS' use on this cross-connect panel. AFS will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.5 Unbundled Sub-Loop distribution facilities shall support functions associated with provisioning, maintenance and testing of the Unbundled Sub-Loop. For access to Voice Grade USLD and UCSL, AFS shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. AFS' cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the Service Inquiry (SI) process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by AFS is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet AFS' request, BellSouth will perform the site set-up as described in the CLEC Information Package, located at Website address:

http://www.interconnection.bellsouth.com/products/html/unes.html. If any work must be done to modify existing BellSouth facilities or add new facilities (other than adding the cross-connect panel in a building equipment room to accommodate AFS' request for Unbundled Sub-Loops, AFS may request BellSouth's Special Construction (SC) process to determine additional costs required to provision the Unbundled Sub-Loops. AFS will have the option to proceed under the SC process to modify the BellSouth facilities.

- 2.8.2.7 The site set-up must be completed before AFS can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice AFS' cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, AFS will request sub-loop pairs through submission of a LSR form to the LCSC. OC is required with USL pair provisioning when AFS requests reuse of an existing facility and is in addition to the USL pair rate. For expedite requests by AFS for sub-loop pairs, expedite charges will apply for intervals less than 5 days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 <u>Unbundled Network Terminating Wire (UNTW)</u>

- 2.8.3.1 Unbundled Network Terminating Wire (UNTW) is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual customer's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the end-users premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the end-user's premises, where a third party owns the wiring to the end-user's premises or where the property owner will not allow the other Party to place its facilities to the end user.

2.8.3.3 Requirements

2.8.3.3.1 On a multi-unit premise, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide

- access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the end users' premises, AFS will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate AFS for each pair activated commensurate to the price specified in AFS' Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW Service Inquiry (SI) requesting access to the Provisioning Party's UNTW pairs at a multi-unit premise, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each Provisioning Party's Garden Terminal or inside each Wiring Closet. Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the end user has requested a change in its local service provider to the Requesting Party. Prior to connecting Requesting Party's service on a pair previously used by Provisioning Party, Requesting Party is responsible for ensuring the end-user is no longer using Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 Requesting Party is responsible for obtaining the property owner's permission for Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, Requesting Party will be responsible for costs associated with removing Access Terminals and restoring property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. Requesting Party will be billed for non-recurring and recurring charges for accessing UNTW pairs at the time the

Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party each time it activates UNTW pairs using the LSR form.

- 2.8.3.3.9 Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. Requesting Party must tag the UNTW pair that requires repair. If Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least one pair on the Access Terminal installed pursuant to Requesting Party's request for an Access Terminal within 6 months of installation of the Access Terminal, Provisioning Party will bill Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If Provisioning Party determines that Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the following charges shall apply:
- 2.8.3.3.11.1 If Requesting Party issued a LSR to disconnect an end-user from Provisioning Party in order to use a UNTW pair, Requesting Party will be billed for the use of the pair back to the disconnect order date.
- 2.8.3.3.11.2 If Requesting Party activated a UNTW pair on which Provisioning Party was not previously providing service, Requesting Party will be billed for the use of that pair back to the date the end user began receiving service using that pair. Upon request, Requesting Party will provide copies of its billing record to substantiate such date. If Requesting Party fails to provide such records, then Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 **Unbundled Sub-Loop Feeder**

- 2.8.4.1 Unbundled Sub-Loop Feeder (USLF) provides connectivity between BellSouth's central office and cross-box (or other access point) that serves an end user location.
- 2.8.4.2 USLF utilized for voice traffic can be configured as 2-wire voice (USLF-2W/V) or 4-wire voice (USLF-4W/V).
- 2.8.4.3 USLF utilized for digital traffic can be configured as 2-wire ISDN (USLF-2W/I); 2-wire Copper (USLF-2W/C); 4-wire Copper (USLF-4W/C); 4-wire DS0 level loop (USLF-4W/D0); or 4-wire DS1 and ISDN (USLF-4W/DI).
- 2.8.4.4 USLF will provide access to both the equipment and the features in the BellSouth central office and BellSouth cross box necessary to provide a 2-wire or 4-wire communications pathway from the BellSouth central office to the BellSouth cross-

box. This element will allow for the connection of AFS' loop distribution elements onto BellSouth's feeder system.

2.8.4.5 Requirements

- 2.8.4.5.1 AFS will extend a compatible cable to BellSouth's cross-box. BellSouth will connect the cable to a cross-connect panel inside the BellSouth cross-box to the requested level of feeder element. In those cases in which there is no room in the BellSouth cross-box to accommodate the additional cross-connect panels mentioned above, AFS may request, through the BellSouth Special Construction (SC) process, a determination of costs to provide the sub-loop feeder element to AFS. AFS will then have the option of paying the SC charges or canceling the order.
- 2.8.4.5.2 USLF will be a designed circuit and BellSouth will provide a DLR for this element.
- 2.8.4.5.3 BellSouth will provide USLF elements in accordance with applicable industry standards for these types of facilities. Where industry standards do not exist, BellSouth's TR73600 will be used to determine performance parameters.
- 2.8.4.6 Unbundled Sub-Loop Feeder (USLF DS3 and above)
- 2.8.4.6.1 USLF DS3 and above provides connectivity between a BellSouth Serving Wire Center (SWC) and the Remote Terminal (RT) associated with the SWC that serves an end user location.
- 2.8.4.6.2 The sub-loop feeder is intended to be utilized for voice traffic and digital traffic. It can be configured at DS3, STS-1, OC-3, OC-12, or OC-48 transmission capacities.
- 2.8.4.6.3 The OC-48 Sub-Loop Feeder will consist of four (4) OC12 interfaces.
- 2.8.4.6.4 Both 2-fiber and 4-fiber-protect applications will be supported for OC-3 level and higher.
- 2.8.4.7 Requirements
- 2.8.4.7.1 Access in the SWC and RT will be via a Collocation cross-connect.
- 2.8.4.7.2 USLF DS3 and above will be a designed circuit. BellSouth will provide a DLR for this network element.
- 2.8.4.7.3 Rates for these services are as set forth in Exhibit B of this Attachment. Mileage is based on airline miles.

2.8.4.7.4 BellSouth will provide USLF DS3 and above elements in accordance with applicable industry standards.

2.8.5 <u>Unbundled Loop Concentration (ULC)</u>

- 2.8.5.1 BellSouth will provide to AFS Unbundled Loop Concentration (ULC). Loop concentration systems in the central office concentrate the signals transmitted over local loops onto a digital loop carrier system. The concentration device is placed inside a BellSouth central office. BellSouth will offer ULC with a TR008 interface or a TR303 interface.
- 2.8.5.2 ULC will be offered in two system options. System A will allow up to 96
 BellSouth loops to be concentrated onto two or more DS1s. The high-speed
 connection from the concentrator will be at the electrical DS1 level and will
 connect to AFS at AFS' collocation site. System B will allow up to 192 BellSouth
 loops to be concentrated onto 4 or more DS1s. System A may be upgraded to a
 System B. A minimum of two DS1s is required for each system (i.e., System A
 requires two DS1s and System B would require an additional two DS1s or four in
 total). All DS1 interfaces will terminate to AFS' collocation space. ULC service
 is offered with concentration (2 DS1s for 96 channels) or without concentration (4
 DS1s for 96 channels) and with or without protection. A Loop Interface element
 will be required for each loop that is terminated onto the ULC system.

2.8.6 <u>Unbundled Sub-Loop Concentration (USLC)</u>

- 2.8.6.1 Where facilities permit, AFS may concentrate its sub-loops onto multiple DS1s back to the BellSouth Central Office.
- USLC, using the Lucent Series 5 equipment, will be offered in two system options. System A will allow up to 96 of AFS' sub-loops to be concentrated onto two or more DS1s. System B will allow an additional 96 of AFS' sub-loops to be concentrated onto two or more additional DS1s. One System A may be supplemented with one System B and they both must be physically located in a single Series 5 dual channel bank. A minimum of two DS1s is required for each system (i.e., System A requires two DS1s and System B would require an additional two DS1s or four in total). The DS1 level facility that connects the Remote Terminal site with the serving wire center is known as a Feeder Interface. All DS1 Feeder Interfaces will terminate to AFS' demarcation point associated with AFS' collocation space within the SWC that serves the remote terminal (RT). USLC service is offered with or without concentration and with or without a protection DS1.
- 2.8.6.3 AFS is required to deliver its sub-loops to its own cross-box, RT, or other similar device and deliver a single cable to the BellSouth RT. This cable shall be connected by a BellSouth technician to a cross-connect panel within the BellSouth

RT/cross-box and shall allow AFS' sub-loops to be placed on the USLC and transported to AFS' collocation space at a DS1 level.

2.8.7 **Dark Fiber Loop**

2.8.7.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from an end user's premises connected via a cross connect to the demarcation point associated with AFS' collocation space in the end user's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for AFS to utilize Dark Fiber Loops.

2.8.7.2 Requirements

- 2.8.7.2.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.7.2.2 AFS is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.7.2.3 BellSouth shall use its commercially reasonable efforts to provide to AFS information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a Service Inquiry (SI) from AFS.
- 2.8.7.2.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to AFS within twenty (20) business days after AFS submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable AFS to connect AFS provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 **Loop Makeup (LMU)**

- 2.9.1 Description of Service
- 2.9.1.1 BellSouth shall make available to AFS LMU information so that AFS can make an independent judgment about whether the Loop is capable of supporting the

advanced services equipment AFS intends to install and the services AFS wishes to provide. This section addresses LMU as a preordering transaction, distinct from AFS ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) for preordering loop makeup are likewise unique from other preordering functions with associated service inquiries (SIs) as described in this Agreement.

- 2.9.1.2 BellSouth will provide AFS LMU information consisting of the composition of the loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to AFS as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC on facilities is contingent upon either BellSouth or the requesting CLEC owning the loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility owned by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 AFS may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by AFS and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee AFS' ability to provide advanced data services over the ordered loop type. Further, if AFS orders loops that do not require a specific facility medium (i.e. copper only) or loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible loops) and that are not inventoried as advanced services loops, the LMU information for such loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. AFS is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the loop type ordered.

2.9.2 **Submitting Loop Makeup Service Inquiries**

2.9.2.1 AFS may obtain LMU information by submitting a LMUSI mechanically or

manually. Mechanized LMUSIs should be submitted through BellSouth's Operational Support Systems interfaces. After obtaining the Loop information from the mechanized LMUSI process, if AFS needs further loop information in order to determine loop service capability, AFS may initiate a separate Manual Service Inquiry for a separate non-recurring charge as set forth in Exhibit B of this Attachment.

2.9.2.2 Manual LMUSIs shall be submitted by electronic mail to BellSouth's Complex Resale Support Group (CRSG) utilizing the Preordering Loop Makeup Service Inquiry form. The service interval for the return of a Loop Makeup Manual Service Inquiry is three business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, AFS may reserve up to ten Loop facilities. For a Manual LMUSI, AFS may reserve up to three Loop facilities.
- 2.9.3.2 AFS may reserve facilities for up to four (4) business days for each facility requested on a LMUSI from the time the LMU information is returned to AFS. During and prior to AFS placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If AFS does not submit an LSR for a UNE service on a reserved facility within the four-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering LMUSI are separate from any charges associated with ordering other services from BellSouth.

2.9.4 **Ordering of Other UNE Services**

- 2.9.4.1 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. AFS will not be billed any additional LMU charges for the loop ordered on such LSR. If, however, AFS does not reserve facilities upon an initial LMUSI, AFS' placement of an order for an advanced data service type facility will incur the appropriate billing charges to include service inquiry and reservation per Exhibit B of this Attachment.
- 2.9.4.2 Where AFS has reserved multiple Loop facilities on a single reservation, AFS may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to AFS, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by AFS. If the ordered Loop type is not available, AFS may utilize the ULM process or the SC process, as applicable, to obtain the Loop type ordered.

3. <u>High Frequency Spectrum Network Element</u>

- 3.1 General
- 3.1.1 BellSouth shall provide AFS access to the high frequency spectrum of the local loop as a UNE only where BellSouth is the voice service provider to the End User at the rates set forth in this Attachment.
- 3.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow AFS the ability to provide Digital Subscriber Line (xDSL) data services to the end user for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. AFS shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.4 BellSouth will provide Loop Modification to AFS on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (Central Office Based) Unbundled Loop Modification is a separate distinct service from ULM set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (Central Office Based) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If AFS requests that BellSouth modify a Loop longer than 18kft and such modification significantly degrades the voice services on the Loop, AFS shall pay for the Loop to be restored to its original state.
- 3.1.5 The High Frequency Spectrum shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the end user. In the event the end user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and AFS desires to continue providing xDSL service on such Loop, AFS shall be required to purchase a full stand-alone Loop unbundled network element. To the extent commercially

practicable, BellSouth shall give AFS notice in a reasonable time prior to disconnect, which notice shall give AFS an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the end user and AFS purchases the full standalone loop, AFS may elect the type of loop it will purchase. AFS will pay the appropriate recurring and non-recurring rates for such Loop as set forth in Exhibit B to this Attachment. In the event AFS purchases a voice grade Loop, AFS acknowledges that such Loop may not remain xDSL compatible.

- Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular loop.
- 3.2 **Provisioning of High Frequency Spectrum and Splitter Space**
- 3.2.1 BellSouth will provide AFS with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, AFS must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the end user of such Loop.
- 3.2.1.2 AFS may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of AFS' submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth CRSG.
- 3.2.1.3 Once a splitter is installed on behalf of AFS in a central office in which AFS is located, AFS shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and AFS shall pay the electronic or manual ordering charges as applicable when AFS orders High Frequency Spectrum for end-user service.
- 3.2.1.4 BellSouth shall test the data portion of the loop to ensure the continuity of the wiring for AFS' data.

3.3 **BellSouth Provided Splitter**

3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide AFS access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to AFS' xDSL equipment in AFS' collocation space. At least 30 days before making a change in splitter suppliers, BellSouth will provide AFS with a carrier notification letter, informing AFS of change. AFS shall purchase ports on the splitter in increments of 8, 24, or 96 ports in Florida and North Carolina. AFS shall purchase ports on the splitter in increments of 24 or 96 ports in Tennessee.

3.3.2 BellSouth will install the splitter in (i) a common area close to AFS' collocation area, if possible; or (ii) in a BellSouth relay rack as close to AFS' DS0 termination point as possible. AFS shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for AFS on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified AFS DS0 at such time that an AFS end user's service is established.

3.4 **CLEC Provided Splitter**

- 3.4.1 AFS may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. AFS may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4 shall apply.
- 3.4.2 Any splitters installed by AFS in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. AFS may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 **Ordering**

- 3.5.1 AFS shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFAs) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide AFS the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.5.4 BellSouth will provide AFS access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and AFS shall pay the rates for such services, as described in Exhibit B.

3.6 **Maintenance and Repair**

3.6.1 AFS shall have access for repair and maintenance purposes to any loop for which it has access to the High Frequency Spectrum. If AFS is using a BellSouth owned

splitter, AFS may access the loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If AFS provides its own splitter, it may test from the collocation space or the Termination Point.

- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. AFS will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 AFS shall inform its end users to direct data problems to AFS, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to AFS, BellSouth will notify AFS. AFS will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, AFS will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue AFS' access to the High Frequency Spectrum on such loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 **Line Splitting**

3.7.1 General

- 3.7.1.1 Line splitting allows a provider of data services (a "Data LEC") and a provider of voice services (a "Voice CLEC") to deliver voice and data service to end-users over the same loop. The Voice CLEC and Data LEC may be the same or different carriers. AFS shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if AFS will not provide voice and data services.
- 3.7.1.2 End Users currently receiving voice service from a Voice CLEC through a UNE platform (UNE-P) may be converted to Line Splitting arrangements by AFS or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE loop, port, and one collocation cross connection.

3.7.1.3 When end users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing AFS for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of AFS or its authorized agent to determine if the loop is compatible for Line Splitting Service. AFS or its authorized agent may use the existing loop unless it is not compatible with the Data LEC's data service and AFS or its authorized agent submits an LSR to BellSouth to change the loop.

3.7.2 Provisioning Line Splitting and Splitter Space

- 3.7.2.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When AFS or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog loop from the serving wire center to the NID at the end user's location; a collocation cross connection connecting the loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The loop and port cannot be a loop and port combination (i.e. UNE-P), but must be individual stand-alone network elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog loop from the serving wire center to the NID at the end user's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.7.2.2 An unloaded 2-wire copper loop must serve the end user. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.7.2.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.7.2.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same loop.

3.7.3 **Ordering**

- 3.7.3.1 AFS shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFAs for use with Line Splitting.
- 3.7.3.2 BellSouth shall provide AFS the LSR format to be used when ordering Line Splitting service.
- 3.7.3.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.

- 3.7.3.4 BellSouth will provide AFS access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and AFS shall pay the rates for such services as described in Exhibit B.
- 3.7.3.5 BellSouth will provide loop modification to AFS on an existing loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from ULM set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at: http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment.

3.7.4 **Maintenance**

- 3.7.4.1 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. AFS will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.7.4.2 AFS shall inform its end users to direct data problems to AFS, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.7.4.3 Once a Party has isolated a trouble to the other Party's portion of the loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the Loop.
- 3.7.4.4 When BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to owner of the collocation space, BellSouth will notify the owner of the collocation space. The owner of the collocation space will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event the CFA pair is changed, the owner of the collocation space will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue the owner of the collocation space access to the High Frequency Spectrum on such loop.
- 3.7.4.5 If AFS is not the data provider, AFS shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

3.8 Remote Site High Frequency Spectrum

3.8.1 General

- 3.8.1.1 BellSouth shall provide AFS access to the high frequency spectrum of the local sub-loop as a UNE only where BellSouth is the voice service provider to the end user at the rates set forth in this Attachment.
- 3.8.1.2 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper sub-loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow AFS the ability to provide Digital Subscriber Line (xDSL) data services to the end user for whom BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the sub-loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. AFS shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.8.1.3 Access to the High Frequency Spectrum requires an unloaded, 2-wire (Non-Designed) copper sub-loop. An unloaded copper sub-loop has no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.8.1.4 BellSouth will provide Loop Modification to AFS on an existing sub-loop in accordance with procedures developed in the Line Sharing Collaborative. Procedures for High Frequency Spectrum (Remote Site) Unbundled Loop Modification were developed in the Line Sharing Collaborative and may be found posted to the web at http://www.interconnection.bellsouth.com/html/unes.html. Nonrecurring rates for this UNE offering may be found in Exhibit B of this Attachment. BellSouth is not required to modify a loop for access to the High Frequency spectrum if modification of that loop significantly degrades BellSouth's voice service. If AFS requests modifications on a sub-loop longer than 18kft and requested modifications significantly degrade the voice services on the loop, AFS shall pay for the loop to be restored to its original state.
- 3.8.1.5 The High Frequency Spectrum shall only be available on sub-loops provided by BellSouth that continues to provide analog voice service directly to the end user. In the event the end user terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the end user's voice service pursuant to its tariffs or applicable law, and AFS desires to continue providing xDSL service on such sub-loop, AFS shall be required to purchase a full stand-alone sub-loop. To the extent commercially practicable, BellSouth shall give AFS notice in a reasonable time prior to disconnect, which notice shall give AFS an adequate opportunity to notify BellSouth of its intent to purchase such sub-loop. In those cases where BellSouth no longer provides voice service to the end user and AFS purchases the full stand-alone sub-loop, AFS may elect the type of sub-loop it will

purchase. AFS will pay the appropriate recurring and nonrecurring rates for such sub-loop as set forth in Exhibit B to this Attachment. In the event AFS purchases a voice grade Loop, AFS acknowledges that such sub-loop may not remain xDSL compatible.

- 3.8.1.6 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular sub-loop.
- 3.8.2 **Provisioning of High Frequency Spectrum and Splitter Space**
- 3.8.2.1 To order High Frequency Spectrum on a particular sub-loop, AFS must have a DSLAM collocated at the remote site that serves the end user of such sub-loop.
- 3.8.2.2 AFS may provide its own splitters or may order splitters in a remote site once AFS has installed its DSLAM at that remote site. BellSouth will install splitters within thirty-six (36) calendar days of AFS' submission of an error free LSOD to the BellSouth CRSG.
- 3.8.2.3 Once a splitter is installed on behalf of AFS in a remote site in which AFS is located, AFS shall be entitled to order the High Frequency Spectrum on lines served out of that remote site. BellSouth will bill and AFS shall pay applicable rates for High Frequency Spectrum end-user activation.
- 3.8.3 **BellSouth Owned Splitter**
- 3.8.3.1 BellSouth will select, purchase, install and maintain a splitter at the remote site. AFS' meet point is at the BellSouth "cross connect" point located at the Feeder Distribution Interface (FDI). AFS will provide a cable facility to the BellSouth FDI. BellSouth will splice AFS' cable to BellSouth's spare binding post in the FDI and use "cross connects" to connect AFS' cable facility to the BellSouth splitter. The splitter will route the high frequency portion of the circuit to AFS' xDSL equipment in their collocation space. Access to the high frequency spectrum is not compatible with foreign exchange (FX) lines, ISDN, and other services listed in the technical section of this document.
- 3.8.3.2 The BellSouth splitter bifurcates the digital and voice band signals. The low frequency voice band portion of the circuit is routed back to the BellSouth switch. The high frequency digital traffic portion of the circuit is routed to the xDSL equipment in AFS' Remote Terminal (RT) collocation space and routed back to AFS' network. At least 30 business days before making a change in splitter suppliers, BellSouth will provide AFS with a carrier notification letter informing AFS of change. AFS shall purchase ports on the splitter in increments of 24 ports.
- 3.8.3.3 BellSouth will install the splitter in (i) a common area close to AFS' collocation area, if possible; or (ii) in a BellSouth relay rack as close to AFS' DS0 termination point as possible. AFS shall have access to the splitter for test purposes regardless of where the splitter is placed in the BellSouth premises. For purposes of this

section, a common area is defined as an area in the remote site in which both Parties have access to a common test access point. BellSouth will cross-connect the splitter data ports to a specified AFS DS0 at such time that an AFS end user's service is established.

3.8.4 **CLEC Owned Splitter**

- 3.8.4.1 AFS may at its option purchase, install and maintain splitters in its collocation arrangements. AFS may use such splitters for access to its customers and to provide xDSL services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures shall apply. AFS will be required to activate cable pairs in no less than 8 (eight) pair increments.
- 3.8.4.2 Any splitters installed by AFS in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. AFS may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.8.5 **Ordering**

- 3.8.5.1 AFS shall use BellSouth's Remote Splitter Ordering Document (RSOD) to order and activate splitters from BellSouth or to activate CLEC owned splitters at an RT for use with High Frequency Spectrum.
- 3.8.5.2 BellSouth will provide AFS the LSR format to be used when ordering the High Frequency Spectrum.
- 3.8.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.8.5.4 BellSouth will provide AFS access to Preordering Loop Makeup (LMU) in accordance with the terms of this Agreement. BellSouth shall bill and AFS shall pay the rates for such services as described in Exhibit B.
- 3.8.5.5 BellSouth shall test the data portion of the sub-loop to ensure the continuity of the wiring for AFS' data.

3.8.6 **Maintenance and Repair**

3.8.6.1 AFS shall have access for repair and maintenance purposes to any sub-loop for which it has access to the High Frequency Spectrum. If AFS is using a BellSouth owned splitter, AFS may access the sub-loop at the point where the data signal exits. If AFS provides its own splitter, it may test from the collocation space or the Termination Point.

- 3.8.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. AFS will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.8.6.3 AFS shall inform its end users to direct data problems to AFS, unless both voice and data services are impaired, in which event the end users should call BellSouth.
- 3.8.6.4 Once a Party has isolated a trouble to the other Party's portion of the sub-loop, the Party isolating the trouble shall notify the end user that the trouble is on the other Party's portion of the sub-loop.
- 3.8.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to AFS, BellSouth will notify AFS. AFS will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, AFS will provide BellSouth an LSR with the new CFA pair information within 24 hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue AFS' access to the High Frequency Spectrum on such sub-loop. BellSouth will not be responsible for any loss of data as a result of this action.

4. <u>Local Switching</u>

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to AFS for the provision of a telecommunications service. BellSouth shall provide non-discriminatory access to packet switching capability on an unbundled basis to AFS for the provision of a telecommunications service only in the limited circumstance described below in Section 4.5.

4.2 Local Circuit Switching Capability, including Tandem Switching Capability

4.2.1 Local circuit switching capability is defined as: (A) line-side facilities, which include but are not limited to the connection between a loop termination at a main distribution frame and a switch line card; (B) trunk-side facilities, which include but are not limited to the connection between trunk termination at a trunk-side cross-connect panel and a switch trunk card; (C) switching provided by remote switching modules; and (D) all features, functions, and capabilities of the switch, which include but are not limited to: (1) the basic switching function of connecting lines to lines, line to trunks, trunks to lines, and trunks to trunks, as well as the same basic capabilities made available to BellSouth's customers, such as a telephone number, white page listings, and dial tone; and (2) all other features that the switch is capable of providing, including but not limited to customer calling, customer local area signaling service features, and Centrex, as well as any

technically feasible customized routing functions provided by the switch. Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.

- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for AFS when AFS serves an end user with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in one of the following MSAs: Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; and Nashville, TN, and BellSouth has provided non-discriminatory cost based access to the Enhanced Extended Link (EEL) throughout Density Zone 1 as determined by NECA Tariff No. 4 as in effect on January 1, 1999.
- 4.2.3 In the event that AFS orders local circuit switching for an end user with four (4) or more DS0 equivalent lines within Density Zone 1 in an MSA listed above, BellSouth shall charge AFS the market based rates in Exhibit B for use of the local circuit switching functionality for the affected facilities. If a market rate is not set forth in Exhibit B, such rate shall be negotiated by the Parties.
- 4.2.4 Unbundled Local Switching consists of three separate unbundled elements:
 Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
 Trunk Ports.
- 4.2.5 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to AFS' end user local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.6 Provided that AFS purchases unbundled local switching from BellSouth and uses the BellSouth CIC for its end users' LPIC or if a BellSouth local end user selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a AFS local end user, or originated by a BellSouth local end user and terminated to a AFS local end user, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge AFS the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and AFS shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.
- 4.2.7 Where AFS purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its end users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a AFS end user and terminate within the basic local calling area or within the extended local calling areas and that

are dialed using 7 or 10 digits as defined and specified in Section A3 of BellSouth's GSST. For such local calls, BellSouth will charge AFS the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and AFS shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's web site.

4.2.8 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill AFS the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

4.2.9 **Unbundled Port Features**

- 4.2.9.1 Charges for Unbundled Port are as set forth in Exhibit B, and as specified in such exhibit, may or may not include individual features.
- 4.2.9.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.9.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.9.4 BellSouth will provide to AFS selective routing of calls to a requested Operator System platform pursuant to Section 10 of Attachment 2. Any other routing requests by AFS will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

4.2.10 Remote Call Forwarding

- 4.2.10.1 As an option, BellSouth shall make available to AFS an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, AFS will ensure that the following conditions are satisfied:
- 4.2.10.1.1 That the end user of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such end user is different from the URCF service end user);
- 4.2.10.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.10.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and

- 4.2.10.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.10.2 In addition to the charge for the URCF service port, BellSouth shall charge AFS the rates set forth in Exhibit B for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward- to number (service).

4.2.11 **Provision for Local Switching**

- 4.2.11.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.11.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.11.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.11.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to AFS all AIN triggers in connection with its SMS/SCE offering.
- 4.2.11.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by AFS.

4.2.12 <u>Local Switching Interfaces.</u>

- 4.2.12.1 AFS shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit B. BellSouth shall provide the following local switching interfaces:
- 4.2.12.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.12.1.2 Coin phone signaling;
- 4.2.12.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.12.1.4 Two-wire analog interface to PBX;

- 4.2.12.1.5 Four-wire analog interface to PBX;
- 4.2.12.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.12.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.12.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.12.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.

4.3 **Tandem Switching**

4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

4.3.2 <u>Technical Requirements</u>

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, 6/1/90. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by AFS and BellSouth;
- 4.3.2.1.3 Tandem Switching shall provide Advanced Intelligent Network triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to PSAPs where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.

- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be routinely performed by BellSouth. The results and reports of the testing shall be made available to AFS.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll-free traffic received from AFS' local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon AFS' purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for AFS' traffic overflowing from direct end office high usage trunk groups.
- 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers
- 4.4.1 BellSouth will provide AIN Selective Carrier Routing at the request of AFS. AIN Selective Carrier Routing will provide AFS with the capability of routing operator calls, 0+ and 0- and 0+ NPA (LNPA) 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 AFS shall order AIN Selective Carrier Routing through its Account Team and/or Local Contract Manager. AIN Selective Carrier Routing must first be established regionally and then on a per central office per state basis.
- 4.4.3 AIN Selective Carrier Routing is not available in DMS 10 switches.
- 4.4.4 Where AIN Selective Carrier Routing is utilized by AFS, the routing of AFS' end user calls shall be pursuant to information provided by AFS and stored in BellSouth's AIN Selective Carrier Routing Service Control Point database. AIN Selective Carrier Routing shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN Selective Carrier Routing is established.
- 4.4.5 Upon ordering AIN Selective Carrier Routing Regional Service, AFS shall remit to BellSouth the Regional Service Order non-recurring charges set forth in Exhibit B of this Attachment. There shall be a non-recurring End Office Establishment Charge, as set forth in Exhibit B, per office due at the addition of each central office where AIN Selective Carrier Routing will be utilized. For each AFS end user activated, there shall be a non-recurring End User Establishment charge as set forth in Exhibit B. AFS shall pay the AIN Selective Carrier Routing Per Query Charge set forth in Exhibit B.

- 4.4.6 This Regional Service Order non-recurring charge will be non-refundable and will be paid with 1/2 due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN Selective Carrier Routing (SCR) Order Request Form B, AIN_SCR Central Office Identification Form Form C, AIN_SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has 30 days to respond to AFS' fully completed firm order as a Regional Service Order. With the delivery of this firm order response to AFS, BellSouth considers that the delivery schedule of this service commences. The remaining 1/2 of the Regional Service Order payment must be paid when at least 90% of the Central Offices listed on the original order have been turned up for the service.
- 4.4.7 The nonrecurring End Office Establishment Charge will be billed to AFS following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End User Establishment Charges will be billed to AFS following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN Selective Carrier Routing Per Query Charge will be billed to AFS following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

4.5 **Packet Switching Capability**

- 4.5.1 The packet switching capability network element is defined as the function of routing or forwarding packets, frames, cells or other data units based on address or other routing information contained in the packets, frames, cells or other data units.
- 4.5.2 BellSouth shall be required to provide non-discriminatory access to unbundled packet switching capability only where each of the following conditions are satisfied:
- 4.5.2.1 BellSouth has deployed digital loop carrier systems, including but not limited to, integrated digital loop carrier or universal digital loop carrier systems; or has deployed any other system in which fiber optic facilities replace copper facilities in the feeder section (e.g., end office to remote terminal, pedestal or environmentally controlled vault);
- 4.5.2.2 There are no spare copper loops capable of supporting the xDSL services AFS seeks to offer;

- 4.5.2.3 BellSouth has not permitted AFS to deploy a DSLAM at the remote terminal, pedestal or environmentally controlled vault or other interconnection point, nor has AFS obtained a virtual collocation arrangement at these sub-loop interconnection points as defined by 47 CFR § 51.319 (b); and
- 4.5.2.4 BellSouth has deployed packet switching capability for its own use.
- 4.5.3 If there is a dispute as to whether BellSouth must provide Packet Switching, such dispute will be resolved according to the dispute resolution process set forth in Section 10 of the General Terms and Conditions.

5 Unbundled Network Element Combinations

5.1 For purposes of this Section, references to "Currently Combined" network elements shall mean that the particular network elements requested by AFS are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" network elements shall mean that the particular network elements requested by AFS are not already combined by BellSouth in the location requested by AFS but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" network elements shall mean that the particular network elements requested by AFS are not elements that BellSouth combines for its use in its network.

5.2 Enhanced Extended Links (EELs)

- 5.2.1 EELs are combinations of unbundled loops and unbundled dedicated transport as defined in Section 6. BellSouth shall provide AFS with EELs where they are available.
- 5.2.2 BellSouth will provide access to EELs in the combinations set forth in Section 5.4.1 below.
- EELs are intended to provide service connectivity from an end user's location through that end user's SWC to AFS' collocation space in a BellSouth central office. The circuit must be connected to AFS' switch for the purpose of provisioning circuit telephone exchange service to AFS' end user customers. AFS may connect EELs within AFS' collocation space to other transport terminating into AFS' switch. AFS may also connect the local loops listed in Section 5.3.1.3 to an appropriate Unbundled Local Channel to form additional EELs which terminate in AFS' switch. Provided that the entire EEL circuit meets the criteria set forth in Section 5.3.1.3 below, the circuit may, upon AFS' request, terminate to a CLEC's Point of Presence (POP). AFS will provide a significant amount of local exchange service over the requested combination, as described in Section 5.3.1 et seq. below. Upon BellSouth's request, AFS shall indicate under what local usage option AFS seeks to qualify. AFS shall be deemed to providing a significant amount of local exchange service over the requested combination if one

of the options listed in Section 5.3.1 et seq. is met. BellSouth shall have the right to audit AFS' EELs as specified in Section 5.3.3 below.

5.3 Conversions from Special Access Service to EELs

- 5.3.1 AFS may not convert existing special access services to combinations of loop and transport network elements, whether or not AFS self-provides its entrance facilities (or obtains entrance facilities from a third party), unless AFS uses the combination to provide a significant amount of local exchange service, in addition to exchange access service, to a particular customer. To the extent AFS requests to convert any special access services to combinations of loop and transport network elements at UNE prices, AFS shall provide to BellSouth a certification that AFS is providing a significant amount of local exchange service (as described in this Section) over such combinations. The certification shall also indicate under what local usage option AFS seeks to qualify for conversion of special access circuits. AFS shall be deemed to be providing a significant amount of local exchange service over such combinations if one of the following options is met:
- 5.3.1.1 **Option 1:** AFS certifies that it is the exclusive provider of an end user's local exchange service. The loop-transport combinations must terminate at AFS' collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth's tariffed services. Under this option, AFS is the end user's only local service provider, and thus is providing more than a significant amount of local exchange service. AFS can then use the loop-transport combinations that serve the end user to carry any type of traffic, including using them to carry 100 percent interstate access traffic; or
- 5.3.1.2 **Option 2:** AFS certifies that it provides local exchange and exchange access service to the end user customer's premises and handles at least one third of the end user customer's local traffic measured as a percent of total end user customer local dial tone lines; and for DS1 circuits and above, at least 50 percent of the activated channels on the loop portion of the loop-transport combination have at least 5 percent local voice traffic individually, and the entire loop facility has at least 10 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. The loop-transport combination must terminate at AFS' collocation arrangement in at least one BellSouth central office. This option does not allow loop-transport combinations to be connected to BellSouth tariffed services; or
- 5.3.1.3 **Option 3:** AFS certifies that at least 50 percent of the activated channels on a circuit are used to provide originating and terminating local dial tone service and at least 50 percent of the traffic on each of these local dial tone channels is local voice traffic, and that the entire loop facility has at least 33 percent local voice traffic. When a loop-transport combination includes multiplexing, each of the individual DS1 circuits must meet this criterion. This option does not allow loop-transport

combinations to be connected to BellSouth's tariffed services. Under this option, collocation is not required. AFS does not need to provide a defined portion of the end user's local service, but the active channels on any loop-transport combination, and the entire facility, must carry the amount of local exchange traffic specified in this option.

- 5.3.2 In addition, there may be extraordinary circumstances where AFS is providing a significant amount of local exchange service but does not qualify under any of the three options set forth in Section 5.3.1 et seq. In such case, AFS may petition the FCC for a waiver of the local usage options set forth above. If a waiver is granted, then upon AFS' request the Parties shall amend this Agreement to the extent necessary to incorporate the terms of such waiver for such extraordinary circumstance.
- 5.3.3 BellSouth may, at its sole discretion, audit AFS' records in order to verify compliance with the local usage option provided by AFS pursuant to Section 5.3.1. The audit shall be conducted by a third party independent auditor, and AFS shall be given thirty days written notice of scheduled audit. Such audit shall occur no more than one time in a calendar year unless results of an audit find noncompliance with the significant amount of local exchange service requirement. In the event of noncompliance, AFS shall reimburse BellSouth for the cost of the audit. If, based on the audit, AFS is not providing a significant amount of local exchange traffic over the combinations of loop and transport network elements, BellSouth will convert such combinations of loop and transport network elements to special access services in accordance with BellSouth's tariffs and will bill AFS for appropriate retroactive reimbursement. If the Parties disagree as to whether the audits indicate that AFS is not providing a significant amount of local exchange traffic, the dispute will be resolved according to the dispute resolution process set forth in Section 10 of the General Terms and Conditions.
- 5.3.4 In the event AFS converts special access circuits to combinations of loop and transport UNEs pursuant to the terms of this Section, AFS shall be subject to the termination liability provisions in the applicable special access tariffs, if any.
- 5.4 Rates
- 5.4.1 Currently Combined EELs listed below in Sections 5.4.1.1-5.4.1.14 shall be billed at the non\-recurring switch-as-is charge and recurring charges for that combination as set forth in Exhibit B of this Attachment. Currently Combined EELs not listed below shall be billed at the sum of the nonrecurring and recurring charges for the individual network elements that comprise the combination as set forth in Exhibit B of this Attachment.
- 5.4.1.1 DS1 Interoffice Channel + DS1 Channelization + 2-wire VG Local Loop
- 5.4.1.2 DS1 Interoffice Channel + DS1 Channelization + 4-wire VG Local Loop
- 5.4.1.3 DS1 Interoffice Channel + DS1 Channelization + 2-wire ISDN Local Loop
- 5.4.1.4 DS1 Interoffice Channel + DS1 Channelization + 4-wire 56 kbps Local Loop

- 5.4.1.5 DS1 Interoffice Channel + DS1 Channelization + 4-wire 64 kbps Local Loop
- 5.4.1.6 DS1 Interoffice Channel + DS1 Local Loop
- 5.4.1.7 DS3 Interoffice Channel + DS3 Local Loop
- 5.4.1.8 STS-1 Interoffice Channel + STS-1 Local Loop
- 5.4.1.9 DS3 Interoffice Channel + DS3 Channelization + DS1 Local Loop
- 5.4.1.10 STS-1 Interoffice Channel + DS3 Channelization + DS1 Local Loop
- 5.4.1.11 2-wire VG Interoffice Channel + 2-wire VG Local Loop
- 5.4.1.12 4-wire VG Interoffice Channel + 4-wire VG Local Loop
- 5.4.1.13 4-wire 56 kbps Interoffice Channel + 4-wire 56 kbps Local Loop
- 5.4.1.14 4-wire 64 kbps Interoffice Channel + 4-wire 64 kbps Local Loop
- Ordinarily Combined EELs listed above shall be billed the sum of the nonrecurring and recurring charges for that combination as set forth in Exhibit B of this Attachment. Ordinarily combined EELs not listed in Sections 5.4.1.1-5.4.1.14 shall be billed the sum of the nonrecurring charges and recurring charges for the individual network elements that comprise the combination as set forth in Exhibit B of this Attachment.
- 5.4.3 To the extent that AFS requests an EEL combination Not Typically Combined in the BellSouth network, the rates, terms and conditions shall be determined pursuant to the BFR/NBR Process.

5.5 UNE Port/Loop Combinations

- 5.5.1 Combinations of port and loop UNEs along with switching and transport UNEs provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.5.2 BellSouth shall make available UNE port/loop combinations, regardless of whether such combinations are Currently Combined, as long as such combinations are Ordinarily Combined in BellSouth's network.
- 5.5.3 Except as set forth in Section 5.5.4 below, BellSouth shall provide UNE port/loop combinations described in Section 5.5.6 below that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit B. Except as set forth in Section 5.5.4 below, BellSouth shall provide UNE port/loop combinations not described in Section 5.5.6 below or Not Typically Combined Combinations in accordance with the BFR/NBR process.
- 5.5.4 BellSouth is not required to provide combinations of port and loop network elements on an unbundled basis in locations where, pursuant to FCC rules, BellSouth is not required to provide circuit switching as a UNE.

- 5.5.4.1 BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; and Nashville, TN, MSAs to AFS if AFS' customer has 4 or more DS0 equivalent lines.
- 5.5.4.2 Notwithstanding the foregoing, BellSouth shall provide combinations of port and loop network elements on an unbundled basis where, pursuant to FCC rules, BellSouth is not required to provide local circuit switching as a UNE and shall do so at the market rates in Exhibit B. If a market rate is not set forth in Exhibit B for a UNE port/loop combination, such rate shall be negotiated by the Parties.
- 5.5.5 BellSouth shall make 911 updates in the BellSouth 911 database for AFS' UNE port/loop combinations. BellSouth will not bill AFS for 911 surcharges. AFS is responsible for paying all 911 surcharges to the applicable governmental agency.
- 5.5.6 Combination Offerings
- 5.5.6.1 2-wire voice grade port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.2 2-wire voice grade Coin port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.3 2-wire voice grade DID port, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.4 2-wire CENTREX port, voice grade loop, CENTREX intercom functionality, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.5 2-wire ISDN Basic Rate Interface, voice grade loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.6 4-wire ISDN Primary Rate Interface, DS1 loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.
- 5.5.6.7 4-wire DS1 Trunk port, DS1 Loop, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.5.6.8 4-wire DS1 Loop with normal serving wire center channelization interface, 2-wire voice grade ports (PBX), 2-wire DID ports, unbundled end office switching, unbundled end office trunk port, common transport per mile per MOU, common transport facilities termination, tandem switching, and tandem trunk port.

5.6 **Other UNE Combinations**

- 5.6.1 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to AFS in addition to those specifically referenced in this Section 5 above, where available. Such combinations shall not be connected to BellSouth tariffed services. To the extent AFS requests a combination for which BellSouth does not have methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.
- Rates. The rates for Ordinarily Combined UNE Combinations shall be the sum of the recurring rates and nonrecurring rates for the stand-alone network elements as set forth in Exhibit B of this Attachment. The rates for Currently Combined UNE Combinations shall be the sum of the recurring rates for the stand-alone network elements as set forth in Exhibit B, in addition to a nonrecurring charge set forth in Exhibit B. To the extent AFS requests a Not Typically Combined Combination, or to the extent AFS requests any combination for which BellSouth has not developed methods and procedures to provide such combination, rates and/or methods and procedures for such combination shall be established pursuant to the BFR/NBR process.

6. Transport, Channelization and Dark Fiber

6.1 <u>Transport</u>

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rule 51.311 and Section 251(c)(3) of the Act, to interoffice transmission facilities on an unbundled basis to AFS for the provision of a telecommunications service. Interoffice transmission facility network elements include:
- 6.1.1.1 Dedicated transport, defined as BellSouth's transmission facilities, is dedicated to a particular customer or carrier that provides telecommunications between wire centers or switches owned by BellSouth, or between wire centers and switches owned by BellSouth and AFS.
- Dark Fiber transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics;
- 6.1.1.3 Common (Shared) transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring,

such wiring is provided as part of the Network Element and is not Common (Shared) Transport.

- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide AFS exclusive use of interoffice transmission facilities dedicated to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible transmission facilities, features, functions, and capabilities of the transport facility for the provision of telecommunications services;
- 6.1.2.3 Permit, to the extent technically feasible, AFS to connect such interoffice facilities to equipment designated by AFS, including but not limited to, AFS' collocated facilities; and
- 6.1.2.4 Permit, to the extent technically feasible, AFS to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1 or VT1.5 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 6.1.3.2 Common (Shared) Transport provided on DS3 circuits, STS-1 circuits, and higher transmission bit rate circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for CO to CO connections in the applicable industry standards.
- 6.1.3.3 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.4 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

6.2 **Dedicated Transport**

- 6.2.1 Dedicated Transport is composed of the following Unbundled Network Elements:
- 6.2.1.1 Unbundled Local Channel, defined as the dedicated transmission path between AFS' Point of Presence (POP) and AFS' collocation space in the BellSouth Serving Wire Center for AFS' POP, and

6.2.1.2 Unbundled Interoffice Channel, defined as the dedicated transmission path that provides telecommunication between BellSouth's Serving Wire Centers' collocations. 6.2.1.3 BellSouth shall offer Dedicated Transport in each of the following ways: 6.2.1.3.1 As capacity on a shared UNE facility. 6.2.1.3.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to AFS. 6.2.1.4 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators. 6.2.2 **Technical Requirements** 6.2.2.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to AFS designated traffic. 6.2.2.2 For DS1 or VT1.5 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards. 6.2.2.3 For DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for CI to CO connections in the applicable industry standards. 6.2.2.4 BellSouth shall offer the following interface transmission rates for Dedicated Transport: 6.2.2.4.1 DS0 Equivalent; 6.2.2.4.2 DS1: 6.2.2.4.3 DS3: and 6.2.2.4.4 SDH (Synchronous Digital Hierarchy) Standard interface rates in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704. 6.2.2.5 BellSouth shall design Dedicated Transport according to its network infrastructure. AFS shall specify the termination points for Dedicated Transport. 6.2.2.6 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references. 6.2.2.7 BellSouth Technical References: 6.2.2.7.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986. TR 73501 LightGate® Service Interface and Performance Specifications, Issue D. 6.2.2.7.2 June 1995.

6.2.2.7.3 TR 73525 MegaLink® Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.3 <u>Unbundled Channelization (Multiplexing)</u>

- 6.3.1 Unbundled Channelization (UC) provides the multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) UNE or collocation cross-connect to be multiplexed or channelized at a BellSouth central office. Channelization will be offered with both the high and low speed sides to be connected to collocation. Channelization can be accomplished through the use of a stand-alone multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, AFS may request channel activation on an as-needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility.
- 6.3.2 BellSouth shall make available the following channelization systems and COCIs:
- 6.3.2.1 DS3/STS-1 Channelization System: channelizes a DS3 signal into 28 DS1s.
- 6.3.2.2 DS1 COCI, which can be activated on a DS3 Channelization System.
- 6.3.2.3 DS1 Channelization System: channelizes a DS1 signal into 24 DS0s.
- Voice Grade, Digital Data and ISDN can be activated on a DS1 Channelization System through the use of a COCI.
- 6.3.2.5 Data COCI, which can be activated on a DS1 Channelization System.
- 6.3.2.6 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.
- 6.3.3 Technical Requirements
- 6.3.3.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, AFS' channelization equipment must adhere strictly to form and protocol standards. AFS must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 DS0 to DS1 Channelization
- 6.3.3.2.1 The DS1 signal must be framed utilizing the framing structure defined in ANSI T1.107, Digital Hierarchy Formats Specifications and ANSI T1.403.02, DS1 Robbed-bit Signaling State Definitions.

- 6.3.3.3 DS1 to DS3 Channelization
- 6.3.3.3.1 The DS3 signal must be framed utilizing the framing structure define in ANSI T1.107, Digital Hierarchy Formats Specifications. The asynchronous M13 multiplex format (combination of M12 and M23 formats) is specified for terminal equipment that multiplexes 28 DS1s into a DS3.
- 6.3.3.4 DS1 to STS Channelization
- 6.3.3.4.1 The STS-1 signal must be framed utilizing the framing structure define in ANSI T1.105, Synchronous Optical Network (SONET) Basic Description Including Multiplex Structure, Rates and Formats and T1.105.02, Synchronous Optical Network (SONET) Payload Mappings.

6.4 **Dark Fiber Transport**

- Dark Fiber Transport is an unused optical transmission facility without attached signal regeneration, multiplexing, aggregation or other electronics. Dark Fiber Transport is offered in two configurations: Interoffice Channel, between AFS' collocation arrangement within the POP serving wire center and the end user service wire center and Local Channel, from AFS' POP to AFS' collocation arrangement in the POP serving wire center. It may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for AFS to utilize Dark Fiber Transport.
- 6.4.2 Requirements
- BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- AFS is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.2.3 BellSouth shall use its best efforts to provide to AFS information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from AFS. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.

6.4.2.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to AFS within twenty (20) business days after AFS submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable AFS to connect AFS provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7. <u>BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service</u>

- 7.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a Signaling Control Point (SCP) that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the Switching Service Point (SSP) or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At AFS' option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by AFS.
- 7.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

8. <u>Line Information Database (LIDB)</u>

- 8.1 The Line Information Database (LIDB) is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, AFS must purchase appropriate signaling links pursuant to Section 9 of this Attachment. LIDB contains records associated with end user Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.
- 8.2 Technical Requirements
- 8.2.1 BellSouth will offer to AFS any additional capabilities that are developed for LIDB during the life of this Agreement.
- 8.2.2 BellSouth shall process AFS' customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth

shall indicate to AFS what additional functions (if any) are performed by LIDB in the BellSouth network.

- 8.2.3 Within two (2) weeks after a request by AFS, BellSouth shall provide AFS with a list of the customer data items, which AFS would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 8.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed 30 minutes per year.
- 8.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed 12 hours per year.
- 8.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than 12 hours per year.
- 8.2.7 All additions, updates and deletions of AFS data to the LIDB shall be solely at the direction of AFS. Such direction from AFS will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 8.2.8 BellSouth shall provide priority updates to LIDB for AFS data upon AFS' request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 8.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of AFS customer records will be missing from LIDB, as measured by AFS audits. BellSouth will audit AFS records in LIDB against DBAS to identify record mismatches and provide this data to a designated AFS contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mis-matches to AFS within one business day of audit. Once reconciled records are received back from AFS, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact AFS to negotiate a time frame for the updates, not to exceed three business days.
- 8.2.10 BellSouth shall perform backup and recovery of all of AFS' data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.

- 8.2.11 BellSouth shall provide AFS with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between AFS and BellSouth.
- 8.2.12 BellSouth shall prevent any access to or use of AFS data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by AFS in writing.
- 8.2.13 BellSouth shall provide AFS performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by AFS at least at parity with BellSouth Customer Data. BellSouth shall obtain from AFS the screening information associated with LIDB Data Screening of AFS data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to AFS under the BFR/NBR process as set forth in Attachment 11.
- 8.2.14 BellSouth shall accept queries to LIDB associated with AFS customer records and shall return responses in accordance with industry standards.
- 8.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 8.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 8.3 Interface Requirements
- 8.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 8.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 8.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 8.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 8.3.5 The application of the LIDB rates contained in Exhibit B to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. AFS shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. AFS shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of

each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

9. Signaling

9.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

9.2 <u>Signaling Link Transport</u>

- 9.2.1 Signaling Link Transport is a set of two or four dedicated 56 kbps transmission paths between AFS-designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 9.2.2 Technical Requirements
- 9.2.2.1 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 9.2.2.1.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- 9.2.2.1.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- 9.2.2.2 Signaling Link Transport shall consist of two or more signaling link layers as follows:
- 9.2.2.2.1 An A-link layer shall consist of two links.
- 9.2.2.2.2 A B-link layer shall consist of four links.
- 9.2.2.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 9.2.2.3.1 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two separate physical paths end-to-end); and
- 9.2.2.3.2 No two concurrent failures of facilities or equipment shall cause the failure of all four links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).

- 9.2.3 Interface Requirements
- 9.2.3.1 There shall be a DS1 (1.544 Mbps) interface at AFS' designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 9.3 **Signaling Transfer Points (STPs)**
- 9.3.1 A Signaling Transfer Point is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPs) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 9.3.2 Technical Requirements
- 9.3.2.1 Signaling Transfer Point s shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. Signaling Transfer Point also provide access to third-party local or tandem switching and Third-party-provided Signaling Transfer Points.
- 9.3.2.2 The connectivity provided by Signaling Transfer Points shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 9.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a AFS local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between AFS local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 9.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a AFS or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7

network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a AFS database, then AFS agrees to provide BellSouth with the Destination Point Code for AFS database.

- 9.3.2.5 STPs shall provide all functions of the OMAP as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 9.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a AFS or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

9.4 SS7 Advanced Intelligent Network (AIN) Access

- 9.4.1 When technically feasible and upon request by AFS, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with AFS' SS7 network to exchange TCAP queries and responses with an AFS SCP.
- 9.4.2 SS7 AIN Access shall provide AFS SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and AFS SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the AFS SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 9.4.3 Interface Requirements
- 9.4.3.1 BellSouth shall provide the following STP options to connect AFS or AFS-designated local switching systems to the BellSouth SS7 network:
- 9.4.3.1.1 An A-link interface from AFS local switching systems; and,
- 9.4.3.1.2 A B-link interface from AFS local STPs.
- 9.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 9.4.3.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the Central Office (CO) where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each

signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.

- 9.4.3.4 BellSouth shall provide intraoffice diversity between the Signaling Point of Interconnection and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 9.5 Message Screening
- 9.5.1 BellSouth shall set message screening parameters so as to accept valid messages from AFS local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the AFS switching system has a valid signaling relationship.
- 9.5.2 BellSouth shall set message screening parameters so as to pass valid messages from AFS local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the AFS switching system has a valid signaling relationship.
- 9.5.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from AFS from any signaling point or network interconnected through BellSouth's SS7 network where the AFS SCP has a valid signaling relationship.

9.6 Service Control Points/Databases

- 9.6.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 9.6.2 A Service Control Point (SCP) is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 9.6.3 Technical Requirements for SCPs/Databases

- 9.6.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 9.6.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 9.6.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

9.7 **Local Number Portability Database**

9.7.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

9.8 **SS7 Network Interconnection**

- 9.8.1 SS7 Network Interconnection is the interconnection of AFS local signaling transfer point switches or AFS local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, AFS local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 9.8.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and AFS or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 9.8.3 If traffic is routed based on dialed or translated digits between a AFS local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the AFS local signaling transfer point switches and BellSouth or other third-party local switch.
- 9.8.4 SS7 Network Interconnection shall provide:
- 9.8.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 9.8.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 9.8.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 9.8.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4.

Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is an AFS local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of AFS local STPs and shall not include SCCP Subsystem Management of the destination.

- 9.8.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 9.8.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 9.8.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 9.8.9 Interface Requirements
- 9.8.9.1 The following SS7 Network Interconnection interface options are available to connect AFS or AFS-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 9.8.9.1.1 A-link interface from AFS local or tandem switching systems; and
- 9.8.9.1.2 B-link interface from AFS STPs.
- 9.8.9.2 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 9.8.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 9.8.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 9.8.9.5 BellSouth shall set message screening parameters to accept messages from AFS local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the AFS switching system has a valid signaling relationship.

10. Operator Services (Operator Call Processing and Directory Assistance) 10.1 Operator Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls); (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call, and Operator-assisted Directory Assistance. 10.2 Upon request for BellSouth Operator Call Processing, BellSouth shall: 10.2.1 Process 0+ and 0- dialed local calls. 10.2.2 Process 0+ and 0- intraLATA toll calls. 10.2.3 Process calls that are billed to AFS end user's calling card that can be validated by BellSouth. 10.2.4 Process person-to-person calls. 10.2.5 Process collect calls. 10.2.6 Provide the capability for callers to bill to a third party and also process such calls. 10.2.7 Process station-to-station calls. 10.2.8 Process Busy Line Verify and Emergency Line Interrupt requests. 10.2.9 Process emergency call trace originated by Public Safety Answering Points. 10.2.10 Process operator-assisted directory assistance calls. 10.2.11 Adhere to equal access requirements, providing AFS local end users the same IXC access as provided to BellSouth end users. 10.2.12 Exercise at least the same level of fraud control in providing Operator Service to AFS that BellSouth provides for its own operator service. 10.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-to-Third-Party calls. 10.2.14 Direct customer account and other similar inquiries to the customer service center designated by AFS. 10.2.15 Provide call records to AFS in accordance with ODUF standards specified in Attachment 7.

The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards.

10.4 **Directory Assistance Service**

- 10.4.1 Directory Assistance Service provides local and non-local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
- Directory Assistance Service shall provide up to two listing requests per call. If available and if requested by AFS' end user, BellSouth shall provide caller-optional directory assistance call completion service at rates contained in this Attachment to one of the provided listings.

10.4.3 <u>Directory Assistance Service Updates</u>

- 10.4.3.1 BellSouth shall update end user listings changes daily. These changes include:
- 10.4.3.1.1 New end user connections;
- 10.4.3.1.2 End user disconnections;
- 10.4.3.1.3 End user address changes.
- These updates shall also be provided for non-listed and non-published numbers for use in emergencies.

10.5 Branding for Operator Call Processing and Directory Assistance

- 10.5.1 BellSouth's branding feature provides a definable announcement to AFS end users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing such end users in queue or connecting them to an available operator or automated operator system. This feature allows AFS to have its calls custom branded with AFS' name on whose behalf BellSouth is providing DA and/or OCP. Rates for the branding features are set forth in this Attachment.
- BellSouth offers three branding options to AFS when ordering BellSouth's DA and OCP: BellSouth Branding, Unbranding and Custom Branding.
- 10.5.3 Upon receipt of the custom branding order from AFS, the order is considered firm after ten business days. Should AFS decide to cancel the order, written notification to AFS' Local Contract Manager is required. If AFS decides to cancel after ten business days from receipt of the custom branding order, AFS shall pay all charges per the order.

10.5.4 <u>Selective Call Routing Using Line Class Codes (SCR-LCC)</u>

10.5.4.1 Where AFS purchases unbundled local switching from BellSouth and utilizes an Operator Services Provider other than BellSouth, BellSouth will route AFS' end user calls to that provider through Selective Call Routing.

- SCR-LCC provides the capability for AFS to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 10.5.4.3 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- Where available, AFS specific and unique LCCs are programmed in each BellSouth end office switch where AFS intends to serve end users with customized OCP/DA branding. The LCCs specifically identify AFS' end users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and AFS intends to provide AFS -branded OCP/DA to its end users in these multiple rate areas.
- 10.5.4.5 BellSouth Branding is the default branding offering.
- 10.5.4.6 SCR-LCC supporting Custom Branding and Self Branding requires AFS to order dedicated trunking from each BellSouth end office identified by AFS, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the AFS Operator Service Provider for Self Branding. Separate trunk groups are required for OCP and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.5.4.7 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by AFS to the BellSouth TOPS. These calls are routed to "No Announcement."
- The Rates for SCR-LCC are as set forth in this Attachment. There is a non-recurring charge for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.
- 10.5.5 UNE Provider Branding via Originating Line Number Screening (OLNS)
- 10.5.5.1 BellSouth Branding, Unbranding and Custom Branding are also available for DA, OCP or both via Originating Line Number Screening (OLNS) software. When utilizing this method of Unbranding or Custom Branding, AFS shall not be required to purchase dedicated trunking.

- 10.5.5.2 For BellSouth to provide Unbranding or Custom Branding via OLNS software for OCP or for DA, AFS must have its OCN(s) and telephone numbers reside in BellSouth's LIDB; however, a BellSouth LIDB Storage Agreement is not required. To implement Unbranding and Custom Branding via OLNS software, AFS must submit a manual order form which requires, among other things, AFS' OCN and a forecast for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. AFS shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon AFS' purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all AFS end users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.
- 10.5.5.3 BellSouth Branding is the default branding offering.
- 10.5.5.4 Rates for Unbranding and Custom Branding via OLNS software for DA and for OCP are as set forth in this Attachment. Notwithstanding anything to the contrary in this Agreement, to the extent BellSouth is unable to bill AFS applicable charges currently, BellSouth shall track such charges and will bill the same retroactively at such time as a billing process is implemented. In addition to the charges for Unbranding and Custom Branding via OLNS software, AFS shall continue to pay BellSouth applicable labor and other charges for the use of BellSouth's DA and OCP platforms as set forth in this Attachment. Further, where AFS is purchasing unbundled local switching from BellSouth, UNE usage charges for end office switching, tandem switching and transport, as applicable, shall continue to apply.

10.5.6 **Facilities Based Carrier Branding**

- 10.5.6.1 All Service Levels require AFS to order dedicated trunking from their end office(s) point of interface to the BellSouth TOPS Switches. Rates for trunks are set forth in applicable BellSouth tariffs.
- 10.5.6.2 Unbranding is the default branding offering.
- 10.5.6.3 Rates for Custom Branded OCP/DA are set forth in this Attachment.
- 10.5.6.4 Customized Branding includes charges for the recording of the branding announcement and the loading of the audio units in each TOPS Switch and Network Applications Vehicle (NAV) equipment for which AFS requires service.
- 10.5.6.5 Directory Assistance customized branding uses:
- 10.5.6.5.1 the recording of AFS;
- 10.5.6.5.2 the loading of the recording in each switch.
- 10.5.6.6 Operator Call Processing customized branding uses:

- 10.5.6.6.1 the recording of AFS;
- 10.5.6.6.2 the loading of the recording in each switch (North Carolina);
- the loading on the NAV. All NAV shelves within the region where the customer is offering service must be loaded.

10.6 <u>Directory Assistance Database Service (DADS)</u>

- 10.6.1 BellSouth shall make its Directory Assistance Database Service (DADS) available at the rates set forth in this Attachment solely for the expressed purpose of providing Directory Assistance type services to AFS end users. The term "end user" denotes any entity that obtains Directory Assistance type services for its own use from a DADS customer. Directory Assistance type service is defined as Voice Directory Assistance (DA Operator assisted) and Electronic Directory Assistance (Data System assisted). AFS agrees that DADS will not be used for any purpose that violates federal or state laws, statutes, regulatory orders or tariffs. For the purposes of provisioning a Directory Assistance type service, all terms and conditions of GSST A38 apply and are incorporated by reference herein. Except for the permitted uses, AFS agrees not to disclose DADS to others and shall provide due care in providing for the security and confidentiality of DADS.
- 10.6.2 BellSouth shall initially provide AFS with a Base File of subscriber listings via magnetic tape. DADS is available and may be ordered on a Business, Residence or combined Business and Residence listings basis for each central office requested. BellSouth will require approximately 30-45 days after receiving an order from AFS to prepare the Base File.
- BellSouth will provide updates on either a daily or weekly basis reflecting all listing change activity occurring since AFS' previous update. Delivery of updates will commence immediately after AFS receives the Base File. Updates will be provided via magnetic tape unless BellSouth and AFS mutually develop CONNECT: Direct TM electronic connectivity. AFS will pay all costs associated with CONNECT: Direct TM connectivity, which will vary depending upon volume and mileage.
- 10.6.4 AFS authorizes the inclusion of AFS DA listings in the BellSouth DA products including but not limited to DADS. Any other use is not authorized.

10.7 <u>Direct Access to Directory Assistance Service</u>

10.7.1 Direct Access to Directory Assistance Service (DADAS) will provide AFS' directory assistance operators with the ability to search, using a standard directory assistance search format, the same listing information that is available to BellSouth operators including all available BellSouth subscriber listings, all available listings associated with lines resold by competitive local exchange carriers, and all available listings associated with lines provisioned by local exchange carriers that provide their listings to BellSouth. DADAS will also provide AFS with the ability to search all listings BellSouth obtains from sources other than the provider of the local exchange lines associated with the listings. The search format will be

provided to AFS by BellSouth upon subscription to the service. Subscription to DADAS requires that AFS utilize its own switch, operator workstations, directory assistance operators, transport facilities, and optional audio subsystems.

10.7.2 Rates, terms and conditions for provisioning DADAS are as set forth in the FCC tariff No. 1.

11. Automatic Location Identification/Data Management System (ALI/DMS)

- The ALI/DMS Database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which Public Safety Answering Point (PSAP) to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.
- 11.2 Technical Requirements
- 11.2.1 BellSouth shall provide AFS access to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to AFS after AFS provides end user information for input into the ALI/DMS database.
- When BellSouth is responsible for administering the ALI/DMS database in its entirety, ported number NXXs entries for the ported numbers should be maintained unless AFS requests otherwise and shall be updated if AFS requests, provided AFS supplies BellSouth with the updates.
- When Remote Call Forwarding (RCF) is used to provide number portability to the local end user and a remark or other appropriate field information is available in the database, the shadow or "forwarded-to" number and an indication that the number is ported shall be added to the customer record.
- 11.2.4 If BellSouth is responsible for configuring PSAP features (for cases when the PSAP or BellSouth supports an ISDN interface), it shall ensure that CLASS Automatic Recall (Call Return) is not used to call back to the ported number. Although BellSouth currently does not have ISDN interface, BellSouth agrees to comply with this requirement once ISDN interfaces are in place.
- 11.3 Interface Requirements
- 11.3.1 The interface between the E911 Switch or Tandem and the ALI/DMS database for AFS end users shall meet industry standards.

12. Calling Name (CNAM) Database Service

12.1 CNAM is the ability to associate a name with the calling party number, allowing the end user (to which a call is being terminated) to view the calling party's name

before the call is answered. This service also provides AFS the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

- AFS shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than 60 days prior to AFS' access to BellSouth's CNAM Database Services and shall be addressed to AFS' Local Contract Manager.
- BellSouth's provision of CNAM Database Services to AFS requires interconnection from AFS to BellSouth CNAM Service Control Points (SCPs). Such interconnections shall be established pursuant to Attachment 3 of this Agreement, incorporated herein by this reference.
- 12.4 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, AFS shall provide its own CNAM SSP. AFS' CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If AFS elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that AFS desires to query.
- 12.6 If AFS queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway Signal Transfer Points (STPs). The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification in the General Terms and Conditions.
- The mechanism to be used by AFS for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by AFS in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of AFS to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.

12.9 AFS CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

13. <u>Service Creation Environment and Service Management System (SCE/SMS)</u> Advanced Intelligent Network (AIN) Access

- BellSouth's Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network (AIN) Access shall provide AFS the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to AFS. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- BellSouth SCP shall partition and protect AFS service logic and data from unauthorized access.
- When AFS selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable AFS to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 13.5 AFS access will be provided via remote data connection (e.g., dial-in, ISDN).
- BellSouth shall allow AFS to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14. Basic 911 and E911

- 14.1 Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- Basic 911 Service Provisioning. BellSouth will provide to AFS a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. AFS will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. AFS will be required to route that call to BellSouth at the appropriate tandem or end office. When a municipality converts to E911 service, AFS will be required to begin using E911 procedures.

- 14.3 E911 Service Provisioning. AFS shall install a minimum of two dedicated trunks originating from the AFS serving wire center and terminating to the appropriate E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured either as a 2-wire analog interface or as part of a digital (1.544 Mb/s) interface. Either configuration shall use CAMA-type signaling with multifrequency (MF) pulsing that will deliver automatic number identification (ANI) with the voice portion of the call. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. AFS will be required to provide BellSouth daily updates to the E911 database. AFS will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, AFS will be required to route the call to a designated 7-digit local number residing in the appropriate Public Service Answering Point (PSAP). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. AFS shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.
- 14.4 <u>Rates.</u> Charges for 911/E911 service are borne by the municipality purchasing the service. BellSouth will impose no charge on AFS beyond applicable charges for BellSouth trunking arrangements.
- 14.5 Basic 911 and E911 functions provided to AFS shall be at least at parity with the support and services that BellSouth provides to its end users for such similar functionality.
- The detailed practices and procedures for 911/E911 services are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement.

15 <u>Operational Support Systems (OSS)</u>

BellSouth has developed and made available the following electronic interfaces by which AFS may submit LSRs electronically.

LENS Local Exchange Navigation System

EDI Electronic Data Interchange

TAG Telecommunications Access Gateway

LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit B of this Attachment.

- 15.3 <u>Denial/Restoral OSS Charge</u>. In the event AFS provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 15.4 <u>Cancellation OSS Charge</u>. AFS will incur an OSS charge for an accepted LSR that is later cancelled.
- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- Network Elements and Other Services Manual Additive. The Commissions in some states have ordered per-element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per-element charges are listed in Exhibit B.

EXHIBIT A

LINE INFORMATION DATA BASE (LIDB)

FACILITIES BASED STORAGE AGREEMENT

I. Definitions

- A. Billing number a number that AFS creates for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number that identifies a telephone line administered by AFS.
- C. Special billing number a ten-digit number that identifies a billing account established by AFS.
- D. Calling Card number a billing number plus PIN number.
- E. PIN number a four-digit security code assigned by AFS that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by AFS.
- G. Billed Number Screening refers to the activity of determining whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the activity of determining whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number, Calling Card number and toll billing exception indicator provided to BellSouth by AFS.

II. General

A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of AFS and pursuant to which BellSouth, its LIDB customers and AFS shall have access to such information. In addition, this Agreement sets forth the terms and conditions for AFS' provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. AFS understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of AFS, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Interconnection Agreement upon notice to AFS' account team and/or Local Contract Manager to activate this LIDB Storage Agreement. The General Terms and Conditions of the Interconnection Agreement shall govern this LIDB Storage Agreement.

Version 3Q02: 09/06/02

B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether AFS has identified the billing number as one that should not be billed for collect or third number calls.

2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth and where the last four digits (PIN) are a security code assigned by BellSouth.

3. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify AFS of fraud alerts so that AFS may take action it deems appropriate.

III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by AFS pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's end user customers. BellSouth shall not be responsible to AFS for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearinghouses and as such these billing and collection customers (B&C Customers) query BellSouth's LIDB to determine whether to accept various billing options from end users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate AFS' data from BellSouth's data, the following terms and conditions shall apply:

1. BellSouth will identify AFS' end user originated long distance charges and will return those charges to the interexchange carrier as not covered by the existing B&C agreement with interexchange carriers for handling of long distance charges by their end users.

2. BellSouth shall have no obligation to become involved in any disputes between AFS and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to AFS. It shall be the responsibility of AFS and the B&C Customers to negotiate and arrange for any appropriate adjustments.

C. SPNP Arrangements

- 1. BellSouth will include billing number information associated with exchange lines or SPNP arrangements in its LIDB. AFS will request any toll billing exceptions via the Local Service Request (LSR) form used to order exchange lines, or the SPNP service request form used to order SPNP arrangements.
- 2. Under normal operating conditions, BellSouth shall include the billing number information in its LIDB upon completion of the service order establishing either the local exchange service or the SPNP arrangement, provided that BellSouth shall not be held responsible for any delay or failure in performance to the extent such delay or failure is caused by circumstances or conditions beyond BellSouth's reasonable control. BellSouth will store in its LIDB an unlimited volume of the working telephone numbers associated with either the local exchange lines or the SPNP arrangements. For local exchange lines or for SPNP arrangements, BellSouth will issue line-based calling cards only in the name of AFS. BellSouth will not issue line-based calling cards in the name of AFS' individual End Users. In the event that AFS wants to include calling card numbers assigned by AFS in the BellSouth LIDB, a separate agreement is required.

IV. Fees for Service and Taxes

- A. AFS will not be charged a fee for storage services provided by BellSouth to AFS as described in this LIDB Facilities Based Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by AFS in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attachment	: 2	Exhi	bit: B
		Inte	Zo								Svc Order Submitte	Svc Order Submitted Manually		Incremental Charge - Manual Svc	Incrementa I Charge - Manual	Incremen I Charge Manual
CATEGORY	RATE ELEMENTS	rim	ne	BCS	USOC		R.	ATES(\$)			d Elec per LSR	per LSR	Svc Order vs. Electronic-	Order vs. Electronic- Add'l	Svc Order vs. Electronic-	vs.
							Nonrec	urring	NRC Disc	onnect			OSS	Rates(\$)		
						Rec	First	Add'l	First		SOMEC	SOMAN	SOMAN		SOMAN	SOMAN
The '	'Zone" shown in the sections for stand-alone loops or loops as part of	a co	mbina	ation refers to Geogra	phically D	Deaveraged UN	E Zones. To v	iew Georgra	aphically De	averaged	UNE Zone	Desigantion	ons by C O, i	efer to Intern	et Website:	
	//www.interconnection.bellsouth.com/become_a_clec/html/interconnec	tion.	htm													
	AL SUPPORT SYSTEMS E: (1) Electronic Service Order: CLEC should contact its contract negot	iotor	16 14 .	arafara tha atata anaa	ifia alaatra	nio conside er	lorina oborao		by the Con	minaiana	Thoulas	trania com	ioo ordorina	abaraa aurra	ntly contain	ad in this
	exhibit is the BellSouth regional electronic service ordering charge. CL E: (2) Any element that can be ordered electronically will be billed acco															
	ronically. For those elements that cannot be ordered electronically at p						ategory reflect	s the charge	e that would	l be billed	to a CLE	C once elec	tronic orderi	ng capabilitie	es come on-l	line for the
elem	ent. Otherwise, the manual ordering charge, SOMAN, will be applied to	a C	LECs	bill when it submits		BellSouth.	1	1			1	1			1	
	Manual Service Order Charge, per LSR, Disconnect Only (FL)				SOMAN				1.83							
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive interfaces (Regional)				SOMEC		3.50									
LINE SERVIC	E DATE ADVANCEMENT CHARGE				SOIVIEC		3.50									
	E: The Expedite charge will be maintained commensurate with BellSou	th's	FCC	No.1 Tariff, Section 5	as applica	ıble.										1
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			ALL UNE	SDASP		200.00				1					1
	EXCHANGE ACCESS LOOP															
2-WII	RE ANALOG VOICE GRADE LOOP		Ш													
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57		11.90				
	2W Analog VG Loop-SL1-Zone 2		2	UEANL UEANL	UEAL2	15.20	49.57	22.83 22.83	25.62 25.62	6.57		11.90	-			1
	2W Analog VG Loop-SL1-Zone 3 Loop Testing-Basic 1st Half Hour		3	UEANL	UEAL2 URET1	26.97	49.57 48.65	22.83	25.62	6.57		11.90 11.90				
	Loop Testing-basic 1st Half Hour			UEANL	URETA		23.95					11.90				
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.78	8.94				11.90				
	Unbundled Voice Loop, Unbundled Non-Design Voice Loop, billing for			<u> </u>												
	BST providing make-up			UEANL	UEANM		13.49									
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00									
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		23.02									
2-WII	RE Unbundled COPPER LOOP		L .	1150	LIE CON		44.00		40.05			44.00				
	2W Unbundled Copper Loop-Non-Designed Zone 1	H	1	UEQ	UEQ2X	7.69	44.98	20.90	19.65	5.09		11.90				
-	2W Unbundled Copper Loop-Non-Designed-Zone 2 2W Unbundled Copper Loop-Non-Designed-Zone 3		3	UEQ UEQ	UEQ2X UEQ2X	10.92 19.38	44.98 44.98	20.90 20.90	19.65 19.65	5.09 5.09		11.90 11.90				
	Order Coordination 2W Unbundled Copper Loop-Non-Designed (per		3	OLQ	OLQZX	19.50	44.90	20.90	13.00	3.03		11.50				
	loop)			UEQ	USBMC		9.00									
	Unbundled Copper Loop, Non-Designed Billing for BST providing make-															
	ир			UEQ	UEQMU		13.49					11.90				
	Loop Testing-Basic 1st Half Hour			UEQ	URET1		48.65					11.90				
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA		23.95	7.40				11.90				
LINBUNDI ED	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND) DEXCHANGE ACCESS LOOP			UEQ	UREWO	 	14.27	7.43				11.90				
	RE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57		11.90				
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57		11.90				
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57		11.90				
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57		11.90				
	2W Analog VG Loop-SL1-Line Splitting-Zone 3 2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB UEPSR UEPSB	UEALS UEABS	26.97 26.97	49.57 49.57	22.83 22.83	25.62 25.62	6.57 6.57		11.90 11.90				
LINE	Loop Rates for Line Splitting		3	UEPSK UEPSB	UEABS	26.97	49.57	22.83	25.62	0.57		11.90				1
ONE	2W VG Loop (SL1) for Line Splitting-Zone 1		1	UEPRX	UEPLX	12.94	0.102	0.102								
	2W VG Loop (SL1) for Line Splitting-Zone 2		2	UEPRX	UEPLX	17.06	0.102	0.102								
	2W VG Loop (SL1)for Line Splitting-Zone 3		3	UEPRX	UEPLX	31.87	0.102	0.102								
	EXCHANGE ACCESS LOOP															
2-WII	RE ANALOG VOICE GRADE LOOP		igspace					L								
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	12.24	135.75					11.90				ļ
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2 2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA UEA	UEAL2 UEAL2	17.40 30.87	135.75 135.75		63.53 63.53	12.01 12.01		11.90 11.90	-			-
	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	30.87	23.02	82.47	03.53	12.01		11.90				—
	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 1		1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01	1	11.90	 			
	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 2		2	UEA	UEAR2	17.40	135.75		63.53	12.01		11.90				
	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 3		3	UEA	UEAR2	30.87	135.75		63.53	12.01		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.71	36.35				11.90				ļ

Version 3Q02: 10/07/02 Page 1 of 123

UNBUNDLI	ED NETWORK ELEMENTS - Florida												Attachment	: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc		R.	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
						Rec	Nonrec		NRC Disc					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	26.84	167.86		67.08	15.56		11.90				
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	47.62	167.86		67.08	15.56		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UEA UEA	OCOSL		23.02					44.00				
2.WIE	CLEC to CLEC Conversion Charge w/o outside dispatch RE ISDN DIGITAL GRADE LOOP			UEA	UREWO	-	87.71	36.35				11.90				
Z-VVII	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71		11.90				
-	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	27.40	147.69	94.41	62.23	10.71		11.90				
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	48.62	147.69		62.23	10.71		11.90				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.02									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.61	44.15				11.90				
2-WIF	RE Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 1		1	UDC	UDC2X	19.28	147.69	94.41	62.23	10.71		11.90				
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 2		2	UDC	UDC2X	27.40	147.69	94.41	62.23	10.71		11.90				
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 3		3	UDC	UDC2X	48.62	147.69	94.41	62.23	10.71		11.90				
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDC	UREWO		91.61	44.15				11.90				
2-WIF	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE	LOC	P													
	2W Unbundled ADSL Loop including manl svc inq & facility reservation- Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63		11.90				
	2W Unbundled ADSL Loop including manl svc inq & facility reservation- Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63		11.90				
	2W Unbundled ADSL Loop including manl svc inq & facility reservation- Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02									
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 1		1	UAL	UAL2W	8.30	124.83		60.64	9.12		11.90				
-	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 2		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12		11.90				
-	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UAL UAL	UAL2W OCOSL	20.94	124.83	71.12	60.64	9.12		11.90				
	CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		23.02 86.19	40.39				11.90				
2-WIE	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE	OOF	<u> </u>	UAL	UKLWO		00.19	40.39				11.90				
Z-VVIP	2W Unbundled HDSL Loop including manl svc inq & facility reservation- Zone 1	-001	1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63		11.90				
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-															
	Zone 2 2W Unbundled HDSL Loop including man! svc inq & facility reservation-		2	UHL	UHL2X	10.26	159.09		75.05	15.63		11.90				
-	Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63		11.90				
-	Order Coordination for Specified Conversion Time (per LSR)		1	UHL UHL	OCOSL UHL2W	7 22	23.02 134.40	80.69	60.64	0.12		11.90				
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 1 2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UHL	UHL2W	7.22 10.26	134.40		60.64	9.12 9.12		11.90				
-	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 3		3	UHL	UHL2W	18.21	134.40		60.64	9.12		11.90				
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	10.21	23.02	00.03	00.04	3.12		11.50				
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.12	40.39				11.90				
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE	OOF		-												
	4W Unbundled HDSL Loop including manl svc inq & facility reservation- Zone 1		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61		11.90				
	4W Unbundled HDSL Loop including manl svc inq & facility reservation- Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61		11.90				
	4W Unbundled HDSL Loop including manI svc inq & facility reservation- Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61		11.90				
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 1		1	UHL	UHL4W	10.86	168.62		62.74	11.22		11.90				
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UHL	UHL4W	15.44	168.62		62.74			11.90				
$oxed{oxed}$	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 3		3	UHL	UHL4W	27.39	168.62		62.74	11.22		11.90				
\vdash	Order Coordination for Specified Conversion Time (per LSR)		$\sqcup \bot$	UHL	OCOSL		23.02							ļ		
4-WIF	CLEC to CLEC Conversion Charge w/o outside dispatch		\Box	UHL	UREWO		86.12					11.90				
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	70.74	313.75			13.53		11.90				
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	100.54	313.75		61.22	13.53		11.90				
\vdash	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	178.39	313.75		61.22	13.53		11.90		ļ		
	Order Coordination for Specified Conversion Time (per LSR)		$\vdash \vdash$	USL	OCOSL	ļļ	23.02									
	CLEC to CLEC Conversion Charge w/o outside dispatch	<u> </u>	$\vdash \vdash$	USL	UREWO		101.07	43.04				11.90		 	ļ	-
4-WIF	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	<u> </u>	\vdash	LIDI	LIDIAC	20.00	404 50	100.05	07.00	45.50		44.00		 	ļ	ļ
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56		11.90			ı	

Version 3Q02: 10/07/02 Page 2 of 123

UNBUNDLI	ED NETWORK ELEMENTS - Florida												Attachment	:: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc		R.	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.
						Rec	Nonrec		NRC Disc					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	31.56	161.56	108.85	67.08	15.56		11.90				
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	55.99	161.56	108.85	67.08	15.56		11.90				
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	22.20	161.56	108.85	67.08	15.56		11.90				
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	31.56	161.56	108.85	67.08	15.56		11.90				-
	4W Unbundled Digital Loop 56 Kbps-Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UDL UDL	UDL56	55.99	161.56 23.02	108.85	67.08	15.56		11.90				
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	OCOSL UDL64	22.20	161.56	108.85	67.08	15.56		11.90				
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	31.56	161.56	108.85	67.08	15.56		11.90				-
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	55.99	161.56	108.85	67.08	15.56		11.90				
	Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	33.55	23.02	100.03	07.00	13.30		11.90				
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.11	49.74				11.90				
2-WIF	RE Unbundled COPPER LOOP		\vdash		1		.02.11							1		
711	2W Unbundled Copper Loop/Short including manl svc ing & facility		\vdash		1	İ								1		ſ
	reservation-Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63		11.90				Í
	2W Unbundled Copper Loop/Short including manl svc ing & facility															
	reservation-Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63		11.90				ĺ
	2W Unbundled Copper Loop/Short including manl svc inq & facility															
	reservation-Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-															
	Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12		11.90				İ
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-															ĺ
	Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12		11.90				
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-															ĺ
	Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility		1.1							4= 00						ĺ
	reservation-Zone 1		1	UCL	UCL2L	17.42	148.50	102.82	75.05	15.63		11.90				
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility			HOL	LICLO	04.70	440.50	400.00	75.05	45.00		44.00				ĺ
	reservation-Zone 2 2W Unbundled Copper Loop/Long-includes manl svc ing & facility		2	UCL	UCL2L	24.76	148.50	102.82	75.05	15.63		11.90				-
	reservation-Zone 3		3	UCL	UCL2L	43.94	148.50	102.82	75.05	15.63		11.90				ĺ
-	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	43.54	9.00	9.00	73.03	13.03		11.90				
	2W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation-		 	OOL	OCLIVIC	1	3.00	3.00								
	Zone 1		1	UCL	UCL2W	17.42	123.81	70.09	60.64	9.12		11.90				ĺ
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-		+ +	OOL	OCLZVV	17.42	123.01	70.03	00.04	3.12		11.30				
	Zone 2		2	UCL	UCL2W	24.76	123.81	70.09	60.64	9.12		11.90				Í
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-		FĒ							****						
	Zone 3		3	UCL	UCL2W	43.94	123.81	70.09	60.64	9.12		11.90				ľ
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)			UCL	UREWO		97.21	42.47				11.90				
4-WIF	RE COPPER LOOP															
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone															
	1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73		11.90				
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone															ĺ
	2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73		11.90				İ
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone															ĺ
	3		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)		L.	UCL	UCLMC		9.00	9.00								
	4W Copper Loop/Short-w/o man! svc inq & facility reservation-Zone 1		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22		11.90		-		
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 2		2	UCL	UCL4W	16.81	153.18		62.74	11.22		11.90				
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 3	-	3	UCL UCL	UCL4W UCLMC	29.82	153.18		62.74	11.22	-	11.90	-	 		
	Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>	\vdash	UUL	UCLIVIC		9.00	9.00			-	-	 			
	4W Unbundled Copper Loop/Long-includes man! svc inq & facility	l	1	UCL	UCL4L	24 40	177.87	122.70	77 15	17 70		11.00		I		ł
	reservation-Zone 1 4W Unbundled Copper Loop/Long-includes manl svc ing & facility		1	UCL	UCL4L	31.10	1/7.8/	132.76	77.15	17.73	-	11.90	-	-		
	reservation-Zone 2		2	UCL	UCL4L	44.20	177.87	132.76	77.15	17.73		11.90		1		i
 	4W Unbundled Copper Loop/Long-includes manl svc ing & facility			UCL	UCL4L	44.20	177.07	132.70	11.15	11.13		11.90		 		
	reservation-Zone 3	l	3	UCL	UCL4L	78.42	177.87	132.76	77.15	17.73		11.90		I		ł
 	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	70.42	9.00		77.13	11.13	<u> </u>	11.30	†	I		1
	4W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation-		\vdash	33L	COLIVIO		5.50	0.00						1		
	Zone 1		1	UCL	UCL4O	31.10	153.18	100.03	62.74	11.22		11.90		1		ł
						05	.00.10	.00.00	324							

Version 3Q02: 10/07/02 Page 3 of 123

ONBONDLE	ED NETWORK ELEMENTS - Florida												Attachment	: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	RCS	USOC			ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.
						Rec	Nonrec		NRC Disc					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation- Zone 2		2	UCL	UCL4O	44.20	153.18	100.03	62.74	11.22		11.90				
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-		_	002	002.0	71.20	100.10	100.00	02.7 1			11.00				
	Zone 3		3	UCL	UCL4O	78.42	153.18	100.03	62.74	11.22		11.90				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UCL	UREWO		97.21	42.47				11.90				
LOOP MODIF	ICATION															
				UAL,UHL,UCL,UEQ,U												
				LS,UEA,UEANL,UDL,			_	_				l				
	Unbundled Loop Modification, Removal of Load Coils-2W pr < or = 18kft		<u> </u>	UDC,UDN,USL	ULM2L		0.00	0.00				11.90				ļ
	Unbundled Loop Modification, Removal of Load Coils-2W > 18kft		<u> </u>	UCL,ULS,UEQ	ULM2G		343.12	343.12				11.90	ļ			
	Unbundled Loop Modification Removal of Load Coils-4W < or = 18kft	<u> </u>	<u> </u>	UHL,UCL	ULM4L		0.00	0.00			ļ	11.90				
	Unbundled Loop Modification Removal of Load Coils-4W pr > 18kft			UCL	ULM4G		343.12	343.12				11.90				
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL,UHL,UCL,UEQ,U EF,ULS,UEA,UEANL, UDL,UDC,UDN,USL	ULMBT		10.52	10.52				11.90				
SUB-LOOPS																<u> </u>
	oop Distribution	.		LUTANU	110004		107.00					44.00				-
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	1	<u> </u>	UEANL	USBSA		487.23					11.90				
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	!	<u> </u>	UEANL	USBSB		6.25					11.90				
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	1	<u> </u>	UEANL	USBSC		169.25					11.90				
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	ı	١.	UEANL	USBSD	0.10	38.65	0.4 =0	4==0			11.90				
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1		1		USBN2	6.46	60.19	21.78	47.50	5.26		11.90				-
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2		2		USBN2	9.18	60.19	21.78	47.50	5.26		11.90				<u> </u>
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3		3		USBN2	16.29	60.19	21.78	47.50	5.26		11.90				ļ
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		١.	UEANL	USBMC		9.00		10 =1							ļ
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 1		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60		11.90				ļ
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 2		2		USBN4	10.47	68.83	30.42	49.71	6.60		11.90				
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 3		3		USBN4	18.58	68.83	30.42	49.71	6.60		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	L .	<u> </u>	UEANL	USBMC	0.00	9.00	40.44	47.50	5.00		44.00				ļ
	Sub-Loop 2W Intrabuilding Network Cable (INC)	ı	<u> </u>	UEANL	USBR2	3.96	51.84	13.44	47.50	5.26		11.90				ļ
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		<u> </u>	UEANL	USBMC		9.00		10 =1							
	Sub-Loop 4W Intrabuilding Network Cable (INC)		1	UEANL	USBR4 USBMC	9.37	55.91 9.00	17.51	49.71	6.60	 	11.90	 			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL UEF		5.45		04.70	47.50	F 00		44.00				-
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	H	1		UCS2X UCS2X	5.15 7.31	60.19 60.19	21.78 21.78	47.50 47.50	5.26 5.26	 	11.90 11.90	 			
	2W Copper Unbundled Sub-Loop Distribution-Zone 2 2W Copper Unbundled Sub-Loop Distribution-Zone 3	<u> </u>	3	UEF	UCS2X	12.98	60.19	21.78	47.50 47.50	5.26		11.90				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	<u> </u>	3	UEF	USBMC	12.98	9.00	21.78	47.50	ე.∠ზ		11.90	 	-		+
	4W Copper Unbundled Sub-Loop Distribution-Zone 1	1	1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60		11.90	 	-		
	4W Copper Unbundled Sub-Loop Distribution-Zone 1	H	2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60		11.90	-			
	4W Copper Unbundled Sub-Loop Distribution-Zone 2	H	3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60		11.90	 	-		+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	<u> </u>	J	UEF	USBMC	13.31	9.00	30.42	73.11	0.00	 	11.50	1	1		
	ndled Sub-Loop Modification	1	1	UEF	OODIVIC		9.00				 	 	1	1		
	Unbundled Sub-Loop Modification-2W Copper Dist Load Coil/Equip Removal per 2W PR			UEF	ULM2X		10.11					11.90				
	Removal per zw PK Unbundled Sub-loop Modification-4W Copper Dist Load Coil/Equip Removal per 4W PR			UEF	ULM4X		10.11					11.90				
	Unbundled Sub-loop Modification-2W/4W Copper Dist Bridged Tap															
1	Removal, per PR unloaded		_	UEF	ULM4T		15.58					11.90				
I I a L	ndled Network Terminating Wire (UNTW)															

UNBUNDLE	D NETWORK ELEMENTS - Florida											I	Attachment			bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc			ATES(\$)			Svc Order Submitte d Elec per LSR	Submitted	Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual
		+	_			Rec	Nonrec First		NRC Disc		COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
Notice	ork Interface Device (NID)						FIRST	Add'l	FIRST	Add'l	SOMEC	SUMAN	SUMAN	SOWAN	SOWAN	SUMAN
Netwo	,	+	_	UENTW	UND12		71.49	48.87				11.90				├ ──
	Network Interface Device (NID)-1-2 lines Network Interface Device (NID)-1-6 lines			UENTW	UND12		113.89	89.07				11.90				├ ──
	Network Interface Device (Nib)-1-6 lines Network Interface Device Cross Connect-2 W			UENTW	UNDC2		7.63	7.63				11.90				├ ──
 	Network Interface Device Cross Connect-4W			UENTW	UNDC4		7.63	7.63				11.90				1
SUB-LOOPS	14etwork interface Device 01033 Conflect-444	1		OLIVIV	UNDO		7.00	7.00				11.50				+
	oop Feeder	+														+
502	USL-Feeder, DS0 Set-up per Cross Box location-CLEC Distribution			UEA.UDN.UCL.UDL.												
	Facility set-up			UDC	USBFW		487.23					11.90				
	r domy oor ap	1		UEA,UDN,UCL,UDL,	005. 11		107.120									<u> </u>
	USL Feeder-DS0 Set-up per Cross Box location-per 25 pr set-up			UDC	USBFX		6.25	6.25				11.90				
	USL Feeder DS1 Set-up at DSX location, per DS1 Term	1	1	USL	USBFZ		522.41	11.32				11.90		1		
	Unbundled Sub-Loop Feeder Loop, 2W Ground Start, VG-Zone 1	1	1	UEA	USBFA	6.41	92.75	51.24	58.45	13.07		11.90	İ	1		
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 2		2	UEA	USBFA	9.10	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 3	1	3	UEA	USBFA	16.15	92.75	51.24	58.45	13.07		11.90				
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL		23.02									
	Unbundlde Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 1	1	1	UEA	USBFB	6.41	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 2		2	UEA	USBFB	9.10	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2W Start Loop, VG-Zone 3		3	UEA	USBFB	16.15	92.75	51.24	58.45	13.07		11.90				
	Order Coordination for Specified Time Conversion, per LSR			UEA	OCOSL		23.02									
	Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 1		1	UEA	USBFC	6.41	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 2		2	UEA	USBFC	9.10	92.75	51.24	58.45	13.07		11.90				
	Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 3		3	UEA	USBFC	16.15	92.75	51.24	58.45	13.07		11.90				
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		23.02									
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 1		1	UEA	USBFD	12.47	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 2		2	UEA	USBFD	17.73	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4W Ground Start, VG-Zone 3		3	UEA	USBFD	31.45	106.92	64.46	63.54	14.83		11.90				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		23.02									
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 1		1	UEA	USBFE	12.47	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 2		2	UEA	USBFE	17.73	106.92	64.46	63.54	14.83		11.90				
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 3		3	UEA	USBFE	31.45	106.92	64.46	63.54	14.83		11.90				
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		23.02									
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 1		1	UDN	USBFF	14.83	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 2		2	UDN	USBFF	21.07	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 3		3	UDN	USBFF	37.39	109.71	66.68	60.21	12.49		11.90				
	Order Coordination For Specified Conversion Time, Per LSR			UDN	OCOSL		23.02									
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		1	UDC	USBFS	14.83	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		2	UDC	USBFS	21.07	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		3	UDC	USBFS	37.39	109.71	66.68	60.21	12.49		11.90				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	USL	USBFG	42.59	133.77	78.02	85.16	21.21		11.90				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	USL	USBFG	60.53	133.77	78.02	85.16	21.21		11.90				
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	USL	USBFG	107.39	133.77	78.02	85.16	21.21		11.90				
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		23.02									
	Unbundled Sub-Loop Feeder, 2W Copper Loop-Zone 1		1	UCL	USBFH	3.76	85.27	42.24	58.54	10.82		11.90				
-	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 2	-	2	UCL	USBFH	5.35	85.27	42.24	58.54	10.82		11.90				<u> </u>
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 3		3	UCL	USBFH	9.49	85.27	42.24	58.54	10.82		11.90				
 	Order Coordination For Specified Conversion Time, per LSR	1	_	UCL	OCOSL	7.00	23.02	£7.00	00.00	40.00		11.00		—		
\vdash	Sub-Loop Feeder-Per 4W Copper Loop-Zone 1	1	1	UCL	USBFJ	7.32	99.66	57.20	60.98	12.28		11.90		.		
-	Sub-Loop Feeder-Per 4W Copper Loop-Zone 2	-	2	UCL	USBFJ	10.40	99.66	57.20	60.98	12.28		11.90				ļ
 	Sub-Loop Feeder-Per 4W Copper Loop-Zone 3	+	3	UCL	USBFJ	18.46	99.66	57.20	60.98	12.28		11.90	-	1		
	Order Coordination For Specified Conversion Time, per LSR	1	4	UCL	OCOSL	44.40	23.02	50.40	00.54	44.00		44.00	ļ	-		↓
 	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop	+	2	UDL UDL	USBFN	14.48 20.59	100.62 100.62	58.16 58.16	63.54 63.54	14.83 14.83		11.90 11.90	1	1		
		+														
\vdash	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop	1-	3	UDL	USBFN	36.53	100.62	58.16	63.54	14.83		11.90	-	 		
\vdash	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 1	1-		UDL	USBFO	14.48	100.62	58.16	63.54	14.83		11.90	-	 		
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 2 Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 3	1-	3	UDL UDL	USBFO	20.59 36.53	100.62 100.62	58.16 58.16	63.54 63.54	14.83 14.83		11.90 11.90	-	 		
 	Order Coordination For Specified Time Conversion, per LSR	+	3	UDL	OCOSL	30.53	23.02	30.16	03.34	14.63		11.90	-	-		
 	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 1	+	1	UDL	USBFP	14.48	100.62	58.16	63.54	14.83		11.90	-	 		+
 	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 1 Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 2	+	2	UDL	USBFP	20.59	100.62	58.16	63.54	14.83	1	11.90		 		
 	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 2 Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 3	+	3	UDL	USBFP	36.53	100.62	58.16		14.83		11.90	1	1		
	Order Coordination For Specified Conversion Time, per LSR		J	UDL	OCOSL	30.53	23.02	30.10	03.34	14.63		11.90		1		-

Version 3Q02: 10/07/02 Page 5 of 123

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment	: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	USOC		R.A	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic-
						Rec	Nonrec	urring	NRC Disc			•		Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-LOOPS																
	oop Feeder															
	Sub Loop Feeder-DS3-Per Mile Per mo	ı		UE3	1L5SL	15.69										
	Sub Loop Feeder-DS3-Facility Term Per mo	-		UE3	USBF1	347.59	3,402.59	407.15	166.83	94.58		11.90				
	Sub Loop Feeder – STS-1 – Per Mile Per mo			UDLSX	1L5SL	15.69	0.100.50	10= 1=	100.00	0.4.00						
	Sub Loop Feeder-STS-1-Facility Term Per mo	1		UDLSX	USBF7	402.09	3,402.59	407.15	166.83	94.58		11.90				
	Sub Loop Feeder – OC-3 – Per Mile Per mo Sub Loop Feeder-OC-3-Facility Term Protection Per mo	-		UDLO3 UDLO3	1L5SL USBF5	11.90 62.98										
		-		UDLO3	USBF2	547.22	3,402.59	407.15	166.02	04.50		11.90				
—	Sub Loop Feeder-OC-3-Facility Term Per mo Sub Loop Feeder-OC-12-Per Mile Per mo	-	\vdash	UDLO3 UDL12	1L5SL	14.65	3,402.59	407.15	166.83	94.58		11.90				
	Sub Loop Feeder-OC-12-Per Mile Per mo Sub Loop Feeder-OC-12-Facility Term Protection Per mo	-		UDL12	USBF6	502.47								1		
	Sub Loop Feeder-OC-12-Facility Term Per mo	÷		UDL12	USBF3	1,577.00	3,402.59	407.15	166.83	94.58		11.90		1		
	Sub Loop Feeder-OC-48-Per Mile Per mo	÷	H	UDL48	1L5SL	48.06	0,402.09	-01.10	100.00	54.50		11.30		 		
	Sub Loop Feeder-OC-48-Facility Term Protection Per mo	i		UDL48	USBF9	251.80					1	1		 		
	Sub Loop Feeder-OC-48-Facility Term Per mo	÷		UDL48	USBF4	1.589.00	3,588,59	407.15	168.35	95.43		11.90	1	1		i
	Sub Loop Feeder-OC-12 Interface On OC-48	i		UDL48	USBF8	331.15	804.98	407.15	168.35	95.43		11.90		İ		
	LOOP CONCENTRATION															
	Unbundled Loop Concentration-System A (TR008)			ULC	UCT8A	449.49	359.42	359.42				11.90				
	Unbundled Loop Concentration-System B (TR008)			ULC	UCT8B	53.44	149.76	149.76				11.90				
	Unbundled Loop Concentration-System A (TR303)			ULC	UCT3A	487.33	359.42	359.42				11.90				
	Unbundled Loop Concentration-System B (TR303)			ULC	UCT3B	90.05	149.76	149.76				11.90				
	Unbundled Loop Concentration-DS1 Loop Interface Card			ULC	UCTCO	5.04	71.70	51.52	18.49	4.82		11.90				
	Unbundled Loop Concentration-ISDN Loop Interface (Brite Card)			UDN	ULCC1	8.00	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration-UDC Loop Interface (Brite Card)			UDC	ULCCU	8.00	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration2W Voice-Loop Start or Ground Start															
	Loop Interface (POTS Card)			UEA	ULCC2	2.00	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration-2W Voice-Reverse Battery Loop Interface							40.50								
	(SPOTS Card)			UEA	ULCCR	11.90	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration-4W Voice Loop Interface (Specials Card)			UEA	ULCC4	7.10	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration-TEST CIRCUIT Card			ULC UDL	UCTTC ULCC7	34.68 10.51	16.59 16.59	16.50 16.50	6.77 6.77	6.73 6.73		11.90 11.90				
	Unbundled Loop Concentration-Digital 19.2 Kbps Data Loop Interface Unbundled Loop Concentration-Digital 56 Kbps Data Loop Interface			UDL	ULCC5	10.51	16.59	16.50	6.77	6.73		11.90				
	Unbundled Loop Concentration-Digital 64 Kbps Data Loop Interface			UDL	ULCC6	10.51	16.59	16.50	6.77	6.73		11.90				
	PROVISIONING ONLY - NO RATE			ODL	ULCCU	10.51	10.59	10.50	0.77	0.73		11.50				
	NID-Dispatch & Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00									
	2 22 2			UEANL,UEF,UEQ,UE	3202	3.30	2.00									
	Unbundled Contract Name, Provisioning Only-No Rate			NTW	UNECN	0.00	0.00									
UNE OTHER,	PROVISIONING ONLY - NO RATE															
				UAL,UCL,UDC,UDL,U												
	Unbundled Contact Name, Provisioning Only-no rate			DN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00									
	TY UNBUNDLED LOCAL LOOP			LIE?	41 51 5	10.05										
	High Capacity Unbundled Local Loop-DS3-Per Mile per mo		Ш	UE3	1L5ND	10.92	550.07	040.01	400.40	00.01		11.00		 		
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo		Ш	UE3	UE3PX	386.88	556.37	343.01	139.13	96.84		11.90		 		
—	High Capacity Unbundled Local Loop-STS-1-Per Mile per mo		\vdash	UDLSX	1L5ND	10.92 426.60	556.37	242.04	120.40	00.01		44.00		 	4.00	
LOOP MAKE-	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo		\vdash	UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84	 	11.90		-	1.83	
	Loop Makeup-Preordering w/o Reservation, per working or spare facility		\vdash			+					1			1		
	queried (Manual).			UMK	UMKLW		52.17	52.17			1			1		
	Loop Makeup-Preordering w Reservation, per spare facility queried			OWIIX	CIVILLETY	1	02.17	UZ.17			1					
	(Manual).			UMK	UMKLP		55.07	55.07			1			1		
	Loop Makeupw or w/o Reservation, per working or spare facility queried			¥	J	İ		22.31					İ	İ		İ
	(Mechanized)			UMK	PSUMK		0.6784	0.6784				1	I	Ì		İ

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attachment	:: 2	Exhi	bit: B
CATEGORY		Inte rim	Zo ne	BCS	usoc			ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs.	
						Rec	Nonrec		NRC Disc					Rates(\$)		
HICH EDEOL	IENCY SPECTRUM						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	SHARING															
	TTERS-CENTRAL OFFICE BASED															—
0	Line Sharing Splitter, per System 96 Line Capacity-True up pending															
	approval by PSC	R		ULS	ULSDA	119.72	379.13	0.00	347.90	0.00		11.90				
	Line Sharing Splitter, per System 24 Line Capacity-True up pending															
	approval by PSC	R		ULS	ULSDB	29.93	379.13	0.00	347.90	0.00		11.90				
	Line Sharing Splitter, Per System, 8 Line Capacity	ı		ULS	ULSD8	8.33	379.13	0.00	347.90	0.00		11.90				
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per															
	LSOD)			ULS	ULSDG		173.66	0.00	97.42	0.00		11.90				
END	USER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPECT	RUN	I AK		111.000	0.04	00.00	04.00	40.57	0.04		44.00				
	Line Sharing-per Line Activation-(BST Owned Splitter) Line Sharing-per Subsqnt Activity per Line Rearrangement-True up		1	ULS	ULSDC	0.61	29.68	21.28	19.57	9.61		11.90	-	 		
	pending approval by PSC(BST Owned Splitter)	R		ULS	ULSDS		21.68	16.44				11.90		1		1
 	Line Sharing-per Subsqnt Activity per Line Rearrangement-True up	١١		OLO	OLODO		21.00	10.44				11.50		†		
	pending approval by PSC(DLEC Owned Splitter)	R		ULS	ULSCS		21.68	16.44				11.90		1		1
	Line Sharing-per Line Activation (DLEC owned Splitter)	П		ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		11.90				
LINE	SPLITTING															
END	USER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting-per line activation DLEC owned splitter	ı		UEPSR UEPSB	UREOS	0.61										
	Line Splitting-per line activation BST owned-physical	ı		UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61		11.90				
	Line Splitting-per line activation BST owned-virtual	ı		UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61		11.90				
	OTE SITE HIGH FREQUENCY SPECTRUM															
SPLII	ITERS-REMOTE SITE Remote Site Line Share BST Owned Splitter, 24 Port			ULS	ULSRB	25.00	150.00	0.00	150.00	0.00		11.90				
-	Remote Site Line Share Cable pr Activation CLEC Owned at RS &			ULS	ULSKB	25.00	150.00	0.00	150.00	0.00		11.90				
	deactivation	1		ULS	ULSTG		74.38	0.00	46.77	0.00		11.90				
END	USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM AKA F	EMC	OTE S		OLOTO		74.00	0.00	40.77	0.00		11.50				
	Remote Site Line Share Line Activationfor End User Served at RS, BST													1		
	Splitter	1		ULS	ULSRC	0.61	40.00	22.00	19.57	9.61		11.90				
	RS Line Share Line Activation for End User served at RS, CLEC Splitter	ı		ULS	ULSTC	0.61	40.00	22.00	19.57	9.61		11.90				
	DEDICATED TRANSPORT															
	: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billing	g per	iod -	below DS3=one mon	th, DS3/ST	S-1=four monti	ns									
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel-Dedicated Transport-2W VG-Per Mile per mo			U1TVX	1L5XX	0.0091	47.05	04.70	40.04	7.00		44.00				
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per Mi per mo			U1TVX U1TVX	U1TV2 1L5XX	25.32 0.0091	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Fer Will per Ind			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03		11.90	-	-		
	Interoffice Channel-Dedicated Transport-2W VG-Per Mile per mo			U1TVX	1L5XX	0.0091	47.55	31.70	10.51	7.00		11.50				
	Interoffice Channel-Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel-Dedicated Transport-56 kbps-per mile per mo			U1TDX	1L5XX	0.0091										
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel-Dedicated Transport-64 kbps-per mile per mo			U1TDX	1L5XX	0.0091										
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03		11.90				
	Interoffice Channel-Dedicated Channel-DS1-Per Mile per mo			U1TD1	1L5XX	0.1856										
	Interoffice Channel-Dedicated Tranport-DS1-Facility Term			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05		11.90				
	Interoffice Channel-Dedicated Transport-DS3-Per Mile per mo			U1TD3 U1TD3	1L5XX U1TF3	3.87 1,071.00	335.46	219.28	72.03	70.56		11.90				
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo Interoffice Channel-Dedicated Transport-STS-1-Per Mile per mo			U1TS1	1L5XX	3.87	335.46	219.28	72.03	70.56		11.90				
+	Interoffice Channel-Dedicated Transport-STS-1-Per Mile per mo		 	U11S1 U1TS1	U1TFS	1.056.00	335.46	219.28	72.03	70.56	-	11.90	 	 		
LOCA	AL CHANNEL - DEDICATED TRANSPORT			01101	01113	1,000.00	333.40	£13.20	12.03	10.30		11.50		†		
	:: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period	l - be	low	DS3=one month. DS3	/STS-1=for	ir months						1	t	†		
	Local Channel-Dedicated-2W VG-Zone 1		1	ULDVX	ULDV2	19.66	265.84	46.97	37.63	4.00		11.90		1		
İ	Local Channel-Dedicated-2W VG-Zone 2		2	ULDVX	ULDV2	27.94	265.84	46.97	37.63	4.00		11.90				
	Local Channel-Dedicated-2W VG-Zone 3		3	UNDVX	ULDV2	49.58	265.84	46.97	37.63	4.00		11.90				
	Local Channel-Dedicated-2W VG Rev. BatZone 1		1	ULDVX	ULDR2	19.66	265.84	46.97	37.63	4.00		11.90				
-	Local Channel-Dedicated-2W VG Rev. BatZone 2		2	ULDVX	ULDR2	27.94	265.84	46.97	37.63	4.00		11.90				
	Local Channel-Dedicated-2W VG Rev. BatZone 3		3	ULDVX	ULDR2	49.58	265.84	46.97	37.63	4.00		11.90		ļ		
	Local Channel-Dedicated-4W VG-Zone 1		1	UNDVX	ULDV4	20.45	266.54	47.67	44.22	5.33	ļ	11.90		-		
	Local Channel-Dedicated-4W VG-Zone 2		2	UNDVX	ULDV4	29.06	266.54	47.67	44.22	5.33	l	11.90	l		1	

Version 3Q02: 10/07/02 Page 7 of 123

UNBU	<u> JNDL</u> E	D NETWORK ELEMENTS - Florida												Attachment			bit: B
CATEG	GORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	USOC		R <i>A</i>	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	I Charge -	vs.
							Rec	Nonrect		NRC Disc					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Local Channel-Dedicated-4W VG-Zone 3		3	UNDVX	ULDV4	51.56	266.54	47.67	44.22	5.33		11.90				
		Local Channel-Dedicated-DS1-Zone 1		1	ULDD1	ULDF1	36.49	216.65	183.54		16.95		11.90				ļ
		Local Channel-Dedicated-DS1-Zone 2		2	ULDD1	ULDF1	51.85	216.65	183.54		16.95		11.90				<u> </u>
		Local Channel-Dedicated-DS1-Zone 3		3	ULDD1	ULDF1	92.00	216.65	183.54	24.30	16.95		11.90				ļ
		Local Channel-Dedicated-DS3-Per Mile per mo			ULDD3	1L5NC	8.50	550.07	0.40.04	100.10	00.04		44.00				
		Local Channel-Dedicated-DS3-Facility Term			ULDD3	ULDF3	531.91	556.37	343.01	139.13	96.84		11.90				
		Local Channel-Dedicated-STS-1-Per Mile per mo			ULDS1	1L5NC	8.50	FFC 27	242.04	420.42	00.04		44.00				
DARK	FIDED	Local Channel-Dedicated-STS-1-Facility Term			ULDS1	ULDFS	540.69	556.37	343.01	139.13	96.84	ļ	11.90				
DARK	FIBER	Darly Filter Favor Filter Channels - Day Davids Mile as Francisco Theoretica		-						ļ							
	1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per			LIDE	11.500	55.04					1		1	1	l	
	1	mo-Local Channel NRC Dark Fiber-Local Channel		\vdash	UDF UDF	1L5DC UDFC4	55.04	751.34	193.88	1	 	 	11.90	ļ	1	1	
	1	Dark Fiber-Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per		\vdash	UDF	UDFC4		101.34	193.88	1		1	11.90		 	-	
	1	mo-Interoffice Channel			UDF	1L5DF	26.85					1		1	1	l	
	+	NRC Dark Fiber-Interoffice Channel		\vdash	UDF	UDF14	∠6.85	751.34	193.88	1		1	11.90		 	-	
	+	Dark Fiber-Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per		\vdash	UDF	UDF 14	-	101.34	193.88	1		1	11.90		 	-	
		mo-Local Loop			UDF	1L5DL	55.04										
	-	NRC Dark Fiber-Local Loop			UDF	UDFL4	55.04	751.34	193.88	1			11.90				
0VV A		TEN DIGIT SCREENING			UDF	UDFL4		751.34	193.00	1			11.90				
8XX AU	LCESS	8XX Access Ten Digit Screening, Per Call			OHD		0.0006252			1							
	-	8XX Access Ten Digit Screening, Per Call 8XX Access Ten Digit Screening, Reservation Charge Per 8XX No			OHD		0.0006252			1							
		Reserved			OHD	N8R1X		4.15	0.70				11.90				
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS															
		Translations 8XX Access Ten Digit Screening, Per 8XX No. Established w POTS			OHD			8.78	1.18	5.77	0.70		11.90				
		Translations			OHD	N8FTX		8.78	1.18	5.77	0.70		11.90				
		8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No			OHD	N8FCX		4.15	2.07				11.90				
	1	8XX Access Ten Digit Screening, Customized Area of Service Fer 6XX No		-	OHD	NOI CX		4.13	2.07	1			11.90				-
		CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78				11.90				
	_	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		4.85	0.70	1			11.90				+
		8XX Access Ten Digit Screening, Change Charge Let Request 8XX Access Ten Digit Screening, Call Handling & Destination Features			OHD	N8FDX		4.15	4.15			1	11.90				-
	1	8XX Access Ten Digit Screening, Can Handling & Destination Features		-	OHD	NOLDY	0.0006252	4.13	4.13	1			11.90				-
		8XX Access Ten Digit Screening, w/POTS No. Delivery, per query			OHD	1	0.0006252					1					-
I INF IN	NEORM	ATION DATA BASE ACCESS (LIDB)			OHD		0.0000232			1							+
CIIVE II		LIDB Common Transport Per Query			OQT		0.0000203					-					
	_	LIDB Validation Per Query			OQU		0.0136959			1							+
		LIDB Originating Point Code Establishment or Change			OQT,OQU	NRPBX	0.0100000	55.13	55.13	55.13	55.13		11.90				
SIGNA	LING (041,040	THE BX		00.10	00.10	00.10	00.10		11.50				
SIGINA	(·	CCS7 Signaling Term, Per STP Port		\vdash	UDB	PT8SX	135.05					1			<u> </u>	1	
		CCS7 Signaling Usage, Per TCAP Message		\vdash	UDB		0.0000607					1			1		
		CCS7 Signaling Connection, Per link (A link)		+	UDB	TPP++	17.93	43.57	43.57	18.31	18.31	1	11.90	1	I		†
		CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31		11.90				
		CCS7 Signaling Usage, Per ISUP Message			UDB	1	0.0000152	10.01	10.07	10.01	10.01		11.00				
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694.32					Ì					
		CCS7 Signaling Point Code, per Originating Point Code Establishment or		\vdash	555	2.000	304.02					1			1		
	1	Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03	1	11.90	1	1	l	
E911 S	ERVIC									12.00	12.30				1	1	
	T	Local Channel-Dedicated-2Wr VG-Zone 1		\vdash			21.94	265.84	46.97	37.63	4.00		11.90		1		
		Local Channel-Dedicated-2Wr VG-Zone 2					29.62	265.84	46.97	37.63	4.00	1	11.90		1	İ	
		Local Channel-Dedicated-2Wr VG-Zone 3				İ	57.22	265.84	46.97	37.63	4.00	Ì	11.90				
		Interoffice Transport-Dedicated-2Wr VG Per Mile					0.0091			1		1			1	İ	
		Interoffice Transport-Dedicated-2Wr VG Per Facility Term					25.32	47.35	31.78	18.31	7.03	1	11.90		1	İ	
		Local Channel-Dedicated-DS1-Zone 1					35.28	216.65	183.54	21.47	19.05		11.90				
		Local Channel-Dedicated-DS1-Zone 2				İ	47.63	216.65	183.54	21.47	19.05	Ì	11.90				
		Local Channel-Dedicated-DS1-Zone 3					92.01	216.65	183.54	21.47	19.05		11.90				
		Interoffice Transport-Dedicated-DS1 Per Mile					0.1856			1		1			1	İ	
		Interoffice Transport-Dedicated-DS1 Per Facility Term				İ	88.44	105.54	98.47	21.47	19.05	Ì	11.90				
CALLI	NG NAI	ME (CNAM) SERVICE															
		CNAM For DB Owners-Service Establishment			OQV	İ		25.35	25.35	19.01	19.01	İ	11.90				i e

ONRONDFI	ED NETWORK ELEMENTS - Florida										,		Attachment			bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	USOC		RA	ATES(\$)			Svc Order Submitte d Elec per LSR	Submitted Manually	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	I Charge -	Increment I Charge Manual Svc Orde vs. Electronic
						Rec	Nonrecu	urring	NRC Disc	onnect			oss	Rates(\$)		
						Kec	First	Add'l	First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
	CNAM For Non DB Owners-Service Establishment			OQV			25.35	25.35	19.01	19.01		11.90				
	CNAM For DB Owners-Service Provisioning w Point Code Establishment			OQV			1,592.00	1,177.00	352.36	259.09		11.90				
	CNAM For Non DB Owners-Service Provisioning w Point Code														!	
	Establishment			OQV		0.004004	546.51	393.82	358.06	259.09		11.90		_		
	CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query			OQV OQV		0.001024 0.001024					-			<u> </u>		
LNP Query So				OQV		0.001024								 		
	LNP Charge Per query			OQV		0.000852								 		
	LNP Service Establishment Manual			04.		0.000002	13.83	13.83	12.71	12.71		11.90		 		
	LNP Service Provisioning w Point Code Establishment						655.50	334.88				11.90		1		
OPERATOR (CALL PROCESSING						000.00	001.00	201.00	210.10		11.00				
	Oper Call Processing-Oper Provided, Per Min-Using BST LIDB					1.20										
	Oper Call Processing-Oper Provided, Per Min-Using Foreign LIDB					1.24										
	Oper Call Processing-Fully Automated, per Call-Using BST LIDB					0.20										
	Oper Call Processing-Fully Automated, per Call-Using Foreign LIDB					0.20										
INWARD OPE	RATOR SERVICES	$oxed{oxed}$							<u> </u>					<u> </u>		
	Inward Operator Services-Verification, Per Call					1.00										
	Inward Operator Services-Verification & Emergency Interrupt-Per Call					1.95										
	OPERATOR CALL PROCESSING															
Facili	ty based CLEC				00400		7 000 00	7,000,00				44.00		_		
	Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN				CBAOS		7,000.00	7,000.00				11.90		_		
LINES	P CLEC				CBAOL		500.00	500.00	ļ			11.90		 		
UNEF	Recording of Custom Branded OA Announcement						7,000.00	7,000.00	1			11.90		 		
—	Loading of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00				11.90		 		
Unhr	anding via OLNS for UNEP CLEC						300.00	300.00				11.90		 		
	Loading of OA per OCN (Regional)						1,200.00	1,200.00				11.90		 	-	
DIRECTORY	ASSISTANCE SERVICES						1,200.00	1,=00100								
DIRE	CTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIREC	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)															
	Directory Assistance Call Completion Access Service (DACC), Per Call															
	Attempt					0.10										
	ASSISTANCE SERVICES															
DIRE	CTORY ASSISTANCE DATA BASE SERVICE (DADS)															
	Directory Assistance Data Base Service Charge Per Listing				22225	0.04										
	Directory Assistance Data Base Service, per mo				DBSOF	150.00								ļ		
	DIRECTORY ASSISTANCE ty Based CLEC													 		
Facili	Recording & Provisioning of DA Custom Branded Announcement			AMT	CBADA		6,000.00	6,000.00				11.90		 		
 	Loading of Custom Branded Announcement per Switch	\vdash		AMT	CBADA		1,170.00	1,170.00	 		 	11.90		+	 	
UNFF	CLEC	\vdash		/ u#11	ODADO		1,170.00	1,170.00	1			11.30		 	 	
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00				11.90				
	Loading of DA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00				11.90				
	anding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00				11.90				
	Loading of DA per Switch per OCN						16.00	16.00				11.90				
SELECTIVE F														<u> </u>		
	Selective Routing Per Unique Line Class Code Per Request Per Switch				USRCR		93.55	93.55	12.71	12.71		11.90		<u> </u>		
VIRTUAL CO		\sqcup						4 0 40	ļ		1			↓	<u> </u>	
$\vdash \vdash \vdash$	Virtual Collocation-Application Cost			AMTES	EAF	10.45	4,122.00	1,249.00	<u> </u>		 	11.90				
\vdash	Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq. ft.			AMTFS AMTFS	ESPCX ESPVX	12.45	965.00				-	11.90		 	 	-
\vdash	Virtual Collocation-Floor Space, per sq. tt. Virtual Collocation-Power, per fused amp	\vdash	\vdash	AMTFS	ESPXX	4.25 6.95			1		-	-		 	 	
\vdash	Virtual Collocation-Power, per fused amp Virtual Collocation-Cable Support Structure, per entrance cable	\vdash		AMTES	ESPSX	13.35			1	1	1	-		+	\vdash	
	virtual Conocation-Cable Support Structure, per entrance cable	\vdash	\vdash	UEANL,UEA,UDN,UD	LUFUA	13.35			1		1			 		
		1						1	1	I	1	l	l	1	1	
				C,UAL,UHL,UCL,UEQ												
				C,UAL,UHL,UCL,UEQ ,AMTFS,UDL,UNCVX,												
	Virtual Collocation-2W Cross Connects (loop)				UEAC2	0.0502	11.57	11.57				11.90				
	Virtual Collocation-2W Cross Connects (loop)			,AMTFS,UDL,UNCVX, UNCDX,UNCNX UEA,UHL,UCL,UDL,A	UEAC2	0.0502	11.57	11.57				11.90				
	Virtual Collocation-2W Cross Connects (loop)			,AMTFS,UDL,UNCVX, UNCDX,UNCNX	UEAC2	0.0502	11.57	11.57 11.57				11.90				

UNBUNDLI	ED NETWORK ELEMENTS - Florida						·						Attachment	: 2	Exhi	oit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	I BCS	USOC		R.A	ATES(\$)			Svc Order Submitte d Elec per LSR	Submitted	Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.
						Rec	Nonrec	urring	NRC Disc					Rates(\$)		
igwdows						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2-Fiber Cross Connects			AMTFS,UDL12,UDL0 3,U1T48,U1T12,U1T0 3,ULD03,ULD12,ULD 48,UDF AMTFS,UDL12,UDL0	CNC2F	6.71	2,431.00					11.90				
				3,U1T48,U1T12,U1T0												
	Virtual Collocation-4-Fiber Cross Connects			3,ULDO3,ULD12,ULD 48,UDF	CNC4F	6.71	2,431.00					11.90				
	Virtual collocation-Special Access & UNE, cross-connect per DS1			USL,ULC,AMTFS,UL R,UXTD1,UNC1X,UL DD1,U1TD1,USLEL,U NLD1	CNC1X	7.50	155.00	14.00				11.90				
	Virtual collocation-Special Access & UNE, cross-connect per DS3			USL, ULC, AMTFS, UE 3, U1TD3, UXTS1, UXT D3, UNC3X, UNCSX, U LDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	56.25	151.90	11.83				11.90				
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support			,												
	Structure, per linear foot Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable			AMTFS,CLO	VE1CB	0.0028										
	Support Structure, per linear ft Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support			AMTFS,CLO	VE1CD	0.0041										
	Structure,per cable			AMTFS	VE1CC		535.54					11.90				
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable				1/5405							44.00				
 	Support Structure, per cable Virtual Collocation Cable Records-per request			AMTFS AMTFS	VE1CE VE1BA		535.54 1,525.00	1,525.00	267.08	267.08		11.90				
	Virtual Collocation Cable Records-VG/DS0 Cable, per cable record			AMTES	VE1BB		656.50	656.50	379.78	379.78						
	Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr			AMTFS	VE1BC		9.66	9.66	11.84	11.84						
	Virtual Collocation Cable Records-DS1, per T1TIE Virtual Collocation Cable Records-DS3, per T3TIE			AMTFS AMTFS	VE1BD VE1BE		4.52 15.82	4.52 15.82	5.54 19.40	5.54 19.40						
+	Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records			AMTFS	VE1BE		169.67	169.67	154.89	154.89						
	Virtual collocation-Security Escort-Basic, per quarter hour			AMTFS	SPTBQ		10.89					11.90				
	Virtual collocation-Security Escort-Overtime, per quarter hour			AMTFS	SPTOQ		13.64					11.90				
	Virtual collocation-Security Escort-Premium, per quarter hour Virtual Collocation-DS-1/DCS Cross Connects, PER 28 CKTS			AMTFS AMTFS	SPTPQ VE11S	226.39	16.40 1,950.00					11.90 11.90				
-	Virtual Collocation-DS-1/DCS Cross Connects, PER 28 CKTS			AMTFS	VE11X	11.51	1,950.00					11.90				
	Virtual Collocation-DS-3/DCS Cross Connects, PER CKT			AMTFS	VE13S	56.97	528.00					11.90				
	Virtual Collocation-DS-3/DSC Cross Connects, PER CKT			AMTFS	VE13X	10.06	528.00					11.90				
	Virtual collocation-Maintenance in CO-Basic, per quarter hour Virtual collocation-Maintenance in CO-Overtime, per quarter hour			AMTFS AMTFS	SPTRE SPTOE		10.89 13.64					11.90 11.90				
	Virtual collocation-iviaintenance in CO-Overtime, per quarter nour Virtual collocation-Maintenance in CO-Premium per quarter hour			AMTES	SPTPE		13.64					11.90				
VIRTUAL CO	LLOCATION															
	Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	VE1R2	0.0502	11.57	11.57	-			11.90			-	
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus			UEPSP	VE1R2	0.0502	11.57	11.57				11.90				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk- Res			UEPSE	VE1R2	0.0502	11.57	11.57				11.90				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus			UEPSB	VE1R2	0.0502	11.57	11.57				11.90				
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	VE1R2	0.0502	11.57	11.57				11.90				
\vdash	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1		-	UEPTX UEPEX	VE1R2 VE1R4	0.0502 0.0502	11.57 11.57	11.57 11.57				11.90 11.90				
VIRTUAL CO				OLFLA	VL1114	0.0302	11.37	11.57				11.50				
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting DLLOCATION			UEPSR,UEPSB	VE1LS	0.0502	11.57					11.90				
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR,UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58		11.90				
AIN SELECTI	VE CARRIER ROUTING			000	00050		400 444 00		7 707 00			11.00				
	Regional Service Establishment End Office Establishment		-	SRC SRC	SRCEC SRCEO		193,444.00 187.36	187.36	7,737.00 0.69	0.69		11.90 11.90				
	Query NRC, per query			SRC	SINGLO	0.0031868	107.30	101.30	0.09	0.09		11.50				
AIN - BELLS	OUTH AIN SMS ACCESS SERVICE		L													
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup			A1N	CAMSE		43.56	43.56	44.93	44.93		11.90				
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03	l	11.90	l]		

UNBUNDL	ED NETWORK ELEMENTS - Florida				_	1							Attachment			bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc		R.A	ATES(\$)				Svc Order Submitted Manually per LSR	Manual	Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic
						Rec	Nonrec		NRC Disc					Rates(\$)		
	LIN 010 4 0 1 0 10 10 10 10 10 10 10 10 10 10 10			***	0.1145		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03		11.90				
	AIN SMS Access Service-User Identification Codes-Per User ID Code AIN SMS Access Service-Security Card, Per User ID Code, Initial or			A1N	CAMAU		38.66	38.66	29.88	29.88		11.90				
	Replacement			AANI	CAMRC		75.10	75.10	12.93	12.93		11.90				
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)			A1N	CAIVIRC	0.0028	75.10	75.10	12.93	12.93		11.90				
	AIN SMS Access Service-Storage, Per Offit (100 Kilobytes) AIN SMS Access Service-Session, Per Min					0.7809										1
	AIN SMS Access Service-Gession, Fer will AIN SMS Access Service-Company Performed Session, Per Min					0.4609										1
AIN - BELLS	OUTH AIN TOOLKIT SERVICE					0.4003										
AIN BLLLO	AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		43.56	43.56	44.93	44.93		11.90				
	AIN Toolkit Service-Training Session, Per Customer			OAW	BAPVX		8.439.00	8.439.00	44.00	44.33		11.90				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term.				D/II V/	+	0,400.00	0,400.00				11.50	1			1
	Attempt				BAPTT		8.64	8.64	10.03	10.03		11.90				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook				D/ (I TT		0.04	0.04	10.00	10.00		11.50				
	Delay				BAPTD		8.64	8.64	10.03	10.03		11.90				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook				5,		0.01	0.01	10.00	10.00		11.00				
	Immediate				BAPTM		8.64	8.64	10.03	10.03		11.90				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit				B,		0.01	0.0 .	10.00	10.00		111.00				
	PODP				BAPTO		38.06	38.06	15.86	15.86		11.90				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		38.06	38.06	15.86	15.86		11.90				
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature															
	Code				BAPTF		38.06	38.06	15.86	15.86		11.90				
	AIN Toolkit Service-Query Charge, Per Query					0.0535927										
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription,															
	Per Node, Per Query					0.0063698										
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per															
	100 Kilobytes					0.06										
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	8.34	8.64	8.64	6.08	6.08		11.90				
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	3.73	9.56	9.56				11.90				
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription			CAM	BAPDS	4.73	8.64	8.64	6.08	6.08		11.90				
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service															
	Subscription			CAM	BAPES	0.12	9.56	9.56				11.90				
	EXTENDED LINK (EELs)															
NOTE	: New Density Zone 1 EELs are available in the following MSAs: Orland	do, Fl	L; Mi	ami, FL; Ft. Lauderd	dale, FL.											
	EEL network elements shown below also apply to currently combine											verted to UI	NEs.(NRC rat	tes do not ap	oly.)	
	EEL network elements apply to ordinarily combined network element				wnen orderi	ng ordinarily c	ombined netv	vork elemen	ts, NRC rate	es do app	ıy.					
2-WIF	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFF	CE I	KAN	· · · · · · · · · · · · · · · · · · ·	LIEALO	10.01	107.50	00.54	40.70	0.04		44.00				
	1st 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81		11.90				
	1st 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 2 1st 2W VG Loop(SL2) in a DS1 Interoffice Transport Combination-Zone 3		2	UNCVX	UEAL2 UEAL2	17.40 30.87	127.59 127.59	60.54 60.54	42.79 42.79	2.81		11.90 11.90	-	-		
	Interoffice Transport-Dedicated-DS1 combination-Per Mile per mo		3	UNC1X	1L5XX	0.1856	127.59	00.54	42.79	2.81	-	11.90	 	-		
	Interoffice Transport-Dedicated-DS1 combination-Per Mile per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90	-	-		
-	DS1 Channelization System Per mo		H	UNC1X	MQ1	146.77	51.83	10.75	40.01	17.95		11.90	1			1
 	VG COCI-DS1 To Ds0 Interface-Per mo		H	UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84		11.90	1	 		
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport		H	ONOVA	פעומו	1.00	12.10	0.11	0.71	4.04		11.50	1	 		
	Combination-Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81		11.90		l		
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport		H	514077	ULALZ	12.27	121.33	30.54	74.13	2.01		11.50	1	 		
1	Combination-Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81		11.90				
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport			UNOVA	ULALZ	17.40	127.39	00.54	72.13	2.01		11.90	-			
	The second				1	00.07	407.50	60.54	42.79	2.81		11.90	1	1		
	Combination-Zone 3		3	UNCVX	UEAL2	30.87	127.59									
	Combination-Zone 3 VG COCI-DS1 to DS0 Channel System combination-per mo		3	UNCVX	1D1VG	30.87 1.38	127.59 12.16	8.77	6.71	4.84		11.90				

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attachment	:: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc		R.	ATES(\$)			Svc Order Submitte d Elec per LSR	Submitted	Manual	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.
						Rec	Nonrec		NRC Disc					Rates(\$)		
H.,			Щ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-WIF	E VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI	CEI	KAN	SPORT (EEL)												
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 1		4	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81		11.90				
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-		-	ONOVA	ULAL	10.03	127.55	00.54	42.13	2.01		11.30				
	Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81		11.90				
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-															
	Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport-Dedicated-DS1 combination-Per Mile Per mo			UNC1X	1L5XX	0.1856										
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	146.77	51.83	10.75	0.74	4.04		11.90				
	VG COCI-DS1 to DS0 Channel System combination-per mo Add'I 4W Analog VG Loop in same DS1 Interoffice Transport Combination-			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84		11.90				
	Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81		11.90				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-		-	ONOVA	ULAL	10.03	127.55	00.54	42.13	2.01		11.30				
	Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81		11.90				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-															
	Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81		11.90				
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	1.38	12.16		6.71	4.84		11.90				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIF	E 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTERO	FFIC	E TR	ANSPORT (EEL)												
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport			LINCDY	LIDLEC	22.20	407.50	00.54	40.70	0.04		44.00				
	Combination-Zone 1 First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		11.90				
	Combination-Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81		11.90				
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport			ONODA	ODLOO	31.30	127.55	00.54	42.13	2.01		11.30				
	Combination-Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport-Dedicated-DS1 combination-Per Mile Per mo			UNC1X	1L5XX	0.1856										
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	146.77	51.83	10.75				11.90				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UNCDX	1D1DD	2.10	12.16	8.77	6.71	4.84		11.90				
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		11.90				
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport					0.4 = 0			40.00							
.	Combination-Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81		11.90				
	Add'I 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		11.90				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo		3	UNCDA	UDL36	55.99	127.59	60.54	42.79	2.01		11.90		-		
	(2.4-64kbs)			UNCDX	1D1DD	2.10	12.16	8.77	6.71	4.84		11.90				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIF	E 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTERO	FFIC	E TR	ANSPORT (EEL)												
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81		11.90				
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport		ایا											1		
	Combination-Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81		11.90				
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81		11.00				
	Interoffice Transport-Dedicated-DS1 combination-Per Mile Per mo		3	UNC1X	1L5XX	0.1856	127.59	60.54	42.79	2.01		11.90		-		
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	146.77	51.83	10.75	.0.01			11.90		1		
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo			-												
	(2.4-64kbs)			UNCDX	1D1DD	2.10	12.16	8.77	6.71	4.84		11.90		<u></u>		
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport									,						
	Combination-Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81		11.90				
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport		ا ۾ ا	LINODY	LIBLAC	04.50	407.50	00.51	40.70		1	44.00		I		1
\vdash	Combination-Zone 2 Add'I 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81		11.90		-		
	Combination-Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81	1	11.90		I		1
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo		-	ONODA	UDL04	33.99	121.33	00.34	72.73	2.01		11.90		+		
	(2.4-64kbs)			UNCDX	1D1DD	2.10	12.16	8.77	6.71	4.84	1	11.90		I		1
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIF	E DS1 DIGITÁL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFIC	E TI	RANS													
	4W DS1 Digital Loop in Combination w DS1 Interoffice Transport-Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	l —	11.90	1			

Version 3Q02: 10/07/02 Page 12 of 123

<u>NBU</u> NDLI	ED NETWORK ELEMENTS - Florida												Attachment	:: 2	Exhi	bit: B
ATEGORY	RATE ELEMENTS	Inte rim		BCS	usoc		R.A	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	I Charge -	I Charge Manual Svc Orde vs.
						Rec	Nonrec	urring	NRC Disc	onnect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop in Combination w DS1 Interoffice Transport-Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90				1
	4W DS1 Digital Loop in Combination w DS1 Interoffice Transport-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				
	Interoffice Transport-Dedicated-DS1 combination-Per Mile Per mo		Ť	UNC1X	1L5XX	0.1856					1					1
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95	1	11.90				1
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC	00.44	8.98	8.98	8.98	8.98		11.90		-	1	1
4-WIE	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	`F TE	PANS		ONCCC		0.30	0.30	0.30	0.30	-	11.30				
7-1111	First DS1Loop in DS3 Interoffice Transport Combination-Zone 1	<i>,</i> ∟	1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	1	11.90		-	1	
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 1		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90		-	ļ	-
			3				217.75		51.44		-	11.90				
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	<u> </u>	11.90				
-	Interoffice Transport-Dedicated-DS3 combination-Per Mile Per mo		\vdash	UNC3X	1L5XX	3.87	0111-	100.00	00.00	40.00	1	44.00	 	1	1	
	Interoffice Transport-Dedicated-DS3-Facility Term per mo		\sqcup	UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23		11.90		1	1	├
	DS3 to DS1 Channel System combination per mo		\sqcup	UNC3X	MQ3	211.19	115.60	59.93	5.45	0.00	1	11.90	ļ			
	DS3 Interface Unit (DS1 COCI) combination per mo		\sqcup	UNC1X	UC1D1	13.76	12.16	8.77	6.71	4.84	ļ	11.90				
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	ļ	11.90				ļ
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90				
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	13.76	12.16	8.77	6.71	4.84		11.90				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				
2-WIR	RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFF	ICE T	RANS	SPORT (EEL)												
	2WVG Loop used w 2W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81		11.90				
	2WVG Loop used w 2W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81		11.90				
	2WVG Loop used w 2W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport-Dedicated-2W VG combination-Per Mile Per mo			UNCVX	1L5XX	0.0091					1					
	·															
	Interoffice Transport-Dedicated-2W VG combination-Facility Term per mo			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53		11.90				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIR	RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFF	ICE T	RANS													†
	4WVG Loop used w 4W VG Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81		11.90				†
	4WVG Loop used w 4W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81		11.90				†
	4WVG Loop used w 4W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81		11.90				1
	Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo			UNCVX	1L5XX	0.0091	121.00	00.01	12.70	2.01	Ì	11.00				<u> </u>
	Interestince transport bearoated 444 ve combination i et wille i et me			OHOVA	120/01	0.0001					-					
	Interoffice Transport-Dedicated-4W VG combination-Facility Term per mo			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53		11.90				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCVX	UNCCC	22.50	8.98	8.98	8.98	8.98	1	11.90				
Des E	DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRAN	ICDO	DT (E		UNCCC		0.90	0.90	0.90	0.90	1	11.90		-	1	-
DOSE		ISPU	KI (E	UNC3X	1L5ND	10.92								-	ļ	-
	High Capacity Unbundled Local Loop-DS3 combination-Per Mile per mo		-	UNC3X	ILDIND	10.92					ļ					
	High Capacity Unbundled Local Loop-DS3 combination-Facility Term per			LINICOV	LIESDY	200.00	040.07	400.05	07.40	00.00		44.00				
_	mo		-	UNC3X	UE3PX	386.88	249.97	162.05	67.10	26.82	ļ	11.90				
	Interoffice Transport-Dedicated-DS3-Per Mile per mo			UNC3X	1L5XX	3.87		100.00		10.00						<u> </u>
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23		11.90				<u> </u>
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				
STS1	DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TR	ANS	PORT													
	High Capacity Unbundled Local Loop-STS1 combination-Per Mile per mo			UNCSX	1L5ND	10.92										
	High Capacity Unbundled Local Loop-STS1 combination-Facility Term															
	per mo		Ш	UNCSX	UDLS1	426.60	249.97	162.05	67.10	26.82		11.90]			<u> </u>
	Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo			UNCSX	1L5XX	3.87					1					<u> </u>
	Interoffice Transport-Dedicated-STS1 combination-Facility Term per mo			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23		11.90				1
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				
2-WIR	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)														
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81		11.90				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81		11.90				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81		11.90				
	Interoffice Transport-Dedicated-DS1 combination-Per Mile			UNC1X	1L5XX	0.1856										
	Interoffice Transport-Dedicated-DS1 combintion-Facility Term per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		11.90				
	Channelization-Channel System DS1 to DS0 combination-per mo			UNC1X	MQ1	146.77	51.83	10.75				11.90				
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per			UNCNX	UC1CA	3.66	12.16	8.77	6.71	4.84		11.90				
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone			-				1			İ	i	i	1	1	†
	The state of the s			UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81	1	11.90	1	1	1	1

Version 3Q02: 10/07/02

UNDUNDL	ED NETWORK ELEMENTS - Florida												Attachment	: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc			ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incrementa I Charge - Manual Svc Order vs. Electronic-	vs.
						Rec	Nonrec		NRC Disc					Rates(\$)		
	A LIII OM JODAN						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81		11.90				
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone			UNCINX	UILZX	27.40	127.59	60.60	42.79	2.81		11.90				
	3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81		11.90				
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combintaion-per		3	UNCNX	UC1CA	3.66	12.16	8.77	6.71	4.84		11.90				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC	0.00	8.98	8.98	8.98	8.98		11.90				
4-WIF	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROF	FICE	TRAN	ISPORT (EEL)												
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90				
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90				
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				
	Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo		\sqcup	UNCSX	1L5XX	3.87	6111-	400.00	60.0-	40.00						ļ
	Interoffice Transport-Dedicated-STS1 combination-Facility Term		\vdash	UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23		11.90				
	STS1 to DS1 Channel System conbination per mo DS3 Interface Unit (DS1 COCI) combination per mo		\vdash	UNCSX UNC1X	MQ3 UC1D1	211.19 13.76	12.16	3.39 8.77	6.71	4.84	-	11.90				
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		11.90				-
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		11.90				-
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		11.90				
	DS3 Interface Unit (DS1 COCI) combination per mo		Ŭ	UNC1X	UC1D1	13.76	12.16	8.77	6.71	4.84		11.90				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				1
4-WIF	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE T	RAN	SPOR													
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 1		1	ÚNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		11.90				
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81		11.90				
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		11.90				
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per Mile			UNCDX	1L5XX	0.0091										
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53		11.90				ļ
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				
4-WIF	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE T	KAN	SPOR		LIDI C4	22.20	127.59	CO 54	40.70	0.04		44.00				
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1		2	UNCDX	UDL64 UDL64	31.56	127.59	60.54 60.54	42.79 42.79	2.81		11.90 11.90				
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2 4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81		11.90				-
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per Mile		3	UNCDX	1L5XX	0.0091	127.59	00.34	42.13	2.01		11.50				
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53		11.90				
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				1
ADDITIONAL	NETWORK ELEMENTS															
Wher	used as a part of a currently combined facility, the non-recurrng char	ges	do no	t apply, but a Swite	ch As Is cha	rge does apply										
	n used as ordinarily combined network elements in All States, the non-					s Is Charge do	es not.									
Nonre	ecurring Currently Combined Network Elements "Switch As Is" Charge	(One	appl	ies to each combina	ation)											
	NRC Currently Combined Network Elements Switch-As-Is Charge-2W/4W			111000	LINIOGG		0.00	0.00	0.00	0.00		44.00				
	NDC Currently Combined Natural Elements Switch As In Charge 56/64		\vdash	UNCVX	UNCCC		8.98	8.98	8.98	8.98	1	11.90				
	NRC Currently Combined Network Elements Switch-As-Is Charge-56/64 kbps			UNCDX	UNCCC		8.98	8.98	8.98	8.98		11.90				
	NRC Currently Combined Network Elements Switch-As-Is Charge-DS1			UNC1X	UNCCC		8.98	8.98	8.98	8.98		11.90				-
	NRC Currently Combined Network Elements Switch-As-Is Charge-DS1			UNC3X	UNCCC		8.98	8.98	8.98	8.98		11.90				
	NRC Currently Combined Network Elements Switch-As-Is Charge-STS1			UNCSX	UNCCC		8.98	8.98	8.98	8.98		11.90				
NOTE	: Local Channel - Dedicated Transport - minimum billing period - Belo	w DS	3=on			nonths	0.00	0.00	0.00	0.00		11.00				1
	Local Channel-Dedicated-2W VG Zone 1		1	UNCVX	ULDV2	19.66	265.84	46.97	37.63	4.00		11.90				
	Local Channel-Dedicated-2W VG Zone 2		2	UNCVX	ULDV2	27.94	265.84	46.97	37.63	4.00		11.90				
	Local Channel-Dedicated-2W VG Zone 3		3	UNCXV	ULDV2	49.58	265.84	46.97	37.63	4.00		11.90				
	Local Channel-Dedicated-4W VG Zone 1		1	UNCVX	ULDV4	20.45	266.54	47.67	44.22	5.33		11.90				ļ
	Local Channel-Dedicated-4W VG Zone 2		2	UNCVX	ULDV4	29.06	266.54	47.67	44.22	5.33		11.90				ļ
	Local Channel-Dedicated-4W VG Zone3		3	UNCXV	ULDV4	51.56	266.54	47.67	44.22	5.33		11.90				<u> </u>
	Local Channel-Dedicated-DS1 per mo Zone 1		1 2	UNC1X	ULDF1 ULDF1	36.49 51.85	216.65 216.65	183.54 183.54	24.30 24.30	16.95 16.95		11.90 11.90				├
	Local Channel-Dedicated-DS1 Per mo Zone 2 Local Channel-Dedicated-DS1-Per mo Zone 3		3	UNC1X UNC1X	ULDF1	92.00	216.65	183.54	24.30	16.95	 	11.90				₩
	Local Channel-Dedicated-DS3-Per Mile per mo		3	UNC3X	1L5NC	92.00 8.50	210.05	183.54	24.30	10.95	1	11.90				\vdash
	Local Channel-Dedicated-DS3-Fei Mile pei mo		H	UNC3X	ULDF3	531.91	556.37	343.01	139.13	96.84		11.90				\vdash
	Local Channel-Dedicated-STS-1-Per Mile per mo		\vdash	UNCSX	1L5NC	8.50	300.01	3-10.01	.50.10	50.04	1	11.50				†
	Local Channel-Dedicated-STS-1-Facility Term		\vdash	UNCSX	ULDFS	540.69	556.37	343.01	139.13	96.84	-	11.90	1			

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attachment	: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc		R.A	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic
						Rec	Nonrec		NRC Disc					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	onal Features & Functions:				-											
MUL	TIPLEXERS Channelization-DS1 to DS0 Channel System			UXTD1	MQ1	146.77	101.42	71.62	11.09	10.49		11.90				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UDL	1D1DD	2.10	101.42	71.62	11.09	10.49		11.90				
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System-per mo			UDN	UC1CA	3.66	10.07	7.08				11.90				
	VG COCI-DS1 to DS0 Channel System-per mo			UEA	1D1VG	1.38	10.07	7.08				11.90				
	DS3 to DS1 Channel System per mo			UXTD3	MQ3	211.19	199.28	118.64	40.34	39.07		11.90				
	STS1 to DS1 Channel System per mo			UXTS1	MQ3	211.19	199.28	118.64	40.34	39.07		11.90				
	DS3 Interface Unit (DS1 COCI) used w Loop per mo			USL	UC1D1	13.76	10.07	7.08				11.90				
	DS3 Interface Unit (DS1 COCI) used w Local Channel per mo			ULDD1	UC1D1	13.76	10.07	7.08				11.90				
	DS3 Interface Unit (DS1 COCI) used w Interoffice Channel per mo		Ш	U1TD1	UC1D1	13.76	10.07	7.08				11.90				
Sub-l	Loop Feeder		إ لىل		1											
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	UNC1X	USBFG	42.59	133.77	78.02	85.16	21.21						
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2	<u> </u>	2	UNC1X	USBFG	60.53	133.77	78.02	85.16	21.21						
IINDIINDI ED	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	UNC1X	USBFG	107.39	133.77	78.02	85.16	21.21	-					
	D LOCAL EXCHANGE SWITCHING(PORTS) ange Ports		\vdash		1			 			-					
	RE VOICE GRADE LINE PORT RATES (RES)		⊢⊹		-	 		-	 		1			1	 	1
2-9911	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W Analog Line Port w Caller ID-Res.			UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W VG unbundled FL area calling w Caller ID-Res.			UEPSR	UEPAF	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W VG unbundled FL Residence Area Calling Plan, w/o						-									
	Caller ID capability			UEPSR	UEPA9	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W VG unbundled FL extended dialing port for use w															
	CREX7 & Caller ID			UEPSR	UEPA1	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W VG unbundled FL extended dialing port for use w CREX7, w/o Caller ID capability			UEPSR	UEPA8	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W VG unbundled res, low usage line port w Caller ID															
	(LUM)			UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80		11.90				
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	1.40	3.74	3.63	1.88	1.80		11.90				
FFAT	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00				11.90				
FEAI	TURES			UEPSR	UEPVF	0.00	0.00	0.00				44.00				
2 14/15	All Available Vertical Features RE VOICE GRADE LINE PORT RATES (BUS)			UEPSR	UEPVF	2.26	0.00	0.00				11.90				
2-1011	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W VG unbundled Line Port w unbundled port w			OLI OD	OLI DE	1.40	3.74	3.03	1.00	1.00		11.30				
	Caller+E484 ID-Bus.			UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80		11.90				
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80		11.90				
	Exhange Ports-2W VG unbundled incoming only port w Caller ID-Bus			UEPSB	UEPB1	1.40	3.74	3.63	1.88	1.80		11.90				
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.40	3.74	3.63	1.88	1.80		11.90				
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00				11.90				
FEAT	TURES															
	All Available Vertical Features		\sqcup	UEPSB	UEPVF	2.26	0.00	0.00				11.90				
EXCI	HANGE PORT RATES (DID & PBX)		${oldsymbol{\sqcup}}$	LIEDOS	LIEBBE					0 = 10=						
	2W VG Unbundled 2Way PBX Trunk-Res		\vdash	UEPSE	UEPRD	1.40	39.06	18.18	12.35	0.7187		11.90				
 	2W VG Line Side Unbundled 2Way PBX Trunk-Bus	<u> </u>	$\vdash \vdash$	UEPSP UEPSP	UEPPC	1.00 1.40	39.06 39.06	18.18 18.18	12.35 12.35	0.7187 0.7187	1	11.90 11.90				1
	2W VG Line Side Unbundled Outward PBX Trunk-Bus 2W VG Line Side Unbundled Incoming PBX Trunk-Bus		-	UEPSP	UEPPO UEPP1	1.40	39.06	18.18	12.35	0.7187	-	11.90		-		
-	2W Analog Long Distance Terminal PBX Trunk-Bus		1	UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187		11.90		-		
 	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187	1	11.90				
	2W Vice Unbundled 2Way PBX Usage Port			UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187	1	11.90			1	1
	2W Voice Unbundled PBX Toll Terminal Hotel Ports		\vdash	UEPSP	UEPXB	1.40	39.06	18.18	12.35	0.7187		11.90				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.40	39.06	18.18	12.35	0.7187		11.90		İ		
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.40	39.06	18.18	12.35	0.7187		11.90				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187		11.90				
	2W Voice Unbundled 2Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187		11.90				
	2W Voice Unbundled 2Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187		11.90				

Version 3Q02: 10/07/02 Page 15 of 123

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attachment	:: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	USOC			ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic
						Rec	Nonrec		NRC Disc					Rates(\$)		
	OWN / Control of the Law Control of the DDV Hard March 1975						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount			UEPSP	UEPXO	1.40	39.06	10 10	12.35	0.7187		11.90				1
	Room Calling Port 2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.40	39.06	18.18 18.18	12.35	0.7187		11.90	-			
-	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00	12.33	0.7 107		11.90				
FFA	TURES			OLI OI	OOAOO	0.00	0.00	0.00				11.30				
	All Available Vertical Features			UEPSP UEPSE	UEPVF	2.26	0.00	0.00				11.90				
EXCI	HANGE PORT RATES (COIN)															
	Exchange Ports-Coin Port					1.40	3.74		1.88	1.80		11.90				
	E: Transmission/usage charges associated with POTS circuit switched												V ISDN ports	i.		
	E: Access to B Channel or D Channel Packet capabilities will be available	le or	nly th	rough BFR/NBR Proc	ess. Rates	for the packe	t capabilities	will be deter	mined via t	he BFR/N	BR Proces	s.				
	LOCAL EXCHANGE SWITCHING(PORTS)															
EXCI	HANGE PORT RATES		\sqcup	HEDEV	LIEDDO	0.70	70.11	45.00	44.01	1.00		11.00	<u> </u>		100	
 	Exchange Ports-2W DID Port Exchange Ports-DDITS Port-4W DS1 Port w DID capability		₩	UEPEX UEPDD	UEPP2 UEPDD	8.73 54.95	78.41 151.11	15.82 77.75	41.94 48.81	4.26 3.10	1	11.90 11.90	-	 	1.83 1.83	
	Exchange Ports-DDITS Port-4W DST Port w DID capability Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX UEPSX	U1PMA	54.95 8.83	151.11 46.83		27.64	11.93		11.90	-		1.83	
 	All Features Offered			UEPTX UEPSX	UEPVF	2.26	0.00		21.04	11.93		11.90			1.83	
NOT	E: Transmission/usage charges associated with POTS circuit switched	IISan	e wil						nission by	R-Channe	els associa		V ISDN norts		1.03	
	E: Access to B Channel or D Channel Packet capabilities will be available												I IODIN PORTS	1		
	Exchange Ports-2W ISDN PortChannel Profiles		,	UEPTX UEPSX	U1UMA	0.00	0.00		oa ma t	2		Ī				
	Exchange Ports-4W ISDN DS1 Port			UEPEX	UEPEX	82.74	174.61	95.17	49.80	18.23		11.90			1.83	
UNB	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
UNB	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.40	3.74		1.88	1.80		11.90				
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.40	3.74		1.88	1.80		11.90				
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.40	3.74	3.63	1.88	1.80		11.90				
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.40	3.74	3.63	1.88	1.80		11.90				
Non-	Recurring			115016								11.00				
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVR	USAC2		0.102	0.102				11.90				<u> </u>
	Unbundled Remote Call Forwarding Service-Conversion w allowed change (PIC & LPIC)			UEPVR	USACC		0.102	0.102								İ
LIND	UNDLED REMOTE CALL FORWARDING - Bus			UEFVK	USACC		0.102	0.102								——
O.N.D.	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.40	3.74	3.63	1.88	1.80		11.90				
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.40	3.74	3.63	1.88	1.80		11.90				
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.40	3.74	3.63	1.88	1.80		11.90				
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.40	3.74	3.63	1.88	1.80		11.90				
	Unbundled Remote Call Forwarding Service Expanded & Exception Local															
	Calling			UEPVB	UERVJ	1.40	3.74	3.63	1.88	1.80		11.90				İ
Non-	Recurring															
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		0.102	0.102				11.90				
	Unbundled Remote Call Forwarding Service-Conversion w allowed															İ
	change (PIC & LPIC)			UEPVB	USACC		0.102	0.102								
	LOCAL SWITCHING, PORT USAGE															-
Ena	Office Switching (Port Usage) End Office Switching Function, Per MOU					0.0007662										
-	End Office Switching Function, Per MOU End Office Trunk Port-Shared, Per MOU					0.0007662							-	-		
Tand	lem Switching (Port Usage) (Local or Access Tandem)					0.000104										
Tana	Tandem Switching Function Per MOU					0.0001319										
 	Tandem Trunk Port-Shared, Per MOU					0.0001319					1	1	t	†		
Com	mon Transport		Ħ											1		
	Common Transport-Per Mile, Per MOU					0.0000035										
	Common Transport-Facilities Term Per MOU					0.0004372										
	PORT/LOOP COMBINATIONS - COST BASED RATES															
	Based Rates are applied where BellSouth is required by FCC and/or Co															1
	ires shall apply to the Unbundled Port/Loop Combination - Cost Based															
	Office & Tandem Switching Usage & Common Transport Usage rates in												p Combinat	ions.		
	irst & add'l Port NRC charges apply to Not Currently Combined Combo	s. Fo	r Cur	rently Combined Cor	nbos the N	RC charges sh	nall be those i	dentified in	he NRC - C	urrently (Combined	sections.		ļ		
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		\sqcup													—
UNE	Port/Loop Combination Rates					40.01								1		
 	2W VG Loop/Port Combo-Zone 1		1			10.94								 		
	2W VG Loop/Port Combo-Zone 2		2			15.05		1			1		1	1	l	1

Version 3Q02: 10/07/02 Page 16 of 123

UNDUNDL	ED NETWORK ELEMENTS - Florida												Attachment		Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	USOC			ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	I Charge -	I Charge Manual Svc Orde vs.
						Rec	Nonrec		NRC Disc					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/Port Combo-Zone 3		3			25.80										
UNE	Loop Rates															1
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	9.77										1
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	13.88										
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	24.63										
2-Wir	e Voice Grade Line Port Rates (Res)				<u> </u>											<u> </u>
	2W voice unbundled port-residence			UEPRX	UEPRL	1.17	53.31	26.46	27.50	8.37		11.90				<u> </u>
	2W voice unbundled port w Caller ID-res	<u> </u>		UEPRX	UEPRC	1.17	53.31	26.46	27.50	8.37		11.90				
	2W voice unbundled port outgoing only-res	<u> </u>		UEPRX	UEPRO	1.17	53.31	26.46	27.50	8.37		11.90				
	2W voice unbundled FL Area Calling w Caller ID-res	<u> </u>		UEPRX	UEPAF	1.17	53.31	26.46	27.50	8.37		11.90				
	2W voice unbundles res, low usage line port w Caller ID (LUM)			UEPRX	UEPAP	1.17	53.31	26.46	27.50	8.37		11.90				<u> </u>
	2W voice unbundled FL extended dialing port for use w CREX7 & Caller ID			UEPRX	UEPA1	1.17	53.31	26.46	27.50	8.37		11.90				
	2W voice unbundled FL extended dialing port for use w CREX7, w/o															
	Caller ID capability			UEPRX	UEPA8	1.17	53.31	26.46	27.50	8.37		11.90				
	2W voice unbundled FL Area Calling Port w/o Caller ID Capability			UEPRX	UEPA9	1.17	53.31	26.46	27.50	8.37		11.90				
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	1.17	53.31	26.46	27.50	8.37		11.90				
FEAT	URES															
	All Features Offered			UEPRX	UEPVF	2.26	0.00	0.00				11.90				
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35										
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.102	0.102				11.90				
	2W VG Loop/Line Port Combination-Conversion-Switch w change			UEPRX	USACC		0.102	0.102				11.90				
ADDI*	TIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00				11.90				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			10.94										
	2W VG Loop/Port Combo-Zone 2		2			15.05										
	2W VG Loop/Port Combo-Zone 3		3			25.80										
UNE	Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	9.77										
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	13.88										
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	24.63										1
2-Wir	e Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.17	53.31	26.46		8.37		11.90				
	2W voice unbundled port w Caller + E484 ID-bus			UEPBX	UEPBC	1.17	53.31	26.46	27.50	8.37		11.90				
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.17	53.31	26.46	27.50	8.37		11.90				
	2W voice unbundled incoming only port w Caller ID-Bus			UEPBX	UPEB1	1.17	53.31	26.46	27.50	8.37		11.90				
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	1.17	53.31	26.46	27.50	8.37		11.90				
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT	URES							<u> </u>								
	All Features Offered			UEPBX	UEPVF	2.26	0.00	0.00				11.90				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>	Ш					ļ						ļ		
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.102	0.102				11.90				
	2W VG Loop/Line Port Combination-Conversion-Switch w change	<u> </u>		UEPBX	USACC		0.102	0.102				11.90	ļ			
ADDI	TIONAL NRCs	<u> </u>			1			ļ					ļ			
	2W VG Loop/Line Port Combination-Subsqnt Activity	<u> </u>		UEPBX	USAS2		0.00	0.00				11.90				<u> </u>
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	<u> </u>						ļ					ļ			
UNE	Port/Loop Combination Rates	<u> </u>	للبل					ļ					ļ			
	2W VG Loop/Port Combo-Zone 1	<u> </u>	1			10.94		ļ					ļ			
$oxed{oxed}$	2W VG Loop/Port Combo-Zone 2	<u> </u>	2			15.05		ļ					ļ			
	2W VG Loop/Port Combo-Zone 3	<u> </u>	3			25.80		ļ								
UNE	Loop Rates	<u> </u>	Ш					ļ						ļ		1
	2W VG Loop (SL 1)-Zone 1	<u> </u>	1	UEPRG	UEPLX	9.77		ļ								
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	13.88										
l 1 —	2W VG Loop (SL 1)-Zone 3	1	3	UEPRG	UEPLX	24.63		L	L			L	L			

<u>ONRONDI</u>	LED NETWORK ELEMENTS - Florida												Attachment	:: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Inte rim		BCS	usoc		R	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	I Charge -	vs.
						Rec	Nonrec		NRC Disc					Rates(\$)		
	1 1 1 2 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-W	ire Voice Grade Line Port Rates (RES - PBX)			LIEDDO	HEDDD	4 47	474.04	400.05	75.00	40.70		44.00				
1.00	2W VG Unbundled Combination 2Way PBX Trunk Port-Res			UEPRG	UEPRD	1.17	174.81	100.65	75.88	12.73		11.90				
LOC	Local No Portability (1 per port)			UEPRG	LNPCP	0.00	0.00	0.00				11.90				
EEA	TURES			ULFNG	LINEGE	0.00	0.00	0.00				11.90				+
	All Features Offered			UEPRG	UEPVF	2.26	0.00	0.00				11.90				t
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			021.110	02	2.20	0.00	0.00				11100				
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		8.45	1.91				11.90				
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch w Change			UEPRG	USACC		8.45	1.91				11.90				
ADD	DITIONAL NRCs															
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00				11.90				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.86	7.86				11.90				
	IRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			10.94										
	2W VG Loop/Port Combo-Zone 2		2			15.05										
	2W VG Loop/Port Combo-Zone 3		3			25.80										
UNE	Loop Rates			HEDDY	LIEDLY	0.77										
	2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2		2	UEPPX UEPPX	UEPLX	9.77 13.88										
	2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	24.63		-						-		-
2-W	ire Voice Grade Line Port Rates (BUS - PBX)		3	ULFFX	OLFLX	24.03										
2-11	Line Side Unbundled Combination 2Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.17	174.81	100.65	75.88	12.73		11.90				
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.17	174.81	100.65	75.88	12.73		11.90				
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.17	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.17	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled 2Way Combination PBX Usage Port			UEPPX	UEPXA	1.17	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.17	174.81	100.65	75.88	12.73		11.90				1
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.17	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.17	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.17	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled 2Way PBX Hotel/Hospital Economy Administrative															
	Calling Port			UEPPX	UEPXL	1.17	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled 2Way PBX Hotel/Hospital Economy Room Calling															
	Port			UEPPX	UEPXM	1.17	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount			LIEDDY	LIEDVO	4.47	474.04	400.05	75.00	40.70		44.00				
	Room Calling Port			UEPPX	UEPXO	1.17	174.81	100.65	75.88	12.73		11.90				
1.00	2W Voice Unbundled 1-Way Outgoing PBX Measured Port CAL NUMBER PORTABILITY			UEPPX	UEPXS	1.17	174.81	100.65	75.88	12.73		11.90				
LOC	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				11.90				+
FFΔ	TURES			ULFFX	LINEOF	3.13	0.00	0.00				11.50				
1	All Features Offered			UEPPX	UEPVF	2.26	0.00	0.00				11.90				
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			02	02	2.20	0.00	0.00								t
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		8.45	1.91				11.90				
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch w Change			UEPPX	USACC		8.45	1.91				11.90				
ADD	DITIONAL NRCs															1
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00				11.90				1
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.86	7.86				11.90				
	IRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
UNE	Port/Loop Combination Rates															
	2W VG Coin Port/Loop Combo – Zone 1		1			10.94										
	2W VG Coin Port/Loop Combo – Zone 2		2		1	15.05										
	2W VG Coin Port/Loop Combo – Zone 3		3		1	25.80				ļ						<u> </u>
UNE	Loop Rates			LIEDOO	LIES: X:	. ==								-		
-	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	9.77				-				 		
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	13.88				 				!		
3-111	2W VG Loop (SL1)-Zone 3 ire Voice Grade Line Ports (COIN)		3	UEPCO	UEPLX	24.63								-		
Z-VV	2W Coin 2Way w Oper Screening & Blocking: 011, 900/976, 1+DDD		\vdash	UEPCO	UEP2F	1.17	53.31	26,46	27.50	8.37		11.90		 		+
	12 vy Com 2 vyay w Oper Screening & Diocking, UTT, 900/976, T+DDD		ш	UEPCO	UEPZF	1.17	53.31	26.46	27.50	8.37		11.90				1

Version 3Q02: 10/07/02 Page 18 of 123

UNBUNDLI	D NETWORK ELEMENTS - Florida												Attachment	: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	USOC		R.	ATES(\$)			Svc Order Submitte d Elec per LSR	Submitted	Manual	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic
						Rec	Nonrec		NRC Disc					Rates(\$)		
			$\sqcup \bot$				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Coin 2Way w Oper Screening & Blocking: 900/976, 1+DDD, 011+, &			LIEDOO	LIEDOO	4 47	50.04	00.40	07.50	0.07		44.00				1
	Local 2W Coin Outward w Operator Screening & 011 Blocking		\vdash	UEPCO UEPCO	UEPCG UEPRK	1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37		11.90 11.90				
	2W Coin Outward w Oper Screening & Blocking: 900/976, 1+DDD, 011+			UEPCO	UEPOF	1.17	53.31	26.46	27.50	8.37		11.90				
	2W Coin Outward w Oper Screening & Blocking: 900/976, 1+DDD, 011+,			02. 00	02. 0.		00.01	20.10	21.00	0.01		11100				
	& Local			UEPCO	UEPCQ	1.17	53.31	26.46	27.50	8.37		11.90				1
	2W 2Way Smartline w 900/976			UEPCO	UEPCK	1.17	53.31	26.46	27.50	8.37		11.90				
	2W Coin Outward Smartline w 900/976			UEPCO	UEPCR	1.17	53.31	26.46	27.50	8.37		11.90				
ADDI	TIONAL UNE COIN PORT/LOOP (RC)			LIEDOO	LIDECII	4.00	52.24	00.40	07.50	0.07		44.00				
1004	UNE Coin Port/Loop Combo Usage (Flat Rate) L NUMBER PORTABILITY			UEPCO	URECU	1.86	53.31	26.46	27.50	8.37		11.90	-			
LOCA	Local No Portability (1 per port)		\vdash	UEPCO	LNPCX	0.35								1		
NONE	ECURRING CHARGES - CURRENTLY COMBINED			02.00	2.1. 0/1	0.00										
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPCO	USAC2		0.102	0.102				11.90				
	2W VG Loop/Line Port Combination-Conversion-Switch w change			UEPCO	USACC		0.102	0.102				11.90				
ADDI	IONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity		(===	UEPCO	USAS2		0.00	0.00				11.90				Ļ
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE I	ORI	(RES)					1								
UNE	Port/Loop Combination Rates 2W VG Loop/IO Tranport/Port Combo-Zone 1		1			13.64							-			
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2		-	18.80										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			32.27							-			
UNE	oop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	12.24										
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	17.40										
- 1111	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	30.87										L
2-Wir	2 Voice Grade Line Port Rates (Res) 2W voice unbundled port-residence			UEPFR	UEPRL	1.40	174.81	100.65	75.88	12.73		11.90				
	2W voice unbundled port w Caller ID-res			UEPFR	UEPRC	1.40	174.81	100.65	75.88	12.73		11.90				
	2W voice unbundled port w caller 15-res 2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.40	174.81	100.65	75.88	12.73		11.90	-			
	2W voice unbundled FL Area Calling w Caller ID-res			UEPFR	UEPAF	1.40	174.81	100.65	75.88	12.73		11.90				
	2W voice unbundles res, low usage line port w Caller ID (LUM)			UEPFR	UEPAP	1.40	174.81	100.65	75.88	12.73		11.90				
INTE	OFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	25.32	47.35	31.78								
EEAT	Interoffice Transport-Dedicated-2W VG-Per Mile or Fraction Mile URES			UEPFR	1L5XX	0.0091										
FEAT	All Features Offered			UEPFR	UEPVF	2.26	0.00	0.00				11.90				
LOCA	L NUMBER PORTABILITY			OLITIK	OL: VI	2.20	0.00	0.00				11.50	-			
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35										
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															İ
	Switch-as-is			UEPFR	USAC2		16.97	3.73				11.90				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-w-Change			UEPFR	USACC		16.97	3.73				11.90				1
2-WIF	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE I	PORT	(BUS)	OLFIN	USACC		10.97	3.73				11.90				\vdash
	Port/Loop Combination Rates	U.V.	1													
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			13.64										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			18.80										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			32.27										
UNE	Loop Rates	<u> </u>		LIEDED	LIECES	40.04								1		
\vdash	2W VG Loop (SL2)-Zone 1		1	UEPFB UEPFB	UECF2	12.24 17.40		 					-	-		
 	2W VG Loop (SL2)-Zone 2 2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	30.87		1	1		1	1	 	 		
2-Wir	e Voice Grade Line Port (Bus)		 	OLITO	02012	30.07		1			1		 	†	1	—
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.40	174.81	100.65	75.88	12.73		11.90		1		
i	2W voice unbundled port w Caller + E484 ID-bus			UEPFB	UEPBC	1.40	174.81	100.65	75.88	12.73		11.90				
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.40	174.81	100.65	75.88	12.73		11.90				1
- 	2W voice unbundled incoming only port w Caller ID-Bus			UEPFB	UEPB1	1.40	174.81	100.65	75.88	12.73		11.90				
LOCA	L NUMBER PORTABILITY Local No Portability (1 per port)		$\vdash\vdash$	UEPFB	LNPCX	0.35		 					-	-		
INTE	ROFFICE TRANSPORT		$\vdash \vdash$	UEPFB	LINPUX	0.35		 					 			
	Interoffice Transport-Dedicated-2W VG-Facility Term		\vdash	UEPFB	U1TV2	25.32	47.35	31.78						t		
						20.02	00		L			L			1	

UNBUNDLI	ED NETWORK ELEMENTS - Florida												Attachment	:: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc		R.	ATES(\$)			Svc Order Submitte d Elec per LSR	Submitted	Manual	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.
						Rec	Nonrec		NRC Disc					Rates(\$)		
					41 =>07		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEAT	Interoffice Transport-Dedicated-2W VG-Per Mile or Fraction Mile			UEPFB	1L5XX	0.0091										
FEAT	URES All Features Offered			UEPFB	UEPVF	2.26	0.00	0.00				11.90				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITB	OLI VI	2.20	0.00	0.00				11.30				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-as-is			UEPFB	USAC2		16.97	3.73				11.90				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch w change			UEPFB	USACC		16.97	3.73				11.90				
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)				+											
UNE	Port/Loop Combination Rates 2W VG Loop/IO Tranport/Port Combo-Zone 1		1			13.64							-			
 	2W VG Loop/IO Tranport/Port Combo-Zone 1		2			18.80										
 	2W VG Loop/IO Tranport/Port Combo-Zone 3		3		+	32.27								—		
UNE I	Loop Rates				1			1			1					
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	12.24										
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	17.40										
<u> </u>	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	30.87								ļ		
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)	<u> </u>	$\vdash \vdash$	HEDED	LIEBBO	4.40	474.01	400.00	75.00	40.70		44.00				
\vdash	Line Side Unbundled Combination 2Way PBX Trunk Port-Bus Line Side Unbundled Outward PBX Trunk Port-Bus	-	\vdash	UEPFP UEPFP	UEPPO	1.40 1.40	174.81 174.81	100.65 100.65	75.88 75.88	12.73 12.73	-	11.90 11.90	 	 		
	Line Side Unbundled Outward PBX Trunk Port-Bus Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP0	1.40	174.81	100.65	75.88	12.73		11.90				
 	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.40	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled 2Way Combination PBX Usage Port			UEPFP	UEPXA	1.40	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.40	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.40	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.40	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.40	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled 2Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.40	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled 2Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.40	174.81	100.65	75.88	12.73		11.90				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	4.40	474.04	400.05	75.00	40.70		44.00				
-	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.40 1.40	174.81 174.81	100.65 100.65	75.88 75.88	12.73 12.73		11.90 11.90	-			
LOCA	L NUMBER PORTABILITY			ULFIF	ULFAG	1.40	174.01	100.03	73.00	12.73		11.50				
2007	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				11.90				
INTER	ROFFICE TRANSPORT													1		
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	25.32	47.35	31.78								
	Interoffice Transport-Dedicated-2W VG-Per Mile or Fraction Mile			UEPFP	1L5XX	0.0091										
FEAT	URES															
NONE	All Features Offered RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFP	UEPVF	2.26	0.00	0.00				11.90				
NONF	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-				+											
	Switch-as-is			UEPFP	USAC2		16.97	3.73				11.90				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch w change			UEPFP	USACC		16.97	3.73				11.90				
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES															
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
UNE	Port/Loop Combination Rates															
\vdash	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1	<u> </u>	1		1	20.95		<u> </u>								
\vdash	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2	<u> </u>	2		1	26.11		<u> </u>						1		
TIME	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3 Loop Rates	-	3		+	39.58		1			<u> </u>		 	 		
ONE	2W Analog VG Loop-(SL2)-UNE Zone 1	 	1	UEPPX	UECD1	12.24		 				11.90	 	 	1.83	
 	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	17.40						11.90		—	1.83	
	2W Analog VG Loop-(SL2)-UNE Zone 3	l	3	UEPPX	UECD1	30.87						11.90			1.83	
	Port Rate															
	Exchange Ports-2W DID Port			UEPPX	UEPD1	8.71	214.16	98.29				11.90			1.83	
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
\vdash	2W VG Loop/2W DID Trunk Port Combination-Switch-as-is		 	UEPPX	USAC1		7.85					11.90				
ADDI-	2W VG Loop/2W DID Trunk Port Conversion w BST Allowable Changes	<u> </u>	├	UEPPX	USA1C		7.85	1.87				11.90	-		-	
ADDI	TIONAL NRCs				1								1	1	l	

Version 3Q02: 10/07/02 Page 20 of 123

ONDONDLED N	NETWORK ELEMENTS - Florida	-				1								Attachment		Exhil	
CATEGORY		nte 2	Zo ne	вс	s	USOC		RA	TES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	I Charge -	Increment I Charge Manual Svc Orde vs. Electroni
							Rec	Nonrecu		NRC Disco		COMEC	COMAN		Rates(\$)	COMAN	COMAL
2\\/	DID Subsqnt Activity-Add Trunks, Per Trunk	-	_	UEP	DY	USAS1		First 32.26	Add'l 32.26	First	Add'l	SOMEC	SOMAN 11.90	SOMAN	SOMAN	SOMAN	SOMAN
	e Number/Trunk Group Establisment Charges			OLI	1 /	OUAUT		32.20	32.20				11.50				
	Trunk Term (One Per Port)			UEP	PX	NDT	0.00	0.00	0.00				11.90			1.83	
	Nos, Establish Trunk Group & Provide First Group of 20 DID Nos			UEP	PX	NDZ	0.00	0.00	0.00				11.90			1.83	
	I DID Nos for each Group of 20 DID Nos			UEP	PX	ND4	0.00	0.00	0.00				11.90			1.83	
	Nos, Non-consecutive DID Nos , Per No			UEP		ND5	0.00	0.00	0.00				11.90			1.83	
	erve Non-Consecutive DID Nos			UEP		ND6	0.00	0.00	0.00				11.90			1.83	
	erve DID Nos			UEP	PX	NDV	0.00	0.00	0.00				11.90			1.83	
	JMBER PORTABILITY	_			-51/		0.45	2.22									
	al No Portability (1 per port)	1007	-+	UEP	PX	LNPCP	3.15	0.00	0.00								
	DN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE I Loop Combination Rates	UKI	+														
	ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 1	-+	1	UEPPB	UEPPR		22.63			+ +							
	ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 2			UEPPB	UEPPR		29.05			† †							
	ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 3			UEPPB	UEPPR		45.84										
UNE Loop			T		-												
	ISDN Digital Grade Loop-UNE Zone 1			UEPPB	UEPPR	USL2X	15.25						11.90			1.83	
	ISDN Digital Grade Loop-UNE Zone 2	_	_	UEPPB	UEPPR	USL2X	21.67						11.90			1.83	
	ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	38.46						11.90			1.83	
UNE Port I																	
	hange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	7.38	194.52	145.09				11.09			1.83	
	IRRING CHARGES - CURRENTLY COMBINED	_															
	ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-			LIEDDD	LIEDDD	LICACD	0.00	05.00	47.00				44.00			4.00	
ADDITION	version AL NRCo			UEPPB	UEPPR	USACB	0.00	25.22	17.00	-			11.90			1.83	
	JMBER PORTABILITY									1							
	al No Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	EL USER PROFILE ACCESS:			OLITB	OLITIK	LIVI OX	0.00	0.00	0.00	 							
	S/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	S (EWSD)				UEPPR	U1UCB	0.00	0.00	0.00								
CSD)			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	EL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & 1	N)															
	RMINAL PROFILE																
	r Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	FEATURES	_						2.22					44.00				
	/ertical Features-One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.26	0.00	0.00				11.90				
	FICE CHANNEL MILEAGE roffice Channel mileage each, including first mile & facilities Term			UEPPB	LIEDDD	M1GNC	25.3291	47.35	31.78	18.31	7.03		11.90			1.83	
	roffice Channel mileage each, Add'l mile				UEPPR	M1GNM	0.0091	0.00	0.00	10.31	7.03		11.90			1.83	
	S1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT			ULFFB	OLFFR	IVITGINIVI	0.0091	0.00	0.00				11.90			1.00	
	Loop Combination Rates	-	+							† †							
	DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 1		1	UEP	PP		153.48			1							
	DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 2		2	UEP			183.28										
	DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 3		3	UEP	PP		261.12										
UNE Loop	Rates																
	DS1 Digital Loop-UNE Zone 1		1	UEP		USL4P	70.74						11.90			1.83	
	DS1 Digital Loop-UNE Zone 2		2	UEP		USL4P	100.54			$oxed{oxed}$			11.90			1.83	
	DS1 Digital Loop-UNE Zone 3		3	UEP	PP	USL4P	178.38						11.90			1.83	
UNE Port F			_}	LIES.	DD	LIEDOS	20.71	400.00	070.05				44.00			1.00	
	hange Ports-4W ISDN DS1 Port IRRING CHARGES - CURRENTLY COMBINED		\dashv	UEP	T	UEPPP	82.74	488.36	276.65	 			11.90			1.83	
			+							-		-	-				
	DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination- version-Switch-as-is			UEP	PP	USACP	0.00	84.17	61.38			1	11.90		1	1.83	
ADDITION			\dashv	OLF		00/101	0.00	04.17	31.30			 	11.00		 	1.03	
	DS1 Loop/4W ISDN Digtl Trk Port-Subsqt Actvy-Inward/2way Tel Nos	-	+	UEP	PP	PR7TF		0.5412					11.90			1.83	
	DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos		7	UEP		PR7TO		12.71	12.71				11.90			1.83	
	DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel Nos		7	UEP		PR7ZT		25.42	25.42				11.90			1.83	
	JMBER PORTABILITY		T														
Loca	al No Portability (1 per port)			UEP	PP	LNPCN	1.75										
	E (Provsioning Only)		I														
	re/Data			UEP		PR71V	0.00	0.00	0.00								
Diate	tal Data	T	T	UEP	PP	PR71D	0.00	0.00	0.00			ı ——	l				

Version 3Q02: 10/07/02 Page 21 of 123

UNBUNDLI	ED NETWORK ELEMENTS - Florida												Attachment	t: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc		R.	ATES(\$)			Svc Order Submitte d Elec per LSR	Submitted	Manual	Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
						Rec	Nonrec		NRC Disc					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
L	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New o	or Additional "B" Channel			UEPPP	DD7D\/	0.00	45.40					44.00			4.00	
	New or Add'l-Voice/Data B Channel New or Add'l-Digital Data B Channel			UEPPP	PR7BV PR7BF	0.00	15.48 15.48			1		11.90 11.90			1.83 1.83	
-	New or Add I-Digital Data B Channel New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	15.48					11.90			1.83	
CALL	TYPES			ULFFF	FRIDD	0.00	13.40					11.90			1.03	
UALL	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interd	office Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05		11.90			1.93	
	Each Airline-Fractional Add'l Mile			UEPPP	1LN1B	0.1856										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			•			•									
UNE	Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 1	<u> </u>	1	UEPDC	ļ	125.69				ļ		11.90		ļ	1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 2		2	UEPDC		155.49						11.90			1.83	
LINIE	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 3		3	UEPDC		233.33						11.90			1.83	
UNE	Loop Rates	-	1	UEPDC	USLDC	70.74						44.00			4.00	
	4W DS1 Digital Loop-UNE Zone 1 4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	100.54						11.90 11.90			1.83 1.83	
	4W DS1 Digital Loop-ONE Zone 2		3	UEPDC	USLDC	178.38						11.90			1.83	
LINE	Port Rate			OLI DO	OOLDO	170.50						11.50			1.03	
	4W DDITS Digital Trunk Port			UEPDC	UDD1T	54.95	464.86	259.23				11.90			1.83	
	RECURRING CHARGES - CURRENTLY COMBINED			02. 20	000	000	.000	200.20							1.00	
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is			UEPDC	USAC4		95.31	46.71				11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion w															
	DS1 Changes			UEPDC	USAWA		95.31	46.71				11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion w															
	Change-Trunk			UEPDC	USAWB		95.31	46.71				11.90			1.83	
ADDI	TIONAL NRCs															
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel			LIEDDO	LIDTTA		45.00	45.00				44.00			4.00	
	Activation/Chan-2Way Trunk 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-			UEPDC	UDTTA		15.69	15.69		1		11.90			1.83	
	Way Outward Trunk			UEPDC	UDTTB		15.60	15.60				11.90			1.83	
-	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan		 	UEPDC	UDITE		15.69	15.69				11.90			1.03	
	Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69				11.90			1.83	
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-			OLI DO	OBITO		10.00	10.00				11.00			1.00	
	Inward Trunk w DID			UEPDC	UDTTD		15.69	15.69				11.90			1.83	
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-															
	2Way DID w User Trans			UEPDC	UDTTE		15.69	15.69				11.90			1.83	
BIPO	LAR 8 ZERO SUBSTITUTION															
	B8ZS-Superframe Format			UEPDC	CCOSF		0.00	655.00				11.90			1.83	
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00	655.00				11.90			1.83	
Alterr	nate Mark Inversion															
	AMI-Superframe Format			UEPDC	MCOSF		0.00	0.00								
Talan	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
reiep	hone Number/Trunk Group Establisment Charges Telephone No for 2Way Trunk Group			UEPDC	UDTGX	0.00					-	11.90			1.83	
	Telephone No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						11.90			1.83	
	Telephone No for 1-Way Cutward Trunk Group w/o DID			UEPDC	UDTGZ	0.00						11.90			1.83	
	DID Nos, Establish Trunk Group & Provide First Group of 20 DID Nos	t		UEPDC	NDZ	0.00	0.00	0.00				11.90			1.83	
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00						11.90			1.83	
	DID Nos, Non-consecutive DID Nos , Per No	i –		UEPDC	ND5	0.00				1		11.90			1.83	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				11.90			1.83	
	Reserve DID Nos			UEPDC	NDV	0.00	0.00					11.90			1.83	
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digita	I Loo	p with													
	Interoffice Channel Mileage-Fixed rate 0-8 miles (Facilities Term)			UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05		11.90			1.83	
	Interoffice Channel Mileage-Add'l rate per mile-0-8 miles			UEPDC	1LNOA	0.1856	0.00									
	Interoffice Channel Mileage-Fixed rate 9-25 miles (Facilities Term)	<u> </u>	\vdash	UEPDC	1LNO2	0.00	0.00			ļ	ļ	ļ		ļ		
	Interoffice Channel Mileage-Add'l rate per mile-9-25 miles	 	-	UEPDC	1LNOB	0.1856	0.00		2.22					1		
	Interoffice Channel Mileage-Fixed rate 25+ miles (Facilities Term)	1	\vdash	UEPDC	1LNO3	0.00	0.00	0.00	0.00	1	1	1	ļ	1		
	Interoffice Channel Mileage-Add'l rate per mile-25+ miles	1		UEPDC	1LNOC	0.1856	0.00	0.00		1	l	l	<u> </u>	1	l	

Version 3Q02: 10/07/02 Page 22 of 123

<u> </u>	D NETWORK ELEMENTS - Florida												Attachment	: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	USOC		R.	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manua Svc Ord vs.
						Rec	Nonrec		NRC Disc					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activation															
Each S	System can have up to 24 combinations of rates depending on type a	nd nu	ımber	of ports used												
	S1 Loop															
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	70.74	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	100.54	0.00	0.00								
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	178.38	0.00	0.00								
UNE D	SO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	118.06	0.00	0.00				11.90			1.83	
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	236.12	0.00	0.00				11.90			1.83	
	96 DSO Channel Capacity-1per 4 DS1s			UEPMG	VUM96	472.24	0.00	0.00				11.90	Ì		1.83	
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	708.36	0.00	0.00				11.90			1.83	
	192 DS0 Channel Capacity-1 per 8 DS1s			UEPMG	VUM19	944.48	0.00	0.00				11.90			1.83	
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,180.60	0.00	0.00				11.90			1.83	
	288 DS0 Channel Capacity-1 per 12 DS1s		1 1	UEPMG	VUM28	1,416,72	0.00	0.00				11.90			1.83	
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,888.96	0.00	0.00				11.90			1.83	
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	2.361.20	0.00	0.00				11.90			1.83	
	576 DS0 Channel Capacity-1 per 24 DS1s	1		UEPMG	VUM57	2,833.44	0.00	0.00				11.90			1.83	
	672 DS0 Channel Capacity-1 per 28 DS1s	-	-	UEPMG	VUM67	3,305.68	0.00	0.00				11.90			1.83	
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with Chan	nolist	ionw					0.00				11.50			1.03	
	mum System configuration is One (1) DS1, One (1) D4 Channel Bank															
	les of this configuration functioning as one are considered Add'I after															
			minin			0.00	96.77	4.24				44.00				
	NRC-Conversion (Currently Combined) w or w/o BST Allowed Changes n Additions at End User Locations Where 4-Wire DS1 Loop with Char			UEPMG	USAC4		96.77	4.24				11.90				
				with Port Combina	tion Current	y Exists and										-
	Not Currently Combined) in all states, except in Density Zone 1 of Top 1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea) 8 IVI S	SAS													-
				LIEDMO	\ // IN 4D 4	0.00	700.44	100.01	4.45.00	47.04		44.00				
	Activation			UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24		11.90				
	r 8 Zero Substitution				00005											<u> </u>
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	655.00				11.90				<u> </u>
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity															
	Only			UEPMG	CCOEF	0.00	0.00	655.00				11.90				
	ate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	nge Ports Associated with 4-Wire DS1 Loop with Channelization with	Port														
	nge Ports															
	Line Side Combination Channelized PBX Trunk Port-Business			UEPPX	UEPCX	1.38	0.00	0.00	0.00	0.00		11.90			1.83	
	Line Side Outward Channelized PBX Trunk Port-Business			UEPPX	UEPOX	1.38	0.00	0.00	0.00	0.00		11.90			1.83	
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	1.38	0.00	0.00	0.00	0.00		11.90			1.83	
	2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	8.71	0.00	0.00	0.00	0.00		11.90			1.83	
	e Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.66	25.40	13.41	3.96	3.93		11.90			1.83	
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.66	78.16	18.42	56.03	10.95		11.90			1.83	
Teleph	none Number/ Group Establishment Charges for DID Service															
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				11.90				
	Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00				11.90				
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00				11.90				1
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00				11.90				
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00				11.90				
	Reserve DID Nos	+	1 1	UEPPX	NDV	0.00	0.00	0.00			 	11.90	1			t

<u>Unbundled</u> ne	TWORK ELEMENTS - Florida												Attachment	:: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim		BCS	USOC		R	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Manual	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manua Svc Ord vs.
						Rec	Nonrec		NRC Disco					Rates(\$)		
	B		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
Local Number			1	HEDDY	LNPCP	2.45	0.00	0.00								
	No Portability-1 per port Vertical and Optional	-	-	UEPPX	LNPCP	3.15	0.00	0.00	 							
	ing Features Offered with Line Side Ports Only		-						+							
	itures Available		1	UEPPX	UEPVF	2.26	0.00	0.00				11.90			1.83	
	LOOP COMBINATIONS - MARKET RATES			OLITA	OLI VI	2.20	0.00	0.00				11.00			1.00	
	shall apply where BellSouth is not required to provide unbun	dled I	local	switching or switch	ports per F	CC and/or Cor	nmission rule	s.								
This includes					1											
Unbundled p	ort/loop combinations that are Currently Combined or Not Cur	rently	y Cor	mbined in Zone 1 of	he Top 8 M	SAS in BellSo	uth's region f	or end users	with 4 or mo	ore DS0 e	quivalent	lines.				
	SAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Mia															
	rrently is developing the billing capability to mechanically bill								t currently co	ombined	in FL and	NC. In the	interim whe	ere BellSouth	cannot bill	Market
	outh shall bill the rates in the Cost-Based section preceding in			Market Rates and re	eserves the	right to true-u	p the billing d	lifference.								
	Rate for unbundled ports includes all available features in all st					<u> </u>	<u> </u>	<u> </u>				L	l	<u> </u>	<u> </u>	L
	nd Tandem Switching Usage and Common Transport Usage rate	es in	the I	Port section of this r	ate exhibit :	shall apply to	all combinatio	ons of loop/p	ort network	elements	except to	or UNE Coir	Port/Loop	Combinations	s which have	e a flat i
usage charge	e (USOC: URECU). ently Combined scenarios the NRC charges are listed in the Fir	ot on	-d A d	ditional NDC solumn	o for soch	Dort HEAC E	or Currently C	ombined see	narias tha N	IDC obor	voo oro lie	atad in the b	IDC Curron	the Combine	d sostion A	ddition
	oply also and are categorized accordingly.	St an	iu Au	ultional NKC column	is for each	POIL USUC. F	or Currently C	ombined sce	manos, me r	NKC Char	jes are iis	stea in the r	NKC - Currer	itiy Combinet	i Section. A	adition
	E GRADE LOOP WITH 2-WIRE LINE PORT (RES)	1	1			ı		1	1				1		1	
	op Combination Rates		1					1	+							
	Loop/Port Combo-Zone 1		1			23.77			 							
	Loop/Port Combo-Zone 2		2			27.88		+								
	Loop/Port Combo-Zone 3		3			38.63										
UNE Loop Ra			Ť			00.00										
	Loop (SL1)-Zone 1		1	UEPRX	UEPLX	9.77										
	Loop (SL1)-Zone 2		2	UEPRX	UEPLX	13.88										
2W VG	Loop (SL1)-Zone 3		3	UEPRX	UEPLX	24.63										
2-Wire Voice	Grade Line Port (Res)															
2W voi	ce unbundled port-residence			UEPRX	UEPRL	14.00	90.00	90.00				11.90				
	ce unbundled port w Caller ID-res			UEPRX	UEPRC	14.00	90.00					11.90				
	ce unbundled port outgoing only-res			UEPRX	UEPRO	14.00	90.00	90.00				11.90				
	ce unbundled FL Area Calling w Caller ID-res			UEPRX	UEPAF	14.00	90.00					11.90				
	ce unbundles res, low usage line port w Caller ID (LUM)		-	UEPRX	UEPAP	14.00	90.00					11.90				
	ce unbundled Low Usage Line Port w/o Caller ID Capability		-	UEPRX	UEPRT	14.00	90.00	90.00				11.90				
200 000	ce unbundled FL extended dialing port for use w CREX7 & Caller			UEPRX	UEPA1	14.00	90.00	90.00				11.90				
2W voi	ce unbundled FL extended dialing port for use w CREX7, w/o			ULFIX	OLFAI	14.00	90.00	90.00	 			11.90				
	ID capability			UEPRX	UEPA8	14.00	90.00	90.00				11.90				
	ce unbundled FL Area Calling Port w/o Caller ID Capability			UEPRX	UEPA9	14.00	90.00					11.90				
	BER PORTABILITY			<u> </u>	9-1119				i i							
	No Portability (1 per port)			UEPRX	LNPCX	0.35										
FEATURES	7,1,7															
	itures Offered			UEPRX	UEPVF	0.00	0.00	0.00				11.90				
	RING CHARGES - CURRENTLY COMBINED															
	Loop/Line Port Combination-Switch-as-is			UEPRX	USAC2		41.50					11.90				
	Loop/Line Port Combination-Switch w change			UEPRX	USACC		41.50	41.50				11.90				
ADDITIONAL																
	W VG Loop/Line Port Combination-Subsqnt	 	1	UEPRX	USAS2		0.00	0.00	 			11.90		1		
	CE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	1	₽	1	+		1	+		ŀ				 		1
	op Combination Rates Loop/Port Combo-Zone 1	├	1	-	+	23.77	 	+	 						-	-
	G Loop/Port Combo-Zone 1	 	2	 	+	27.88	 	+	+	1				 		
	G Loop/Port Combo-Zone 2	1	3		+	38.63	-	 	 					-		
		t	Ť	1		55.55	t	1	† †	l				1		
		t	1	UEPBX	UEPLX	9.77	t	1	† †	l				1		
2W VG UNE Loop Ra	i Loop (SL1)-Zone 1		2		UEPLX	13.88	1	1	† †					1		
2W VG UNE Loop Ra 2W VG	i Loop (SL1)-Zone 1 i Loop (SL1)-Zone 2			UEPBX				1						 	 	
2W VG UNE Loop Ra 2W VG 2W VG	: Loop (SL1)-Zone 1 : Loop (SL1)-Zone 2 : Loop (SL1)-Zone 3		3		UEPLX	24.63			1	1						
2W VG UNE Loop Ra 2W VG 2W VG 2W VG	Loop (SL1)-Zone 2				UEPLX					1						
2W VG UNE Loop Ra 2W VG 2W VG 2W VG 2W VG 2-Wire Voice 2W voi	i Loop (SL1)-Zone 2 i Loop (SL1)-Zone 3 Grade Line Port (Bus) ce unbundled port w/o Caller ID-bus				UEPLX	14.00	90.00					11.90				
2W VG UNE Loop Ra 2W VG 2W VG 2W VG 2-Wire Voice 2W voi 2W voi	i Loop (SL1)-Zone 2 i Loop (SL1)-Zone 3 Grade Line Port (Bus) ce unbundled port w/o Caller ID-bus ce unbundled port w Caller + E484 ID-bus			UEPBX UEPBX UEPBX	UEPLX UEPBL UEPBC	14.00 14.00	90.00	90.00				11.90				
2W VG	i Loop (SL1)-Zone 2 i Loop (SL1)-Zone 3 Grade Line Port (Bus) ce unbundled port w/o Caller ID-bus			UEPBX UEPBX	UEPLX	14.00	90.00	90.00 90.00								

Version 3Q02: 10/07/02 Page 24 of 123

UNBUNDLI	ED NETWORK ELEMENTS - Florida												Attachment	: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS		Zo ne	BCS	USOC	RATES(\$)					Svc Order Submitte d Elec per LSR	Submitted	Manual	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Order vs.
						Rec	Nonrec	urring	NRC Disc					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35										
NONE	ECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Switch-as-is			UEPBX	USAC2		41.50	41.50				11.90				
	2W VG Loop/Line Port Combination-Switch w change			UEPBX	USACC		41.50	41.50				11.90				
ADDI	FIONAL NRCs															
	NRC-2W VG Loop/Line Port Combination-Subsqnt			UEPBX	USAS2		0.00	0.00				11.90				
2-WIF	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															1
	Port/Loop Combination Rates															1
	2W VG Loop/Port Combo-Zone 1		1			23.77										1
	2W VG Loop/Port Combo-Zone 2		2			27.88										1
	2W VG Loop/Port Combo-Zone 3		3			38.63										1
UNE	oop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPRG	UEPLX	9.77										—
	2W VG Loop (SL1)-Zone 2		2	UEPRG	UEPLX	13.88										—
	2W VG Loop (SL1)-Zone 3		3	UEPRG	UEPLX	24.63										1
2-Wir	e Voice Grade Line Port Rates (RES - PBX)		Ť	02.110	02.27	200										-
	2W VG Unbundled Combination 2Way PBX Trunk Port-Res			UEPRG	UEPRD	14.00	90.00	90.00			-	11.90				-
LOCA	L NUMBER PORTABILITY			OLITIO	OLITE	14.00	50.00	50.00			-	11.00				
1007	Local No Portability (1 per port)		H	UEPRG	LNPCP	3.15	0.00	0.00			1					
EEAT	URES			UEPRG	LINECE	3.13	0.00	0.00			-	-				-
FEAT	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00			-	11.90				-
NONE	RECURRING CHARGES - CURRENTLY COMBINED		\vdash	UEPRG	UEFVF	0.00	0.00	0.00			-	11.90				
NONE			-	UEPRG	LICACO		44.50	44.50				44.00				
	2W VG Loop/Line Port Combination-Switch-As-Is			UEPRG	USAC2 USACC		41.50 41.50	41.50				11.90	1			
400	2W VG Loop/Line Port Combination-Switch w Change		-	UEPRG	USACC		41.50	41.50				11.90				
ADDI	FIONAL NRCs		-		-		0.00	0.00				44.00				
	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC						0.00	0.00				11.90				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.09	7.09				11.90				
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			23.77										
	2W VG Loop/Port Combo-Zone 2		2			27.88										
	2W VG Loop/Port Combo-Zone 3		3			38.63										
UNE	oop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPPX	UEPLX	9.77										
	2W VG Loop (SL1)-Zone 2		2	UEPPX	UEPLX	13.88										
	2W VG Loop (SL1)-Zone 3		3	UEPPX	UEPLX	24.63										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2Way PBX Trunk Port-Bus			UEPPX	UEPPC	14.00	90.00	90.00				11.90				
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	14.00	90.00	90.00				11.90				
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	14.00	90.00	90.00				11.90				
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00				11.90				
	2W Voice Unbundled 2Way Combination PBX Usage Port			UEPPX	UEPXA	14.00	90.00	90.00				11.90				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	14.00	90.00	90.00				11.90				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	14.00	90.00	90.00				11.90				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00				11.90				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14.00	90.00	90.00				11.90				
	2W Voice Unbundled 2Way PBX Hotel/Hospital Economy Administrative															
	Calling Port			UEPPX	UEPXL	14.00	90.00	90.00				11.90				
	2W Voice Unbundled 2Way PBX Hotel/Hospital Economy Room Calling															
I	Port	L		UEPPX	UEPXM	14.00	90.00	90.00	<u> </u>		<u> </u>	11.90	<u> </u>	<u> </u>		<u> </u>
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount															
	Room Calling Port	1	1	UEPPX	UEPXO	14.00	90.00	90.00]		1	11.90		Ì		1
İ	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00				11.90				
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT	URES															
	All Features Offered		\Box	UEPPX	UEPVF	0.00	0.00	0.00			1	11.90	1			

UNBUNDLI	ED NETWORK ELEMENTS - Florida												Attachment	: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	USOC	RATES(\$)					Svc Order Submitte d Elec per LSR	per LSR	I Charge - Manual Svc Order vs. Electronic-		Incrementa I Charge -	Increment I Charge - Manual Svc Order vs.
						Rec	Nonrec		NRC Disc					Rates(\$)		
						.100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONE	RECURRING CHARGES - CURRENTLY COMBINED			UEDDV	110100			44.50				44.00				
	2W VG Loop/Line Port Combination-Switch-As-Is			UEPPX	USAC2		41.50	41.50				11.90				
ADDI	2W VG Loop/Line Port Combination-Switch w Change			UEPPX	USACC		41.50	41.50				11.90				
ADDI	TIONAL NRCs		-	UEPPX	LICACO	0.00	0.00	0.00				44.00				
	2W VG Loop/Line Port Combination-Subsqnt 2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC			UEPPX	USAS2	0.00	0.00	0.00				11.90 11.90				
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group				+		7.09	7.09	-			11.90				
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT		-				7.09	7.09				11.90				
	Port/Loop Combination Rates															
O.V.E.	2W VG Coin Port/Loop Combo – Zone 1		1		+	23.77										
	2W VG Coin Port/Loop Combo – Zone 2		2			27.88										
	2W VG Coin Port/Loop Combo – Zone 3		3		1	38.63								1		1
UNE	Loop Rates				1	22.20								İ		
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	9.77										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	13.88										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	24.63										
2-Wir	e Voice Grade Line Port Rates (Coin)															
	2W Coin 2Way w Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEP2F	14.00	90.00	90.00				11.90				
	2W Coin 2Way w Oper Screening & 011 Blocking			UEPCO	UEPFA	14.00	90.00	90.00				11.90				
	2W Coin 2Way w Operr Screening & Blocking: 900/976, 1+DDD, 011+, &															
	Local			UEPCO	UEPCG	14.00	90.00	90.00				11.90				
	2W Coin Outward w Oper Screening & 011 Blocking			UEPCO	UEPRK	14.00	90.00	90.00				11.90				
	2W Coin Outward w Oper Screening & Blocking: 900/976, 1+DDD, 011+			UEPCO	UEPOF	14.00	90.00	90.00				11.90				
	2W Coin Outward w Oper Screening & Blocking: 900/976, 1+DDD, 011+,															
	& Local			UEPCO	UEPCQ	14.00	90.00	90.00				11.90				
LOCA	L NUMBER PORTABILITY			LIEBOO	LLIBOY											
NONE	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										
NONE	RECURRING CHARGES - CURRENTLY COMBINED		-	LIEDOO	110400		44.50	44.50				44.00				
	2W VG Loop/Line Port Combination-Switch-As-Is 2W VG Loop/Line Port Combination-Switch w Change		-	UEPCO UEPCO	USAC2 USACC		41.50	41.50				11.90				
ADDI	FIONAL NRCs			UEPCU	USACC		41.50	41.50								
ADDI	2W VG Loop/Line Port Combination-Subsqnt			UEPCO	USAS2		0.00	0.00				11.90				
2-WIE	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE F	PORT	/PES		USAS2		0.00	0.00	-			11.90				
	Port/Loop Combination Rates	OKI	(KES	,												
OIVE !	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			26.24										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2		+	31.40										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3		+	44.87										
UNE	Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	12.24								İ		
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	17.40								İ		1
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	30.87					Ì			1		
2-Wir	e Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-residence			UEPFR	UEPRL	14.00	180.00	110.00	85.00	20.00		11.90				
	2W voice unbundled port w Caller ID-res			UEPFR	UEPRC	14.00	180.00	110.00	85.00	20.00		11.90				
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	14.00	180.00	110.00	85.00	20.00		11.90				
	2W voice unbundled FL Area Calling w Caller ID-res			UEPFR	UEPAF	14.00	180.00	110.00	85.00	20.00		11.90				
	2W voice unbundles res, low usage line port w Caller ID (LUM)			UEPFR	UEPAP	14.00	180.00	110.00	85.00	20.00		11.90				
INTE	ROFFICE TRANSPORT				1						<u> </u>					
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	25.32	47.35	31.78						ļ		ļ
<u> </u>	Interoffice Transport-Dedicated-2W VG-Per Mile or Fraction Mile			UEPFR	1L5XX	0.0091		ļ					ļ			<u> </u>
FEAT	URES															
H	All Features Offered		\sqcup	UEPFR	UEPVF	0.00	0.00	0.00			ļ	11.90				
LOCA	L NUMBER PORTABILITY		\sqcup	LIEDED	LNDOX	0.0=					ļ					
NONE	Local No Portability (1 per port)	-	\vdash	UEPFR	LNPCX	0.35		ļ			1	1	ļ	 		
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		₩		+						-					
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-as-is			UEPFR	USAC2		16.97	3.73				11.90				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-w-Change			UEPFR	USACC		16.97	3.73				11.90				

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attachment	:: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	USOC		R.	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	I Charge -	I Charge Manual Svc Orde vs.
						Rec	Nonrec		NRC Disc					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE I	PORT	(BUS	S)												
UNE	Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			26.24										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			31.40										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			44.87										
UNE	Loop Rates				115050	10.01										
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	12.24										
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	17.40										
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	30.87										
2-Wir	re Voice Grade Line Port (Bus)					44.00	100.00	440.00			<u> </u>	44.00				
\vdash	2W voice unbundled port w/o Caller ID-bus		$\vdash \vdash$	UEPFB	UEPBL	14.00	180.00		85.00	20.00	<u> </u>	11.90	1	-		
 	2W voice unbundled port w Caller + E484 ID-bus	<u> </u>	\vdash	UEPFB UEPFB	UEPBC UEPBO	14.00	180.00 180.00	110.00	85.00 85.00	20.00	1	11.90	1	!		
	2W voice unbundled port outgoing only-bus					14.00		110.00		20.00		11.90				
1.00	2W voice unbundled incoming only port w Caller ID-Bus			UEPFB	UEPB1	14.00	180.00	110.00	85.00	20.00		11.90				
LOCA	AL NUMBER PORTABILITY			UEPFB	LNPCX	0.25										
INITE	Local No Portability (1 per port) ROFFICE TRANSPORT			UEPFB	LINPCX	0.35										
INTE	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	25.32	47.35	31.78								
	Interoffice Transport-Dedicated-2W VG-Par Mile or Fraction Mile			UEPFB	1L5XX	0.0091	47.33	31.70			<u> </u>					
EEAT	TURES			UEPFB	ILSXX	0.0091										
FEAT	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00	-		1	11.90		-	-	+
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEFFB	UEFVF	0.00	0.00	0.00				11.90				
NONE	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch-as-is			UEPFB	USAC2		16.97	3.73				11.90				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			OLFIB	USACZ		10.97	3.73				11.90				
	Switch w change			UEPFB	USACC		16.97	3.73				11.90				
2-WIE	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			OLITB	OOACC		10.57	3.73				11.30				
	Port/Loop Combination Rates															-
ONE	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			26.24										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			31.40										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			44.87										
UNE	Loop Rates		Ť			1 1.01										
-	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	12.24										1
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	17.40										
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	30.87										
2-Wir	re Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2Way PBX Trunk Port-Bus			UEPFP	UEPPC	14.00	180.00	110.00	85.00	20.00		11.90				
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	14.00	180.00	110.00	85.00	20.00		11.90				
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	14.00	180.00	110.00	85.00	20.00		11.90				1
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	14.00	180.00	110.00	85.00	20.00		11.90				1
	2W Voice Unbundled 2Way Combination PBX Usage Port			UEPFP	UEPXA	14.00	180.00	110.00	85.00	20.00		11.90				1
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	14.00	180.00	110.00	85.00	20.00		11.90				1
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	14.00	180.00	110.00	85.00	20.00		11.90				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	14.00	180.00	110.00	85.00	20.00		11.90				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	14.00	180.00	110.00	85.00	20.00		11.90				
	2W Voice Unbundled 2Way PBX Hotel/Hospital Economy Administrative															
	Calling Port			UEPFP	UEPXL	14.00	180.00	110.00	85.00	20.00		11.90				
	2W Voice Unbundled 2Way PBX Hotel/Hospital Economy Room Calling															
	Port			UEPFP	UEPXM	14.00	180.00	110.00	85.00	20.00		11.90				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount									l						
	Room Calling Port			UEPFP	UEPXO	14.00	180.00		85.00	20.00		11.90				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	14.00	180.00	110.00	85.00	20.00		11.90				
LOCA	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				11.90				
INTE	ROFFICE TRANSPORT		$oxed{oxed}$					<u> </u>								
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	25.32	47.35	31.78								ļ
	Interoffice Transport-Dedicated-2W VG-Per Mile or Fraction Mile		Ш	UEPFP	1L5XX	0.0091					<u> </u>					
FEAT	TURES															
1 1	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00	<u> </u>	L	<u></u>	11.90	<u> </u>			<u> </u>

UNBUNDLI	ED NETWORK ELEMENTS - Florida													Attachment	: 2	Exhi	bit: B
CATEGORY		nte im	Zo ne	вс	s	USOC		R.A	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	I Charge -	Increment I Charge Manual Svc Order vs. Electronic
							Rec	Nonrec	urring	NRC Disc	onnect				Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-																
	Switch-as-is	_		UEP	FP	USAC2		16.97	3.73				11.90				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-																
I INDIANA ED	Switch w change			UEP	FP	USACC		16.97	3.73				11.90				
	PORT/LOOP COMBINATIONS - MARKET BASED RATES E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																
	Port/Loop Combination Rates	-+															
UNE	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1				67.24										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2				72.40										
	2W VG Loop/2W DID Trunk Port Combo-ONE Zone 2		3				85.87										
UNF	Loop Rates	\dashv	J				00.07							l	 	1	
O.V.	2W Analog VG Loop-(SL2)-UNE Zone 1	\dashv	1	UEP	PX	UECD1	12.24					1	11.90			1.83	1
<u> </u>	2W Analog VG Loop-(SL2)-UNE Zone 2	_	2	UEP		UECD1	17.40						11.90			1.83	
<u> </u>	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEP		UECD1	30.87						11.90			1.83	
UNE	Port Rate	\neg	Ť														
	Exchange Ports-2W DID Port	\neg		UEP	PX	UEPD1	55.00	850.00	75.00				11.90			1.83	
NONE	ECURRING CHARGES - CURRENTLY COMBINED	7															
	2W VG Loop/2W DID Trunk Port Combination-Switch-As-Is Top 8 MSAs		T														
	only			UEP	PX	USAC1		850.00	75.00				11.90				
	2W VG Loop/2W DID Trunk Port Conversion w BST Allowable Changes																
	Top 8 MSAs only			UEP	PX	USA1C		850.00	75.00				11.90				
	TIONAL NRCs																
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEP	PX	USAS1		32.26	32.26				11.90				
Telep	hone Number/Trunk Group Establisment Charges																
	DID Trunk Term (One Per Port)			UEP		NDT	0.00	0.00	0.00				11.90			1.83	
	DID Nos, Establish Trunk Group & Provide First Group of 20 DID Nos	_		UEP		NDZ	0.00	0.00	0.00				11.90			1.83	
	Add'l DID Nos for each Group of 20 DID Nos			UEP		ND4	0.00	0.00	0.00				11.90			1.83	
	DID Nos, Non-consecutive DID Nos , Per No	-+		UEP		ND5	0.00	0.00	0.00				11.90			1.83	
	Reserve Non-Consecutive DID Nos Reserve DID Nos			UEP UEP		ND6 NDV	0.00	0.00	0.00				11.90 11.90			1.83 1.83	
1.004	L NUMBER PORTABILITY			UEF	FA	NDV	0.00	0.00	0.00				11.90			1.03	
	Local No Portability (1 per port)	+		UEP	DY	LNPCP	3.15	0.00	0.00								
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE F	OPT	-	OLI	1 //	LIVI OI	5.15	0.00	0.00								
	Port/Loop Combination Rates	UK I	-														
- ONE	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 1	-	1	UEPPB	UEPPR		85.25										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 2			UEPPB	UEPPR		91.67										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 3			UEPPB	UEPPR		108.46										
UNE I	oop Rates	T					_										
	2W ISDN Digital Grade Loop-UNE Zone 1	7	1	UEPPB	UEPPR	USL2X	15.25						11.90			1.83	
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	21.67						11.90			1.83	
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	38.46						11.90			1.83	
	Port Rate																
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	70.00	525.00	400.00				11.09			1.83	
NONE	ECURRING CHARGES - CURRENTLY COMBINED	[
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-																
	Conversion-Top 8 MSAs only	_	_	UEPPB	UEPPR	USACB	0.00	215.00	215.00				11.90		ļ	1.83	
	FIONAL NRCs	_	_ļ							ļ	ļ	ļ					ļ
	L NUMBER PORTABILITY	4	_}	LIEDES	LIEBBB	LNESY				<u> </u>	 				ļ		
	Local No Portability (1 per port)	+	+	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	1	 	1			 	-	1
B-CH	ANNEL USER PROFILE ACCESS: CVS/CSD (DMS/5ESS)	+	+	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	1	 	1			 	-	1
	CVS/CSD (DMS/5ESS) CVS (EWSD)	+	+	UEPPB	UEPPR	U1UCA U1UCB	0.00	0.00	0.00	1	 	1			 	-	1
	CSD (EWSD)	+	+		UEPPR	U1UCC	0.00	0.00	0.00	-	 	-			-	 	1
B-C⊔	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & T	N)	+	ULFPD	JLFFK	01000	0.00	0.00	0.00	1	 				1	-	1
	TERMINAL PROFILE	14)									 				1	-	1
0020	User Terminal Profile (EWSD only)	\dashv	\dashv	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00	 	 	 		 	 	-	
VERT	ICAL FEATURES	+	+	J 1 D	J=. 1 IX	5.5W/	0.00	0.00	0.00	1		1		1	 	†	
	All Vertical Features-One per Channel B User Profile	-+	-+	UEPPB	UEPPR	UEPVF	2.26	0.00	0.00	1	l	1	11.90	l	†	1	1

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attachment	: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	USOC		R.	ATES(\$)			Svc Order Submitte d Elec per LSR	Submitted	Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.
						Rec	Nonrec	urring	NRC Disc	onnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTE	ROFFICE CHANNEL MILEAGE															
	Interoffice Channel mileage each, including first mile & facilities Term			UEPPB UEPPR	M1GNC	18.4491	47.35	31.78	18.31	7.03		11.90			1.83	
4 18/15	Interoffice Channel mileage each, Add'l mile			UEPPB UEPPR	M1GNM	0.0091	0.00	0.00				11.90			1.83	
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT Port/Loop Combination Rates															
ONL	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 1		1	UEPPP		970.74										-
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 2		2	UEPPP		1,000.54										-
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 3		3	UEPPP		1,078.39										
UNE	Loop Rates			-												
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P	70.74						11.90			1.83	
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P	100.54						11.90			1.83	
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	178.39						11.90			1.83	
UNE	Port Rate															
	Exchange Ports-4W ISDN DS1 Port			UEPPP	UEPPP	900.00	1,150.00	1,150.00				11.90			1.83	
NON	RECURRING CHARGES - CURRENTLY COMBINED		\sqcup							ļ		ļ				
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-															
ADDI	Conversion-Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	925.00	925.00				11.90			1.83	
ADDI	TIONAL NRCs			LIEDDD	DDTTE		0.5440					44.00			4.00	
-	4W DS1 Loop/4W ISDN Digtl Trk Port-Subsqt Actvy-Inward/2way Tel Nos			UEPPP	PR7TF		0.5412	10.74				11.90			1.83	
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos 4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsgnt Inward Tel Nos			UEPPP UEPPP	PR7TO PR7ZT		12.71 25.42	12.71 25.42				11.90 11.90			1.83 1.83	
100/	AL NUMBER PORTABILITY			UEPPP	PR/ZI		25.42	25.42				11.90			1.83	
LOCA	Local No Portability (1 per port)			UEPPP	LNPCN	1.75										
INTE	RFACE (Provsioning Only)			OLITI	LIVI OIV	1.75										
11412	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New	or Additional "B" Channel															
	New or Add'I-Voice/Data B Channel			UEPPP	PR7BV	0.00	20.00					11.90			1.83	
	New or Add'I-Digital Data B Channel			UEPPP	PR7BF	0.00	20.00					11.90			1.83	
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	20.00					11.90			1.83	
CALL	TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interd	office Channel Mileage			LIEDDD	41.814.8	00.0050	405.54	00.47	04.47	40.05		44.00			4.00	
	Fixed Each Including First Mile		-	UEPPP	1LN1A	88.6256	105.54	98.47	21.47	19.05		11.90			1.93	<u> </u>
4 10/15	Each Airline-Fractional Add'l Mile RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT			UEPPP	1LN1B	0.1856										
	Port/Loop Combination Rates		\vdash							-				1		
ONE	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 1		1	UEPDC	 	820.74			 	 		11.90		 	1.83	
- 	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 2		2	UEPDC		850.54						11.90			1.83	
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 3		3	UEPDC		928.39						11.90		1	1.83	
UNE	Loop Rates															
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	70.74						11.90			1.83	
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	100.54						11.90			1.83	
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	178.39						11.90			1.83	
UNE	Port Rate															
	4W DDITS Digital Trunk Port		Ш	UEPDC	UDD1T	750.00	1,019.56	479.87	204.92	20.10		11.90		ļ	1.83	<u> </u>
NONE	RECURRING CHARGES - CURRENTLY COMBINED		\sqcup		ļ					ļ						
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-As-Is			HEDDO	110404		05.61	40.71	1			44.00		1	4.00	1
	Top 8 MSAs only 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion w		₩	UEPDC	USAC4		95.31	46.71		-		11.90		 	1.83	
	DS1 Changes Top 8 MSAs only			UEPDC	USAWA		95.31	46.71	1			11.90		1	1.83	1
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion w		\vdash	UEPDC	USAWA		95.31	40.71	 	 	-	11.90		1	1.83	
	Change-Trunk Top 8 MSAs only			UEPDC	USAWB		95.31	46.71	1			11.90		1	1.83	
ADDI	TIONAL NRCs		\vdash	OLI-DO	OUAVID		33.31	40.71		 		11.50		1	1.03	
ADDI	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel		H		 				 	 		 		 		
	Activation/Chan-2Way Trunk			UEPDC	UDTTA		15.69	15.69	1			11.90		1	1.83	1
1	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-		Ħ				.0.50	.0.00						İ		
	Way Outward Trunk			UEPDC	UDTTB		15.69	15.69	l	l		11.90	1		1.83	İ

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attachment	:: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc		R	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	I Charge - Manual Svc Order vs.	I Charge Manual
						Rec	Nonrec		NRC Disc					Rates(\$)		
	AND DESCRIPTION OF THE PROPERTY OF THE PROPERT					.100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan			LIEDDO	LIDTTO		45.00	45.00				44.00			4.00	
	Inward Trunk w/out DID 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-			UEPDC	UDTTC		15.69	15.69				11.90			1.83	
	Inward Trunk w DID			UEPDC	UDTTD		15.69	15.69				11.90			1.83	
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-			OLI DO	ODITO		13.03	13.03				11.30			1.03	
	2Way DID w User Trans			UEPDC	UDTTE		15.69	15.69				11.90			1.83	
BIPO	LAR 8 ZERO SUBSTITUTION															
	B8ZS-Superframe Format			UEPDC	CCOSF		0.00	655.00				11.90			1.83	
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00	655.00				11.90			1.83	
Alterr	nate Mark Inversion															
	AMI-Superframe Format			UEPDC	MCOSF		0.00									
Talan	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
reiep	hone Number/Trunk Group Establisment Charges			LIEDDO	LIDTOY	0.00						44.00			4.00	
 	Telephone No for 2Way Trunk Group Telephone No for 1-Way Outward Trunk Group		\vdash	UEPDC UEPDC	UDTGX	0.00		1	1	1	 	11.90 11.90	 	 	1.83 1.83	+
	Telephone No for 1-Way Inward Trunk Group W/o DID		\vdash	UEPDC	UDTGZ	0.00		1		 	-	11.90		†	1.83	
<u> </u>	DID Nos, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPDC	NDZ	0.00	0.00	0.00	<u> </u>	1	t	11.90	†	I	1.83	
	DID Nos for each Group of 20 DID Nos		H	UEPDC	ND4	0.00	2.00	3.00				11.90		1	1.83	†
	DID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00						11.90			1.83	
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00				11.90			1.83	1
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00				11.90			1.83	
	ated DS1 (Interoffice Channel Mileage) -															
FX/F0	CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel Mileage-Fixed rate 0-8 miles (Facilities Term)			UEPDC	1LNO1	88.44	105.54		21.47	19.05		11.90			1.83	
	Interoffice Channel Mileage-Add'l rate per mile-0-8 miles			UEPDC	1LNOA	0.1856	0.00			1						
	Interoffice Channel Mileage-Fixed rate 9-25 miles (Facilities Term) Interoffice Channel Mileage-Add'l rate per mile-9-25 miles			UEPDC UEPDC	1LNO2 1LNOB	0.00 0.1856	0.00	0.00								+
	Interoffice Channel Mileage-Fixed rate 25+ miles (Facilities Term)			UEPDC	1LNO3	0.1030	0.00		0.00							
	Interoffice Channel Mileage-Add'l rate per mile-25+ miles			UEPDC	1LNOC	0.1856	0.00		0.00							+
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00		0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
4-WIF	RE DS1 LOOP WITH CHANNELIZATION WITH PORT															
Syste	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
	tem can have various rate combinations based on type and number of	port	s use	d												
UNE	DS1 Loop															
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	70.74	0.00									
,	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	100.54	0.00	0.00								
LINE	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	178.39	0.00	0.00		1		1				
UNE	DSO Channelization Capacities (D4 Channel Bank Configurations) 24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	118.06	0.00	0.00				11.90	-	-	1.83	+
	48 DSO Channel Capacity-1 per 2 DS1s		\vdash	UEPMG	VUM48	236.12	0.00			 	-	11.90		†	1.83	
- 	96 DSO Channel Capacity-1per 4 DS1s		H	UEPMG	VUM96	472.24	0.00	0.00	1	1	1	11.90	t	†	1.83	†
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	708.36	0.00					11.90		1	1.83	†
	192 DS0 Channel Capacity-1 per 8 DS1s			UEPMG	VUM19	944.48	0.00	0.00				11.90			1.83	
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,180.60	0.00	0.00				11.90			1.83	
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,416.72	0.00					11.90			1.83	
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,888.96	0.00					11.90			1.83	
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	2,361.20	0.00					11.90			1.83	
	576 DS0 Channel Capacity 1 per 24 DS1s		┝	UEPMG	VUM57	2,833.44	0.00		1	1	1	11.90	-	 	1.83	+
Non !	672 DS0 Channel Capacity-1 per 28 DS1s Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Chann	oli 74	ion i	UEPMG	VUM67	3,305.68	0.00	0.00		 	-	11.90	 		1.83	+
	imum System configuration is One (1) DS1, One (1) D4 Channel Bank,						em	 		1	-			+		+
	ples of this configuration functioning as one are considered Add'I after							 	-	1	-	1	 	 		+
- India	NRC-Conversion (Currently Combined) w or w/o BST Allowed Changes- Top 8 MSAs Only			UEPMG	USAC4	0.00	450.00	50.00				11.90				
Svete	m Additions Where Currently Combined and New (Not Currently Comb	ined	\	ULFIVIG	U3AU4	0.00	450.00	50.00		 		11.90		 		+
	nsity Zone 1 Top 8 MSAs	ou	′ 		+			1		 	-			†		+
56	1 DS1/D4 Channel Bank-Add NRC for each Port & Assoc Fea Activation		H	UEPMG	VUMD4	0.00	950.00	600.00	200.00	30.00	1	11.90	t	†		†
Bipol	ar 8 Zero Substitution		H			2.00	222.00	222.00		22.50				1		†
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	655.00				11.90				
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity															
1	Only		1	UEPMG	CCOEF	0.00	0.00	655.00	1		1	11.90	1	1	I	1

Version 3Q02: 10/07/02 Page 30 of 123

	NETWORK ELEMENTS - Florida				_								Attachment		Exhil	
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	USOC			ATES(\$)			Svc Order Submitte d Elec per LSR	Submitted	Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.
						Rec	Nonrec		NRC Disc					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	e Mark Inversion (AMI)															
	perframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	tended Superframe Format	<u> </u>		UEPMG	MCOPO	0.00	0.00	0.00								
	e Ports Associated with 4-Wire DS1 Loop with Channelization with	Port														
Exchange				HEDDY	LIEBOY	44.00	0.00	0.00	0.00	0.00		44.00			4.00	
	ne Side Combination Channelized PBX Trunk Port-Business ne Side Outward Channelized PBX Trunk Port-Business			UEPPX UEPPX	UEPCX	14.00 14.00	0.00	0.00	0.00	0.00		11.90 11.90			1.83 1.83	
							0.00	0.00				11.90				
	ne Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	14.00			0.00	0.00					1.83	
	V Trunk Side Unbundled Channelized DID Trunk Port	-		UEPPX	UEPDM	55.00	0.00	0.00	0.00	0.00		11.90			1.83	
	Activations - Unbundled Loop Concentration	1		UEPPX	1PQWM	0.66	40.00	20.00	6.00	5.00		11.90			1.83	
	eature (Service) Activation for each Line Port Terminated in D4 Bank eature (Service) Activation for each Trunk Port Terminated in D4 Bank	1-	1	UEPPX			110.00						-	 	1.83	
	ne Number/ Group Establishment Charges for DID Service	1		UEPPA	1PQWU	0.66	110.00	30.00	65.00	20.00		11.90	-	 	1.83	
	D Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00				11.90				
	trunk Term (1 per Port) ttab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	+	\vdash	UEPPX	NDZ	0.00	0.00	0.00				11.90	 	 		
	D Nos-groups of 20-Valid all States	+		UEPPX	ND4	0.00	0.00	0.00				11.90				
	on-Consecutive DID Nos-per No	+		UEPPX	ND5	0.00	0.00	0.00				11.90	-	-		
	eserve Non-Consecutive DID Nos	+		UEPPX	ND6	0.00	0.00	0.00				11.90	-	-		
	eserve DID Nos	+		UEPPX	NDV	0.00	0.00	0.00				11.90				
	Imber Portability	1		ULFFX	NDV	0.00	0.00	0.00				11.50				
	cal No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	ES - Vertical and Optional	+		ULFFX	LINE CE	3.13	0.00	0.00								
	vitching Features Offered with Line Side Ports Only	1														
	Features Available			UEPPX	UEPVF	2.26	0.00	0.00				11.90			1.83	
	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATES			<u> </u>												
	Based Rates are applied where BellSouth is required by FCC and/or	Com	miss	ion rule to provide	Jnbundled I	ocal Switching	or Switch P	orts.								
2. Feature	es shall apply to the Unbundled Port/Loop Combination - Cost Bas	sed R	ate s	ection in the same r	nanner as th	ey are applied	to the Stand-	Alone Unbur	ndled Port s	ection of	this Rate	Exhibit.				
3. End Of	ffice & Tandem Switching Usage & Common Transport Usage rates	s in th	e Po	rt section of this ex	hibit shall a	ply to all com	binations of le	oop/port net	work eleme	nts excep	t for UNE	Coin Port/L	oop Combin	ations.		
4. The fire	st & add'l Port NRC charges apply to Not Currently Combined Com	ıbos.	For C	Currently Combined	Combos, th	o NDC charges		se identified	in the NRC	- Current	ly Combin					
	zed accordingly.					e NING Charges	shall be thos	oc racritimea			.,	ed sections	. Add'I NRC		also and are	<u> </u>
							shall be thos	oc racritimea			iy combin	ed sections	s. Add'I NRC		also and are	
	et Rates for Unbundled Centrex Port/Loop Combination will be neg	otiate	d on	an Individual Case	Basis, until		shall be thos	Je raentiniea			.,	ed sections	. Add'I NRC		also and are	
UNE-P CE	ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)	otiate	d on	an Individual Case	Basis, until		shall be thos	l l			ly combin	ed sections	s. Add'I NRC		also and are	
UNE-P CE 2-Wire VC	ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) G Loop/2-Wire Voice Grade Port (Centrex) Combo	otiate	d on	an Individual Case	Basis, until		s shall be thos	l l			ly combin	ed sections	s. Add'I NRC		also and are	
UNE-P CE 2-Wire VG UNE Port	ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) G Loop/2-Wire Voice Grade Port (Centrex) Combo t/Loop Combination Rates (Non-Design)	otiate			Basis, until	further notice.	s shall be thos				y combin	ed sections	a. Add'I NRC		also and are	
UNE-P CE 2-Wire VC UNE Port	ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) G Loop/2-Wire Voice Grade Port (Centrex) Combo t/Loop Combination Rates (Non-Design) V VG Loop/ZW VG Port (Centrex) Port Combo-Non-Design	otiate	1	UEP91	Basis, until	further notice.	s shall be thos				., .	ed sections	s. Add'I NRC		also and are	
UNE-P CE 2-Wire VG UNE Portu 2W 2W	ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) G Loop/2-Wire Voice Grade Port (Centrex) Combo t/Loop Combination Rates (Non-Design) V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	otiate	1 2	UEP91 UEP91	Basis, until	10.94 15.05	s shall be thos					ed sections	s. Add'I NRC		also and are	
UNE-P CE 2-Wire VG UNE Ports 2W 2W 2W	ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) G Loop/2-Wire Voice Grade Port (Centrex) Combo t/Loop Combination Rates (Non-Design) V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	otiate	1	UEP91	Basis, until	further notice.	s shall be thos					ed sections	s. Add'I NRC		also and are	
UNE-P CE 2-Wire VG UNE Ports 2W 2W 2W UNE Ports UNE Ports	ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) G Loop/2-Wire Voice Grade Port (Centrex) Combo t/Loop Combination Rates (Non-Design) V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex)Port Combo-Non-Design V VG Loop/2W VG Port (Centrex)Port Combo-Non-Design V VG Loop/2W VG Port (Centrex)Port Combo-Non-Design t/Loop Combination Rates (Design)	otiate	1 2 3	UEP91 UEP91 UEP91	Basis, until	10.94 15.05 25.80	s shall be thos				, , , , , , , , , , , , , , , , , , , ,	ed sections	s. Add'I NRC		also and are	
UNE-P CE 2-Wire VC UNE Port 2W 2W 2W UNE Port 2W 2W 2W UNE Port	ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) G Loop/2-Wire Voice Grade Port (Centrex) Combo t/Loop Combination Rates (Non-Design) V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex)Port Combo-Non-Design V VG Loop/2W VG Port (Centrex)Port Combo-Non-Design t/Loop Combination Rates (Design) V VG Loop/2W VG Port (Centrex)Port Combo-Non-Design t/Loop Combination Rates (Design) V VG Loop/2W VG Port (Centrex) Port Combo-Design	otiate	1 2 3	UEP91 UEP91 UEP91	Basis, until	10.94 15.05 25.80	s shall be thos					ed sections	s. Add'l NRC		also and are	
UNE-P CE 2-Wire VG UNE Port 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W	ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) G Loop/2-Wire Voice Grade Port (Centrex) Combo t/Loop Combination Rates (Non-Design) V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex)Port Combo-Non-Design V VG Loop/2W VG Port (Centrex)Port Combo-Non-Design V VG Loop/2W VG Port (Centrex)Port Combo-Non-Design t/Loop Combination Rates (Design) V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design	otiate	1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91	Basis, until	10.94 15.05 25.80 13.41 18.57	s shall be thos					ed sections	s. Add'l NRC		also and are	
UNE-P CE 2-Wire VG UNE Portu 2W 2W 2W UNE Portu 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W	ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) G Loop/2-Wire Voice Grade Port (Centrex) Combo t/Loop Combination Rates (Non-Design) V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex)Port Combo-Non-Design V VG Loop/2W VG Port (Centrex)Port Combo-Non-Design t/Loop Combination Rates (Design) V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex)Port Combo-Design V VG Loop/2W VG Port (Centrex)Port Combo-Design	otiate	1 2 3	UEP91 UEP91 UEP91	Basis, until	10.94 15.05 25.80	s shall be tho:					ed sections	a. Add'l NRC		also and are	
UNE-P CE 2-Wire VG UNE Portu 2W 2W UNE Portu 2W UNE Portu 2W UNE Portu 2W UNE Portu 2W UNE PORTU 2W 2W UNE LOOP	ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) G Loop/2-Wire Voice Grade Port (Centrex) Combo tt/Loop Combination Rates (Non-Design) V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design P Rate	otiate	1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91		10.94 15.05 25.80 13.41 18.57 32.04	s shall be thos					ed sections	s. Add'l NRC		also and are	
UNE-P CE 2-Wire VG UNE Port 2W 2W UNE Port 2W UNE Port 2W UNE Port 2W UNE LOOP 2W UNE LOOP 2W	ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) G Loop/2-Wire Voice Grade Port (Centrex) Combo t/Loop Combination Rates (Non-Design) V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design t/Loop Combination Rates (Design) V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design p Rate V VG Loop (SL 1)-Zone 1	otiate	1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1	10.94 15.05 25.80 13.41 18.57 32.04	s shall be tho:					ed sections	add'I NRC		also and are	
UNE-P CE 2-Wire VG UNE Port 2W 2W 2W 2W UNE Port 2W 2W UNE Port 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W	ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) G Loop/2-Wire Voice Grade Port (Centrex) Combo t/t/Loop Combination Rates (Non-Design) V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/SL 1)-Zone 1 V VG Loop (SL 1)-Zone 2	otiate	1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1	10.94 15.05 25.80 13.41 18.57 32.04 9.77 13.88	s shall be thos					ed sections	a. Add'l NRC		also and are	
UNE-P CE 2-Wire VG UNE Portu 2W 2W UNE Portu 2W UNE Portu 2W UNE Portu 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W	ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) G Loop/2-Wire Voice Grade Port (Centrex) Combo t/Loop Combination Rates (Non-Design) V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex)Port Combo-Non-Design V VG Loop/2W VG Port (Centrex)Port Combo-Non-Design V VG Loop/2W VG Port (Centrex)Port Combo-Non-Design V VG Loop/2W VG Port (Centrex)Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex)Port Combo-Design V VG Loop/2W VG Port (Centrex)Port Combo-Design V VG Loop/2W VG Port (Centrex)Port Combo-Design V VG Loop/SU VG Port (Centrex)Port Combo-Design V VG Loop/SU VG Port (Centrex)Port Combo-Design V VG Loop/SU VG Port (Centrex)Port Combo-Design V VG Loop (SL 1)-Zone 1 V VG Loop (SL 1)-Zone 2 V VG Loop (SL 1)-Zone 3	otiate	1 2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1	10.94 15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63	shall be tho:					ed sections	. Add'l NRC		also and are	
UNE-P CE 2-Wire VG UNE Portu 2W UNE Portu 2W UNE Portu 2W UNE Portu 2W UNE Portu 2W 2W 2W 2W 2W 2W 2W UNE Looj 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W	ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) G Loop/2-Wire Voice Grade Port (Centrex) Combo tt/Loop Combination Rates (Non-Design) V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/SW VG Port (Centrex) Port Combo-Design V VG Loop (SL 1)-Zone 1 V VG Loop (SL 1)-Zone 2 V VG Loop (SL 1)-Zone 3 V VG Loop (SL 2)-Zone 1	otiate	1 2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2	10.94 15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24	shall be tho:					ed sections	add'I NRC		also and are	
UNE-P CE 2-Wire VG UNE Port 2W 2W 2W UNE Port 2W UNE Port 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W	ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) G Loop/2-Wire Voice Grade Port (Centrex) Combo t/tLoop Combination Rates (Non-Design) V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop (SL 1)-Zone 1 V VG Loop (SL 1)-Zone 2 V VG Loop (SL 2)-Zone 1 V VG Loop (SL 2)-Zone 2	otiate	1 2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	10.94 15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40	s shall be tho:					ed sections	a. Add'l NRC		also and are	
UNE-P CE 2-Wire VG UNE Portu 2W 2W UNE Portu 2W UNE Portu 2W 2W UNE Portu 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W	ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) G Loop/2-Wire Voice Grade Port (Centrex) Combo t/Loop Combination Rates (Non-Design) V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design t/Loop Combination Rates (Design) V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/SL 1)-Zone 1 V VG Loop (SL 1)-Zone 2 V VG Loop (SL 2)-Zone 2 V VG Loop (SL 2)-Zone 2	otiate	1 2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2	10.94 15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24	shall be tho:					ed sections	a. Add'l NRC		also and are	
UNE-P CE 2-Wire VG UNE Port. 2W 2W UNE Port. UNE Port. 2W UNE Port. 2W 2W 2W 2W 2W 2W 2W UNE Loop 2W 2W UNE Loop 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W	ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) G Loop/2-Wire Voice Grade Port (Centrex) Combo tt/Loop Combination Rates (Non-Design) V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop (SL 1)-Zone 1 V VG Loop (SL 1)-Zone 2 V VG Loop (SL 2)-Zone 1 V VG Loop (SL 2)-Zone 2 V VG Loop (SL 2)-Zone 2 V VG Loop (SL 2)-Zone 3 ts	otiate	1 2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	10.94 15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40	shall be tho:					ed sections	a. Add'l NRC		also and are	
UNE-P CE 2-Wire VG UNE PORT 2W UNE PORT 2W UNE PORT 2W UNE PORT 2W 2W 2W 2W 2W 2W UNE Looj 2W 2W 2W 2W 2W 2W 2W 2W 2W AND AND AND AND AND AND AND AND AND AND	ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) G Loop/2-Wire Voice Grade Port (Centrex) Combo t/Loop Combination Rates (Non-Design) V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop (SL 1)-Zone 1 V VG Loop (SL 1)-Zone 2 V VG Loop (SL 2)-Zone 2 V VG Loop (SL 2)-Zone 2 V VG Loop (SL 2)-Zone 3 ts s (Except NC and SC)	otiate	1 2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	10.94 15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87			27.50	8 27			add'I NRC		also and are	
UNE-P CE 2-Wire VG UNE Portu 2W 2W UNE Portu 2W UNE Portu 2W 2W 2W 2W 2W 2W 2W 2W	ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) G Loop/2-Wire Voice Grade Port (Centrex) Combo t/Loop Combination Rates (Non-Design) V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design t/Loop Combination Rates (Design) V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop (St. 1)-Zone 1 V VG Loop (St. 1)-Zone 2 V VG Loop (St. 2)-Zone 2 V VG Loop (St. 2)-Zone 3 ts s (Except NC and SC) V VG Port (Centrex) Basic Local Area	otiate	1 2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	10.94 15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87	53.31	26.46	27.50	8.37		11.90	a. Add'l NRC		also and are	
UNE-P CE 2-Wire VG UNE Port. 2W	ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) G Loop/2-Wire Voice Grade Port (Centrex) Combo tt/Loop Combination Rates (Non-Design) V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop (St. 1)-Zone 1 V VG Loop (St. 1)-Zone 2 V VG Loop (St. 2)-Zone 2 V VG Loop (St. 2)-Zone 3 ts s (Except NC and SC) V VG Port (Centrex) Basic Local Area	otiate	1 2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	10.94 15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87	53.31	26.46 26.46	27.50	8.37		11.90	a. Add'l NRC		also and are	
UNE-P CE 2-Wire VG UNE Ports 2W UNE Ports 2W UNE Ports 2W UNE Ports 2W 2W 2W 2W UNE Looj 2W UNE Looj 2W 2W UNE Looj 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W	ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) G Loop/2-Wire Voice Grade Port (Centrex) Combo t/Loop Combination Rates (Non-Design) V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop (SL 1)-Zone 1 V VG Loop (SL 1)-Zone 2 V VG Loop (SL 2)-Zone 3 V VG Loop (SL 2)-Zone 3 V VG Loop (SL 2)-Zone 3 V VG Loop (SL 2)-Zone 3 V VG Port (Centrex) Basic Local Area V VG Port (Centrex) Basic Local Area V VG Port (Centrex WC Caller ID)1Basic Local Area	otiate	1 2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	10.94 15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87	53.31 53.31 53.31	26.46 26.46 26.46	27.50 27.50	8.37 8.37		11.90 11.90 11.90	add'I NRC		also and are	
UNE-P CE 2-Wire VG UNE Port 2W 2W UNE Port 2W 2W UNE Port 2W 2W 2W 2W 2W 2W 2W 2W UNE Loop 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W 2W	ENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only) G Loop/2-Wire Voice Grade Port (Centrex) Combo tt/Loop Combination Rates (Non-Design) V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Non-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop/2W VG Port (Centrex) Port Combo-Design V VG Loop (St. 1)-Zone 1 V VG Loop (St. 1)-Zone 2 V VG Loop (St. 2)-Zone 2 V VG Loop (St. 2)-Zone 3 ts s (Except NC and SC) V VG Port (Centrex) Basic Local Area	otiate	1 2 3 1 2 3 1 2 3	UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	10.94 15.05 25.80 13.41 18.57 32.04 9.77 13.88 24.63 12.24 17.40 30.87	53.31	26.46 26.46	27.50	8.37		11.90	a. Add'l NRC		also and are	

UNDUNDLE	D NETWORK ELEMENTS - Florida												Attachmen	: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	USOC			ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Orde vs.
						Rec	Nonrec		NRC Disc					Rates(\$)		
 	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	1.17	First 53.31	Add'l 26.46	First 27.50	8.37	SOMEC	SOMAN 11.90	SOMAN	SOMAN	SOMAN	SOMAN
	ia and Florida Only			UEP91	UEP12	1.17	53.31	26.46	27.50	8.37		11.90				
Georg	2W VG Port (Centrex)			UEP91	UEPHA	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex 800 Term)			UEP91	UEPHB	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex w Caller ID)1			UEP91	UEPHH	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex from diff SWC)2			UEP91	UEPHM	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port, Diff SWC-800 Service Term			UEP91	UEPHZ	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPH9	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port Terminated on 800 Service Term			UEP91	UEPH2	1.17	53.31	26.46	27.50	8.37		11.90				
	Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.7384										
	Number Portability		$\vdash \downarrow$	UEP91	LNPCC	0.35				ļ	1					1
	Local No Portability (1 per port)		\vdash	UEP91	LINPUU	0.35				<u> </u>	1		-			1
Featu	All Standard Features Offered, per port		$\vdash \vdash$	UEP91	UEPVF	2.26			1	1	1	11.90	 			1
	All Select Features Offered, per port		\vdash	UEP91	UEPVS	0.00	370.70				1	11.90				
	All Centrex Control Features Offered, per port		\vdash	UEP91	UEPVC	2.26	370.70		1		1	11.90	†			1
NARS																
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register-Indial			UEP91	UAR1X	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register-Outdial			UEP91	UAROX	0.00	0.00	0.00				11.90				
	llaneous Terminations															
	e Trunk Side															
	Trunk Side Terms, each			UEP91	CENA6	8.73										
	ffice Channel Mileage - 2-Wire			UEP91	M1GBC	25.32										
	Interoffice Channel Facilities Term-VG Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBC M1GBM	0.0091					-					-
	re Activations (DS0) Centrex Loops on Channelized DS1 Service			OLF91	WITGEW	0.0091										
	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different WC			UEP91	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
Non-R	Recurring Charges (NRC) Associated with UNE-P Centrex Conversion-Currently Combined Switch-As-Is w allowed changes, per				-											
1 1 '	nort			UEP91	USAC2		21.50	8.42				11.90				
 	Conversion of Existing Centrex Common Block		\vdash	UEP91	USACN	1	5.17	8.32			1	11.90				
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	618.82	0.02				11.90				
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	618.82					11.90				
	Secondary Block, per Block			UEP91	M2CC1	0.00	71.31					11.90				
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	66.48					11.90				
	P CENTREX - 5ESS (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	Port/Loop Combination Rates (Non-Design)		\sqcup	LIEDOE		10.01					<u> </u>					ļ
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		2	UEP95	_	10.94		ļ		 	1			1		1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95 UEP95	+	15.05 25.80										}
	Port/Loop Combination Rates (Design)		٦	ULF90	1	23.00					1	-	 			1
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95	+	13.41		 		 	 		-	 		
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		2	UEP95	1	18.57			1		1	1	†			1
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		32.04										
	Loop Rate		Ħ	*												
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	9.77										
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	13.88										
		_	3	UEP95	UECS1	24.63	-	l		1	1					1
	2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	12.24										

INDUNDL	ED NETWORK ELEMENTS - Florida												Attachment	.: ∠	Exni	ibit: B
ATEGORY	RATE ELEMENTS	Inte rim		BCS	USOC		R <i>i</i>	ATES(\$)			Svc Order Submitte d Elec per LSR	Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	I Charge -	I Charge Manual Svc Orde vs.
						Rec	Nonrec First	urring Add'l	NRC Disc	onnect Add'l	COMEC	SOMAN	OSS SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	30.87	FIISL	Auu i	FIISL	Auu i	SOWIEC	SUMAN	SOWAN	SOWAN	SUMAN	SOWAN
UNE	Port Rate															
	tates															
	2W VG Port (Centrex) Basic Local Area			UEP95	UEPYA	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex w Caller ID)1Basic Local Area			UEP95	UEPYH	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP95	UEPYM	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.17	53.31	26.46	27.50	8.37		11.90				
FL &	GA Only	1	$\vdash \vdash$	LIEDOE	HEDU.	1 17	F2 24	26.40	27.50	0.27		11.00		1		₩
	2W VG Port (Centrex) 2W VG Port (Centrex 800 Term)	1	$\vdash \vdash$	UEP95 UEP95	UEPHA UEPHB	1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37		11.90 11.90				├
	2W VG Port (Centrex 800 Term) 2W VG Port (Centrex w Caller ID)1		\vdash	UEP95	UEPHB	1.17	53.31	26.46	27.50	8.37	1	11.90		1		+
-	2W VG Port (Centrex w Caller ID)1 2W VG Port (Centrex from diff SWC)2		$\vdash \vdash$	UEP95	UEPHH	1.17	139.49	86.10	65.41	13.81		11.90		1		\leftarrow
	2W VG Port, Diff SWC-800 Service Term		\vdash	UEP95	UEPHZ	1.17	139.49	86.10	65.41	13.81	-	11.90				
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPH9	1.17	53.31	26.46	27.50	8.37		11.90				+
	2W VG Port Terminated on 800 Service Term			UEP95	UEPH2	1.17	53.31	26.46	27.50	8.37		11.90				
Loca	l Switching						-			0.0.						
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7384										
	Local No Portability (1 per port)			UEP95	LNPCC	0.35										†
Feat																†
	All Standard Features Offered, per port			UEP95	UEPVF	2.26										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.26										
NAR																
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register-Outdial		_	UEP95	UAROX	0.00	0.00	0.00				11.90				
	ellaneous Terminations															
2-001	re Trunk Side Trunk Side Terms, each			UEP95	CEND6	8.73										
4 10/:	re Digital (1.544 Megabits)		-	UEF95	CENDO	0.13										
4-771	DS1 Circuit Terms, each			UEP95	M1HD1	54.95										+
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69					11.90				†
Inter	office Channel Mileage - 2-Wire			OLI 30	WITTE	0.00	10.00					11.50				
	Interoffice Channel Facilities Term			UEP95	MIGBC	25.32										_
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0091										
Feat	ure Activations (DS0) Centrex Loops on Channelized DS1 Service															
	hannel Bank Feature Activations					İ										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66	•									
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		$\Box \Box$	UEP95	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different WC			UEP95	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										<u> </u>
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot		$\vdash \vdash$	UEP95	1PQWQ	0.66										
N1	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										4
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is w allowed changes,				+											
	,			UEP95	USAC2	0.00	21.50	8.42				11.90				
	per port Conversion of Existing Centrex Common Block, each		\vdash	UEP95	USACZ	0.00	5.17		-		1	11.90		1		+
-	New Centrex Standard Common Block		$\vdash \vdash$	UEP95	M1ACS	0.00	618.82					11.90		1		\leftarrow
	New Centrex Standard Common Block New Centrex Customized Common Block		\vdash	UEP95	M1ACC	0.00	618.82				 	11.90		 		
1	NAR Establishment Charge, Per Occasion		\vdash	UEP95	URECA	0.00	66.48		1			11.90				
UNE-	P CENTREX - DMS100 (Valid in All States)			02.00	0.1.2071	3.30	33.40									t
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo					t the second second										†
	Port/Loop Combination Rates (Non-Design)		mt			İ								İ		1
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		10.94										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		15.05										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		25.80										T
UNF	Port/Loop Combination Rates (Design)					ĺ										

Version 3Q02: 10/07/02 Page 33 of 123

UNDUNDL	ED NETWORK ELEMENTS - Florida												Attachment	:: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	USOC			ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic- Add'l	I Charge - Manual Svc Order vs.	Increment I Charge Manual Svc Orde vs. Electronic
						Rec	Nonrec		NRC Disc					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		13.41										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		18.57										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		32.04										
UNE	Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	9.77										
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	13.88										
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	24.63										
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	12.24										
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	17.40										
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	30.87										
	Port Rate	1	$oxed{oxed}$										ļ	ļ		
ALL S	STATES	1	igspace					1				L	ļ	ļ		
	2W VG Port (Centrex) Basic Local Area	1	igspace	UEP9D	UEPYA	1.17		1				11.90	ļ	ļ		
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area	1	$\sqcup \downarrow$	UEP9D	UEPYC	1.17	53.31	26.46	27.50	8.37		11.90	ļ	.		<u> </u>
	2W VG Port (Centrex/EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex w Caller ID) Basic Local Area			UEP9D	UEPYH	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local															
	Area			UEP9D	UEPYW	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area			UEP9D	UEPYJ	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex from diff SWC) 2 Basic Local Area			UEP9D	UEPYM	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/differ SWC/EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/differ SWC/EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPYZ	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.17	53.31	26.46	27.50	8.37		11.90				
FL &	GA Only															
	2W VG Port (Centrex)			UEP9D	UEPHA	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex 800 Term)			UEP9D	UEPHB	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/EBS-PSET)3			UEP9D	UEPHC	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/EBS-M5009)3			UEP9D	UEPHD	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/EBS-M5209)3			UEP9D	UEPHE	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex/EBS-M5112)3	1	igspace	UEP9D	UEPHF	1.17	53.31	26.46	27.50	8.37		11.90	ļ	ļ		
	2W VG Port (Centrex/EBS-M5312)3	1	igspace	UEP9D	UEPHG	1.17	53.31	26.46	27.50	8.37		11.90	ļ	ļ		
	2W VG Port (Centrex/EBS-M5008)3	1	$\sqcup \bot$	UEP9D	UEPHT	1.17	53.31	26.46	27.50	8.37		11.90	ļ	.		<u> </u>
	2W VG Port (Centrex/EBS-M5208)3	1	$\sqcup \downarrow$	UEP9D	UEPHU	1.17	53.31	26.46	27.50	8.37		11.90	ļ	.		<u> </u>
	2W VG Port (Centrex/EBS-M5216)3	1	igspace	UEP9D	UEPHV	1.17	53.31	26.46	27.50	8.37		11.90	ļ	ļ		
	2W VG Port (Centrex/EBS-M5316)3	1	igspace	UEP9D	UEPH3	1.17	53.31	26.46	27.50	8.37		11.90	ļ	ļ		
	2W VG Port (Centrex w Caller ID)	1	igspace	UEP9D	UEPHH	1.17	53.31	26.46	27.50	8.37		11.90	ļ	ļ		
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3	<u> </u>	Щ	UEP9D	UEPHW	1.17	53.31	26.46	27.50	8.37		11.90		1		
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3	1		UEP9D	UEPHJ	1.17	53.31	26.46	27.50	8.37		11.90	ļ	1		<u> </u>
	2W VG Port (Centrex from diff SWC) 2	1	igspace	UEP9D	UEPHM	1.17	139.49	86.10	65.41	13.81		11.90	ļ	ļ		
	2W VG Port (Centrex/differ SWC/EBS-PSET)2, 3			UEP9D	UEPHO	1.17	139.49	86.10	65.41	13.81		11.90				
1	2W VG Port (Centrex/differ SWC/EBS-M5009)2, 3	1	1 1	UEP9D	UEPHP	1.17	139.49	86.10	65.41	13.81		11.90	1	1		1

ONRONDLI	ED NETWORK ELEMENTS - Florida				,	1							Attachment			ibit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc		RA	TES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	I Charge -	vs.
						Rec	Nonrecu		NRC Disc					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex/differ SWC/EBS-5209)2, 3			UEP9D	UEPHQ	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5112)2, 3			UEP9D	UEPHR	1.17	139.49	86.10	65.41	13.81		11.90				Ļ
	2W VG Port (Centrex/differ SWC/EBS-M5312)2, 3			UEP9D	UEPHS	1.17	139.49	86.10		13.81		11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5008)2, 3 2W VG Port (Centrex/differ SWC/EBS-M5208)2, 3			UEP9D UEP9D	UEPH4 UEPH5	1.17 1.17	139.49 139.49	86.10 86.10	65.41 65.41	13.81 13.81		11.90 11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5216)2, 3			UEP9D	UEPH6	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5316)2, 3			UEP9D	UEPH7	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPHZ	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPH2	1.17	53.31	26.46	27.50	8.37		11.90				1
Local	Switching			•												
	Centrex Intercom Funtionality, per port		\Box	UEP9D	URECS	0.7384										
	Number Portability	 		uer	1									ļ		ļ
	Local No Portability (1 per port)	\sqcup		UEP9D	LNPCC	0.35										<u> </u>
Featu	All Standard Features Offered, per port			UEP9D	UEPVF	2.26					1			1		
	All Standard Features Offered, per port All Select Features Offered, per port	\vdash		UEP9D UEP9D	UEPVF	0.00	370.70				-	11.90		 		
	All Centrex Control Features Offered, per port	\vdash	-+	UEP9D UEP9D	UEPVS	2.26	370.70		1	1	1	11.90		 		+
NARS				OLI 3D	OLI VO	2.20										
TUTATE	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00				11.90				
Misce	Illaneous Terminations															1
	e Trunk Side															
	Trunk Side Terms, each			UEP9D	CEND6	8.73										
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9D	M1HD1	54.95	15.00					44.00				
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.69					11.90				
interd	ffice Channel Mileage - 2-Wire Interoffice Channel Facilities Term			UEP9D	MIGBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0091										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service			OLI 3D	WIIODWI	0.0031										
	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different WC			UEP9D	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.66										↓
	Feature Activation on D-4 Channel Bank WATS Loop Slot	 		UEP9D	1PQWA	0.66								-		
Non-l	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is w allowed changes, per port			UEP9D	USAC2		21.50	8.42				11.90				
	Conversion of existing Centrex Common Block, each	H	\dashv	UEP9D UEP9D	USAC2		21.50 5.17	8.42	1		1	11.90	 	 		+
	New Centrex Standard Common Block	H		UEP9D	M1ACS	0.00	618.82	0.32			 	11.90	 	t		†
	New Centrex Standard Common Block	1	-	UEP9D	M1ACC	0.00	618.82		1	1	1	11.90		†		t
	NAR Establishment Charge, Per Occasion	1	-	UEP9D	URECA	0.00	66.48		1	1	1	11.90		†		t
UNE-I	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)				1	2.23										†
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE I	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		10.94										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		15.05										<u> </u>
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	igspace	3	UEP9E	ļ	25.80								1		<u> </u>
UNE	Port/Loop Combination Rates (Design)		_	LIEBAE	 											
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E	1	13.41										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design	├	2	UEP9E UEP9E	 	18.57 32.04					ļ		ļ	!		
IINE I	_oop Rate	\vdash	3	UEP9E	+	32.04					1			 		
UNE	2W VG Loop (SL 1)-Zone 1	 	1	UEP9E	UECS1	9.77					1			+		├
	2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2	1	2	UEP9E UEP9E	UECS1	13.88			-		 		 	-	 	

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attachment	: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	USOC		RA	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	I Charge -	Increment I Charge Manual Svc Orde vs. Electroni
						Rec	Nonrect	urring	NRC Disc	onnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop (SL 1)-Zone 3		3	UEP9E	UECS1	24.63										
	2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS2	12.24										
	2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS2	17.40										
	2W VG Loop (SL 2)-Zone 3		3	UEP9E	UECS2	30.87										
UNE	Port Rate															
AL, F	L, KY, LA, MS, & TN only															
	2W VG Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex w Caller ID)1Basic Local Area			UEP9E	UEPYH	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP9E	UEPYM	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP9E	UEPYZ	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP9E	UEPY9	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	1.17	53.31	26.46	27.50	8.37		11.90				
Florid	da Only															
	2W VG Port (Centrex)			UEP9E	UEPHA	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex 800 Term)			UEP9E	UEPHB	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex w Caller ID)1			UEP9E	UEPHH	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port (Centrex from diff SWC)2			UEP9E	UEPHM	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port, Diff SWC-800 Service Term			UEP9E	UEPHZ	1.17	139.49	86.10	65.41	13.81		11.90				
	2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPH9	1.17	53.31	26.46	27.50	8.37		11.90				
	2W VG Port Terminated on 800 Service Term			UEP9E	UEPH2	1.17	53.31	26.46	27.50	8.37		11.90				
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7384										
Loca	Number Portability															
	Local No Portability (1 per port)			UEP9E	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP9E	UEPVF	2.26										
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.26										
NARS																
	Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register-Indial			UEP9E	UAR1X	0.00	0.00	0.00				11.90				
	Unbundled Network Access Register-Outdial			UEP9E	UAROX	0.00	0.00	0.00				11.90				
Misce	ellaneous Terminations															
	e Trunk Side															
	Trunk Side Terms, each			UEP9E	CEND6	8.73										
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9E	M1HD1	54.95										
	DS0 Channel Activated Per Channel	1	\vdash	UEP9E	M1HDO	0.00	15.69					11.90	l	İ	1	
Interd	office Channel Mileage - 2-Wire	1	\vdash		120	5.55	.0.00						l	İ	1	
more	Interoffice Channel Facilities Term		\vdash	UEP9E	MIGBC	25.32							1	 	 	
	Interoffice Channel mileage, per mile or fraction of mile	1	\vdash	UEP9E	MIGBM	0.0091					-		1			
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service			02.02		0.0001			<u> </u>		†		l	 	†	
	nannel Bank Feature Activations	1	\vdash		1 1	+									1	
570	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1	\vdash	UEP9E	1PQWS	0.66									1	
	Feature Activation on D-4 Channel Bank Centrex 2009 Glot	1	\vdash	UEP9E	1PQW6	0.66									1	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	1	\vdash	UEP9E	1PQW7	0.66					-		1			
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different WC	1	\vdash	UEP9E	1PQWP	0.66					-		1			
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66			<u> </u>		†		l	 	 	
	Feature Activation on D-4 Channel Bank Tivate Line Loop Slot	1	\vdash	UEP9E	1PQWQ	0.66									1	
-	Feature Activation on D-4 Channel Bank WATS Loop Slot	1	\vdash	UEP9E	1PQWA	0.66					-		1			
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex		\vdash	OLI OL	II QVVA	0.00								1	1	
14011-1	NRC Conversion Currently Combined Switch-As-Is w allowed changes,		\vdash		1 1	ł								1	1	
	per port			UEP9E	USAC2		21.50	8.42				11.90			1	
	Conversion of Existing Centrex Common Block, each	1	++	UEP9E	USACN	1	5.17	8.42	 	 	†	11.90	1	1	1	
-+	New Centrex Standard Common Block	1	\vdash	UEP9E	M1ACS	0.00	618.82	0.32			1	11.90	-	-	-	-
+	New Centrex Standard Common Block New Centrex Customized Common Block	1	\vdash	UEP9E UEP9E	M1ACS M1ACC	0.00	618.82					11.90			-	
1	inew Centrex Customized Common Block	1		UEP9E	WITACC	0.00	018.82		ì	ı	1	11.90	l	1	I	ı

JNBUNDL	ED NETWORK ELEMENTS - Florida												Attachment			ibit: B
ATEGORY	RATE ELEMENTS	Inte rim		BCS	usoc		R.	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	I Charge -	vs.
						Rec	Nonrec		NRC Disc					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CENTREX PORT/LOOP COMBINATIONS - MARKET RATES															
	rket Rates are applied where BellSouth is not required by FCC and/or					ocal Switching	or Switch Po	rts.								
	curring Charges for all Standard Centrex and Centrex Conrol Features															
3. En	d Office & Tandem Switching Usage & Common Transport Usage rate	s in th	e Port	section of this ex	nibit shall a	oply to all com	binations of l	oop/port net	work eleme	nts excep	t for UNE	Coin Port/L	oop Combin	ations.	<u> </u>	
	e first & add'l Port NRC charges apply to Not Currently Combined Cor	nbos.	For Ci	irrentiy Combined	Combos, th	e NKC charges	snall be thos	se identified	in the NKC	- Current	iy Combin	ea sections	. Add I NKC	s may apply	aiso and are	i
	orized accordingly.	_			1	1						1		1		
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)		1													
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)	-	L.	LIEBO.	<u> </u>	00 - :				ļ						
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		26.94		-							-	├
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	1	2	UEP91	+	31.06									1	—
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	-	3	UEP91	-	45.87		1	!	 			-	1	1	₩
UNE	Port/Loop Combination Rates (Design)			LIEDO4	_	20.00		-		ļ			1	ļ		₩
_	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91	_	29.36		-		ļ			1	ļ		₩
-	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	-	2	UEP91	-	34.43		1	-						1	₩
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91		50.68										
UNE	Loop Rate		⊢. ⊦		115001	10.01										
	2W VG Loop (SL 1)-Zone 1		1	UEP91	UECS1	12.94										
	2W VG Loop (SL 1)-Zone 2		2	UEP91	UECS1	17.06										
_	2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	31.87										
	2W VG Loop (SL 2)-Zone 1		1	UEP91	UECS2	15.36										
	2W VG Loop (SL 2)-Zone 2		2	UEP91	UECS2	20.43										
	2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	36.68										
	Ports		├													
All St	tates (Except NC and SC)		├			44.00	=			10.00						
	2W VG Port (Centrex) Basic Local Area		├	UEP91	UEPYA	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex 800 Term)Basic Local Area		-	UEP91	UEPYB	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex w Caller ID)1Basic Local Area		-	UEP91	UEPYH	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area		-	UEP91	UEPYM	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area		-	UEP91	UEPYZ	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area	-	-	UEP91 UEP91	UEPY9 UEPY2	14.00 14.00	70.00 70.00	35.00	35.00	10.00		11.90 11.90				
	2W VG Port Terminated on 800 Service Term-Basic Local Area	+	 	UEP91	UEPTZ	14.00	70.00	35.00	35.00	10.00		11.90				
Georg	gia and Florida Only 2W VG Port (Centrex)	+	 	UEP91	UEPHA	14.00	70.00	35.00	35.00	10.00		11.90				
	, ,		├				70.00									+
-	2W VG Port (Centrex 800 Term) 2W VG Port (Centrex w Caller ID)1		\vdash	UEP91 UEP91	UEPHB UEPHH	14.00 14.00	70.00	35.00 35.00	35.00 35.00	10.00		11.90 11.90	-	-	 	+
+	2W VG Port (Centrex w Caller ID)1 2W VG Port (Centrex from diff SWC)2	+	-	UEP91	UEPHH	14.00	180.00	110.00	85.00	20.00		11.90			1	+
	2W VG Port, Diff SWC-800 Service Term	+	-	UEP91	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90			1	
-+-	2W VG Port terminated in on Megalink or equivalent	+	-	UEP91	UEPH9	14.00	70.00	35.00	35.00	10.00		11.90			1	+
+	2W VG Port Terminated in on Weganink or equivalent	+	+	UEP91	UEPH2	14.00	70.00	35.00	35.00	10.00	1	11.90	1	1	 	+
Local	Switching	1	++	OFLAI	ULFIIZ	14.00	70.00	33.00	33.00	10.00		11.50		 	1	+
LUCA	Centrex Intercom Funtionality, per port		 	UEP91	URECS	0.7384										+
Local	Number Portability	+		OLI 31	OKLOS	0.7304										
Local	Local No Portability (1 per port)	1	++	UEP91	LNPCC	0.35		t						 	1	+
Featu		+		OLI UI	1111 00	0.00		-							-	
, catt	All Standard Features Offered, per port	+	+	UEP91	UEPVF	0.00		-				11.90	1		1	
-	All Select Features Offered, per port			UEP91	UEPVS	0.00	370.70	<u> </u>	<u> </u>			11.90	1	 	†	
-1	All Centrex Control Features Offered, per port	+	+	UEP91	UEPVC	0.00	3, 5, 10	t				11.90	1	 	t	t
NARS		+	+	0=101		0.00		-				11.50	1		1	
.47.110	Unbundled Network Access Register-Combination	+	+	UEP91	UARCX	0.00	0.00	0.00				11.90	1		1	
-	Unbundled Network Access Register-Combination Unbundled Network Access Register-Indial	+	+	UEP91	UAR1X	0.00	0.00	0.00				11.90	1		1	
-	Unbundled Network Access Register-India Unbundled Network Access Register-Outdial			UEP91	UAROX	0.00	0.00	0.00	<u> </u>			11.90	l	 	<u> </u>	†
Misce	ellaneous Terminations	+	+	02101	5, 11 (5)	0.00	0.00	0.00				11.50	1	 	t	
	e Trunk Side	+	+		1			-					1		1	
	Trunk Side Terms, each	+	+	UEP91	CENA6	8.81		-					1		1	+
Interd	office Channel Mileage - 2-Wire			OLI 31	OLIVAU	0.01		<u> </u>	<u> </u>				1	 	†	\vdash
	Interoffice Channel Facilities Term-VG	+	+	UEP91	M1GBC	25.32		t					1	 	t	1
-+-	Interoffice Channel mileage, per mile or fraction of mile	+	-	UEP91	M1GBM	0.0091		 	 	l			l		 	-

Version 3Q02: 10/07/02 Page 37 of 123

UNBUNDLI	ED NETWORK ELEMENTS - Florida												Attachment	:: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc		R/	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incrementa		Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge - Manual
						Rec	Nonrec		NRC Disc					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	re Activations (DS0) Centrex Loops on Channelized DS1 Service															<u> </u>
D4 Cr	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different WC		<u> </u>	UEP91 UEP91	1PQW7 1PQWP	0.66 0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		\vdash	UEP91	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop Slot		\vdash	UEP91	1PQWQ	0.66		-						-		
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										+
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex			OLI 31	II QWA	0.00										+
11011-1	Conversion-Currently Combined Switch-As-Is w allowed changes, per		t	UEP91	USAC2		21.50	8.42				11.90		1		
	Conversion of Existing Centrex Common Block		t	UEP91	USACN		5.17	8.32				11.90		1		1
	New Centrex Standard Common Block		t	UEP91	M1ACS	0.00	618.82	2.02				11.90	1	1		†
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	618.82					11.90		1		†
	Secondary Block, per Block			UEP91	M2CC1	0.00	71.31					11.90				
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	66.48					11.90				
UNE-I	P CENTREX - 5ESS (Valid in All States)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE I	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		26.94										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		31.06										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		45.87										
UNE	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		29.36										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		34.43										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		50.68										
UNE I	Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	12.94										
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	17.06										
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	31.87										
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	15.36 20.43										
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2											
LINIE	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	36.68										
All St	Port Rate		\vdash		-											
All St	2W VG Port (Centrex) Basic Local Area			UEP95	UEPYA	14.00	70.00	35.00	35.00	10.00		11.90				-
	2W VG Port (Centrex) Basic Educat Area 2W VG Port (Centrex 800 Term)		\vdash	UEP95	UEPYB	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex 666 Ferri) 2W VG Port (Centrex w Caller ID)1Basic Local Area			UEP95	UEPYH	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area			UEP95	UEPYM	14.00	180.00	110.00	85.00	20.00		11.90				+
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP95	UEPYZ	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	14.00	70.00	35.00	35.00	10.00		11.90				†
FL &	GA Only															
	2W VG Port (Centrex)			UEP95	UEPHA	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex 800 Term)			UEP95	UEPHB	14.00	70.00	35.00	35.00	10.00		11.90				
j	2W VG Port (Centrex w Caller ID)1			UEP95	UEPHH	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex from diff SWC)2			UEP95	UEPHM	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port, Diff SWC-800 Service Term			UEP95	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPH9	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port Terminated on 800 Service Term			UEP95	UEPH2	14.00	70.00	35.00	35.00	10.00		11.90				
Local	Switching															
	Centrex Intercom Funtionality, per port	ļ	igspace	UEP95	URECS	0.7384								1		<u> </u>
Local	Number Portability		$\sqcup \bot$		1									ļ		<u> </u>
	Local No Portability (1 per port)		$\sqcup \bot$	UEP95	LNPCC	0.35							ļ	.		<u> </u>
Featu		<u> </u>	$\vdash \vdash$	LIEBAE	LIES: #F	2.25								-		
	All Standard Features Offered, per port	<u> </u>	$\vdash \!$	UEP95	UEPVF	0.00	070 70					44.00				
 	All Select Features Offered, per port	<u> </u>	$\vdash \vdash$	UEP95	UEPVS	0.00	370.70					11.90		-		
11000	All Centrex Control Features Offered, per port		\vdash	UEP95	UEPVC	0.00							ļ	-		
NARS	Unbundled Network Access Register-Combination		$\vdash \vdash$	UEP95	UARCX	0.00	0.00	0.00				11.90	ļ		ļ	

ATTECHNY BATE ELEMENTS May be a company to the co	<u>JNBUND</u> LI	ED NETWORK ELEMENTS - Florida											Attachment	:: 2	Exhi	bit: B
Minute March Mar	CATEGORY	RATE ELEMENTS		BCS	usoc		R.	ATES(\$)			Order Submitte d Elec	Submitted Manually	I Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs.	I Charge Manual Svc Orde vs.
Internation Network Access Register Indianal USPR USRN US						Rec										
Unknowned Mexerant Access Registers Christian U.E.P95 U.M.O.X		Linbundled Network Access Projector Indial		LIEDOE	LIADAV				First	Add'l	SOMEC		SOMAN	SOMAN	SOMAN	SOMAN
Ministralization Terminations																
Partie Trust Side	Misce			OLI 93	UAROX	0.00	0.00	0.00				11.30				
Truns Soot Terms. scort																
BST Court Terms each UEP96				UEP95	CEND6	8.81										
DSS Channel Millages - 2-Wire DSS Channel Millages - 2-Wir	4-Wir															
Interesting Channel Millage 2-Wire																
Interestina Channel Acciding Farm				UEP95	M1HDO	0.00	15.69					11.90				
Interestive Channel missage, per may or fraction of male	Interd			LIEDOE	MODO	05.00										
Pesture Activations (DSI) Centrer Loops on Channelland DSI Service																
De Channel Bank Feature Activations	Fastu		\vdash	UEP95	IVIIGBIVI	0.0091			1	 	-	-		 		-
Feature Activation on D-4 Channel Bank Centres Loop Size Feature Archination on D-4 Channel Bank Fire Real Loop Size Feature Archination on D-4 Channel Bank Fire Real Loop Size Feature Archination on D-4 Channel Bank Fire Real Loop Size Feature Archination on D-4 Channel Bank Fire Real Loop Size Feature Archination on D-4 Channel Bank Fire Real Loop Size Feature Archination on D-4 Channel Bank Fire Real Loop Size Feature Archination on D-4 Channel Bank Fire Real Loop Size Feature Archination on D-4 Channel Bank Fire Real Loop Size Feature Archination on D-4 Channel Bank Fire Real Loop Size Feature Archination on D-4 Channel Bank Fire Real Loop Size Feature Archination on D-4 Channel Bank Fire Real Loop Size Feature Archination on D-4 Channel Bank Fire Real Loop Size Feature Archination on D-4 Channel Bank Fire Real Loop Size Feature Archination on D-4 Channel Bank Fire Real Loop Size Feature Archination on D-4 Channel Bank Fire Real Loop Size Feature Archination on D-4 Channel Bank Fire Real Loop Size Feature Archination on D-4 Channel Bank Fire Real Loop Size Feature Archination on D-4 Channel Bank Fire Real Loop Size Feature Archination Channel Bank Fire Real Loop Size Feature Archination Channel Bank Fire Real Loop Size Feature Archination Channel Bank Fire Real Loop Size Feature Archination Channel Bank Fire Real Loop Size Feature Archination Channel Bank Fire Real Loop Size Feature Archination Channel Bank Fire Real Loop Size Feature Archination Channel Bank Fire Real Loop Size Feature Archination Channel Bank Fire Real Loop Size Feature Archination Channel Bank Fire Real Loop Size Feature Archination Channel Bank Fire Real Loop Size Feature Archination Channel Bank Fire Real Loop Size Feature Archination Channel Bank Fire Real Loop Size Feature Archination Channel Bank Fire Real Loop Size Feature Archination Channel Bank Fire Real Loop Size Feature Archination Channel Bank Fire Real Loop Size Feature Archination Channel Bank Fire Real L			\vdash		1	+			1	1	1	1		 		
Feature Activation on D.4 Chammel Bank FX Time Side Loop Side UEP96 FP0W7 0.66	D-7 CI			UEP95	1POWS	0.66			1	 				†		
Feature Activation on D-4 Channel Bank PX Trunk Side Log Stild UEPS6 FPOWP 0.66														1		
Feature Activation on D-1 Channel Basic Neutres Loop Side UEP96 IPOWV 0.66	Ì															
Feature Activation on D-4 Chammel Bank XT-19 LineTrunk Logi Side LIEPPS TPOWA 0.66		Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different WC		UEP95	1PQWP	0.66										
Resture Activation on D-4 Channel Bank WATS Loop Sist UEPS POWA 0.66																
Non-Recurring Charage (NRC) Associated with UNE-P Centrex NRC Convesion of Esting Centrex Common Block, each UEP96 USAC2 0.00 21.50 8.42 11.90																
NRC Conversion Currently Combined Switch-As-law allowed changes, per port UEPPS USAC2 0.00 21.50 8.42 111.90 1				UEP95	1PQWA	0.66										
Der port	Non-l															
Conversion of Existing Centrex Standards Common Block seach UEP96 MACC 0.00 618.82 111.90 New Centrex Counter Standards Common Block UEP96 MACC 0.00 618.82 111.90 New Centrex Counter Standards Common Block UEP96 MACC 0.00 618.82 111.90 NAE Existing Standard Common Block UEP96 MACC 0.00 618.82 111.90 NAE Existing Standard				LIEDOE	110400	0.00	24.50	0.40				44.00				
New Centrex Standard Common Block		' '				0.00										
New Centrex Customized Common Block	+					0.00		0.32								
NAR Establishment Charge, Per Occasion UEP95 URECA 0.00 66.48 11.90																
WINE-P CENTREX - DMS100 (Valid In All States)																
NEPOrtLoop Combination Rates (Non-Design)	UNE-															
2 2 3 3 4 5 5 5 5 5 5 5 5 5	2-Wir	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
2 W G Loop/ZW V G Port (Centex)Port Combo-Non-Design 2 UEP9D 31.06	UNE															
W V Loop/ZW V G Port (Centrex/Port Combo-Non-Design 3 UEP9D 45.87																
WIKE Port/Loop Combination Rates (Design)																
ZW VG Loop/ZW VG Port (Centrex) Port Combo-Design 1 UEP9D 29.36			3	UEP9D		45.87										
2W VG Loop/ZW VG Port (Centrex)Port Combo-Design 2 UEPBD 34.43	UNE		1	LIEDOD	-	20.26										
ZW VG Loop (St. 1)-Zone 1																
UNE Loop Rate																
2W VG Loop (St. 1)-Zone 1	UNE			OLI OD		00.00										
2			1	UEP9D	UECS1	12.94										
2W VG Loop (SL 2)-Zone 1			2													
2W VG Loop (SL 2)-Zone 2				UEP9D	UECS1	31.87										
2W VG Loop (St. 2)-Zone 3 3 UEP9D UECS2 36.68			1				•									
UNE Port Rate			_		_									ļ		
ALL STATES			3	UEP9D	UECS2	36.68										ļ
2W VG Port (Centrex) Basic Local Area					-					ļ		1				
2W VG Port (Centrex/EBS-PSET)3Basic Local Area UEP9D UEPYB 14.00 70.00 35.00 35.00 10.00 11.90	ALL			HEDOD	HEDVA	14.00						11.00				
2W VG Port (Centrex/EBS-PSET)3Basic Local Area UEP9D UEPYC 14.00 70.00 35.00 35.00 10.00 11.90							70.00	35.00	35.00	10.00						
2W VG Port (Centrex/EBS-M5009)3Basic Local Area UEP9D UEPYD 14.00 70.00 35.00 35.00 10.00 11.90	-															
2W VG Port (Centrex/EBS-M5209))3 Basic Local Area UEP9D UEPYF 14.00 70.00 35.00 35.00 10.00 11.90														1		
2W VG Port (Centrex/EBS-M5112)3 Basic Local Area																
2W VG Port (Centrex/EBS-M5008)3 Basic Local Area UEP9D UEPYT 14.00 70.00 35.00 35.00 10.00 11.90																
2W VG Port (Centrex/EBS-M5208)3 Basic Local Area UEP9D UEPYU 14.00 70.00 35.00 35.00 10.00 11.90 11.90 12.00 12.		2W VG Port (Centrex/EBS-M5312))3Basic Local Area		UEP9D	UEPYG	14.00	70.00	35.00	35.00	10.00		11.90				
2W VG Port (Centrex/EBS-M5216)3 Basic Local Area UEP9D UEPYV 14.00 70.00 35.00 35.00 10.00 11.90																
2W VG Port (Centrex/EBS-M5316)3 Basic Local Area UEP9D UEPY3 14.00 70.00 35.00 35.00 10.00 11.90			$oxed{oxed}$											ļ		
2W VG Port (Centrex w Caller ID) Basic Local Area UEP9D UEPYH 14.00 70.00 35.00 35.00 10.00 11.90			\sqcup													ļ
2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local Area UEP9D UEPYW 14.00 70.00 35.00 35.00 10.00 11.90 11.90 2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area UEP9D UEPYJ 14.00 70.00 35.00 35.00 10.00 11.90			\vdash											1		
Area UEP9D UEPYW 14.00 70.00 35.00 10.00 11.90 2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area UEP9D UEPYJ 14.00 70.00 35.00 35.00 10.00 11.90			\vdash	UEP9D	UEPYH	14.00	70.00	35.00	35.00	10.00	 	11.90		 		
2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area UEP9D UEPYJ 14.00 70.00 35.00 10.00 11.90				HEDOD	HEDVM	14.00	70.00	25.00	25.00	10.00		11 00		1		
	-		\vdash								 			 		1
I IZW VG Port (Centrex from diff SWC) 2 Basic Local Area III UEP9D IUEP9M I 14 00 I 70 00 I 35 00 I 35 00 I 10 00 I I 11 00 I I I I I	- 1	2W VG Port (Centrex/insg Wtg Lamp indication)3 Basic Local Area	++	UEP9D	UEPYM	14.00	70.00	35.00	35.00	10.00		11.90	†	 		

Version 3Q02: 10/07/02 Page 39 of 123

ONBONDL	D NETWORK ELEMENTS - Florida												Attachment	: 2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc		R.	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	I Charge - Manual Svc Order vs.	Incrementa I Charge - Manual Svc Order vs. Electronic
						Rec	Nonrec	urring	NRC Disc					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex/differ SWC/EBS-PSET)2, 3 Basic Local Area			UEP9D	UEPYO	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5009)2, 3 Basic Local Area 2W VG Port (Centrex/differ SWC/EBS-5209)2, 3 Basic Local Area		-	UEP9D UEP9D	UEPYP	14.00 14.00	70.00 180.00	35.00 110.00	35.00 85.00	10.00 20.00		11.90 11.90		-		-
-	2W VG Port (Centrex/differ SWC/EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	14.00	180.00	110.00	85.00	20.00		11.90	-	-		-
	2W VG Port (Centrex/differ SWC/EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	14.00	180.00		85.00	20.00		11.90				
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPYZ	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	14.00	70.00	35.00	35.00	10.00		11.90				
EI 0	2W VG Port Terminated on 800 Service Term Basic Local Area	 	$\vdash \vdash$	UEP9D	UEPY2	14.00	70.00	35.00	35.00	10.00	1	11.90	-	1		+
FL &	GA Only 2W VG Port (Centrex)		\vdash	UEP9D	UEPHA	14.00	70.00	35.00	35.00	10.00		11.90		-		-
 	2W VG Port (Centrex) 2W VG Port (Centrex 800 Term)	 	\vdash	UEP9D UEP9D	UEPHA	14.00	70.00	35.00	35.00	10.00	1	11.90	 	 		
 	2W VG Port (Centrex/EBS-PSET)3	1	\vdash	UEP9D	UEPHC	14.00	70.00	35.00	35.00	10.00	-	11.90		t		—
 	2W VG Port (Centrex/EBS-M5009)3			UEP9D	UEPHD	14.00	70.00	35.00	35.00	10.00		11.90		<u> </u>		
	2W VG Port (Centrex/EBS-M5209)3			UEP9D	UEPHE	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex/EBS-M5112)3			UEP9D	UEPHF	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex/EBS-M5312)3			UEP9D	UEPHG	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex/EBS-M5008)3			UEP9D	UEPHT	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex/EBS-M5208)3			UEP9D	UEPHU	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex/EBS-M5216)3			UEP9D	UEPHV	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex/EBS-M5316)3			UEP9D	UEPH3	14.00	70.00		35.00	10.00		11.90				
	2W VG Port (Centrex w Caller ID)			UEP9D	UEPHH	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 2W VG Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D UEP9D	UEPHW	14.00 14.00	70.00 70.00	35.00 35.00	35.00 35.00	10.00		11.90 11.90				
	2W VG Port (Centrex/msg Vitg Lamp Indication)3 2W VG Port (Centrex from diff SWC) 2			UEP9D	UEPHM	14.00	180.00	110.00	85.00	20.00		11.90	-	-		-
	2W VG Port (Centrex/differ SWC/EBS-PSET)2, 3			UEP9D	UEPHO	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5009)2, 3			UEP9D	UEPHP	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC/EBS-5209)2, 3			UEP9D	UEPHQ	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5112)2, 3			UEP9D	UEPHR	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5312)2, 3			UEP9D	UEPHS	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5008)2, 3			UEP9D	UEPH4	14.00	180.00		85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5208)2, 3			UEP9D	UEPH5	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5216)2, 3			UEP9D	UEPH6	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port (Centrex/differ SWC/EBS-M5316)2, 3		.	UEP9D	UEPH7	14.00	180.00	110.00	85.00	20.00		11.90				
-	2W VG Port, Diff SWC-800 Service Term		-	UEP9D	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90		-		-
	2W VG Port terminated in on Megalink or equivalent 2W VG Port Terminated on 800 Service Term			UEP9D UEP9D	UEPH9 UEPH2	14.00 14.00	70.00 70.00		35.00 35.00	10.00		11.90 11.90				
Local	Switching			UEF9D	UEPHZ	14.00	70.00	35.00	33.00	10.00		11.90				
Local	Centrex Intercom Funtionality, per port		\vdash	UEP9D	URECS	0.7384										
Local	Number Portability			02.05	ONLEGG	0.7001										
	Local No Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70					11.90				
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00								ļ		L
NARS		 	$\vdash \vdash$	LIEBAR	11450	2.00							<u> </u>			-
 	Unbundled Network Access Register-Combination	 	$\vdash \vdash$	UEP9D	UARCX	0.00	0.00				1	11.90	-	1		+
\vdash	Unbundled Network Access Register-Inward	-	\vdash	UEP9D	UAR1X	0.00	0.00					11.90		 		
Misso	Unbundled Network Access Register-Outdial Ilaneous Terminations	<u> </u>	⊢⊹	UEP9D	UAROX	0.00	0.00	0.00			-	11.90	-			-
	Trunk Side	 	\vdash		1			 			-		 	t		
	Trunk Side Terms, each	1	\vdash	UEP9D	CEND6	8.81		†			-			t		—
	e Digital (1.544 Megabits)			02.00	52,400	0.01							t e	1		
1 1 1 1 1 1 1	DS1 Circuit Terms, each			UEP9D	M1HD1	54.95		1						1		
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.69	1				11.90				
Interd	ffice Channel Mileage - 2-Wire		Ш													
	Interoffice Channel Facilities Term			UEP9D	MIGBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0091										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	l	1		1			1			1				l	1

Version 3Q02: 10/07/02 Page 40 of 123

UNBUNDL	ED NETWORK ELEMENTS - Florida													Attachment	:: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne		BCS	usoc		R/	ATES(\$)			Svc Order Submitte d Elec per LSR	Submitted	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incrementa I Charge - Manual Svc Order vs. Electronic-	I Charge Manual Svc Order vs.
							Rec	Nonrec	urring	NRC Disc					Rates(\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
D4 C	hannel Bank Feature Activations																
	Feature Activation on D-4 Channel Bank Centrex Loop Slot				UEP9D	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot				UEP9D	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot				UEP9D	1PQW7	0.66										
<u> </u>	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different WC				UEP9D	1PQWP	0.66										
<u> </u>	Feature Activation on D-4 Channel Bank Private Line Loop Slot				UEP9D	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot		H		UEP9D	1PQWQ 1PQWA	0.66 0.66								-	├	
Nan					UEP9D	IPQWA	0.00									⊢—	
Non-I	Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is w allowed changes,					-											
					UEP9D	USAC2		21.50	8.42				11.90				
\vdash	per port Conversion of existing Centrex Common Block, each		\vdash	 	UEP9D	USACN	-	5.17	8.42			-	11.90		 		
\vdash	New Centrex Standard Common Block		\vdash		UEP9D	M1ACS	0.00	618.82	0.32			1	11.90	1	1	\vdash	\vdash
+-	New Centrex Customized Common Block	_		 	UEP9D	M1ACC	0.00	618.82	1				11.90	 	 		\vdash
	NAR Establishment Charge, Per Occasion				UEP9D	URECA	0.00	66.48					11.90				+
UNF	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)				OLI 3D	ORLOA	0.00	00.40					11.30				
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo					-											
	Port/Loop Combination Rates (Non-Design)					1											
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1		UEP9E	1	26.94										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2		UEP9E	1	31.06										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3		UEP9E		45.87										
UNE	Port/Loop Combination Rates (Design)																
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1		UEP9E		29.36										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2		UEP9E		34.43										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3		UEP9E		50.68										
UNE	Loop Rate		Ť				33.33										
	2W VG Loop (SL 1)-Zone 1		1		UEP9E	UECS1	12.94										
	2W VG Loop (SL 1)-Zone 2		2		UEP9E	UECS1	17.06										
	2W VG Loop (SL 1)-Zone 3		3		UEP9E	UECS1	31.87										1
	2W VG Loop (SL 2)-Zone 1		1		UEP9E	UECS2	15.36										1
	2W VG Loop (SL 2)-Zone 2		2		UEP9E	UECS2	20.43										
	2W VG Loop (SL 2)-Zone 3		3		UEP9E	UECS2	36.68										1
UNE	Port Rate																
AL, F	L, KY, LA, MS, & TN only																
	2W VG Port (Centrex) Basic Local Area				UEP9E	UEPYA	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex 800 Term)Basic Local Area				UEP9E	UEPYB	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex w Caller ID)1Basic Local Area				UEP9E	UEPYH	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex from diff SWC)2 Basic Local Area				UEP9E	UEPYM	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area				UEP9E	UEPYZ	14.00	180.00	110.00	85.00	20.00		11.90				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area				UEP9E	UEPY9	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port Terminated on 800 Service Term-Basic Local Area				UEP9E	UEPY2	14.00	70.00	35.00	35.00	10.00		11.90				
Florid	da Only																
	2W VG Port (Centrex)				UEP9E	UEPHA	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex 800 Term)				UEP9E	UEPHB	14.00	70.00	35.00	35.00	10.00		11.90				
	2W VG Port (Centrex w Caller ID)1				UEP9E	UEPHH	14.00	70.00	35.00	35.00	10.00		11.90			<u> </u>	
	2W VG Port (Centrex from diff SWC)2				UEP9E	UEPHM	14.00	180.00	110.00	85.00	20.00		11.90				
\vdash	2W VG Port, Diff SWC-800 Service Term		$\vdash \downarrow$	<u> </u>	UEP9E	UEPHZ	14.00	180.00	110.00	85.00	20.00		11.90				<u> </u>
\vdash	2W VG Port terminated in on Megalink or equivalent		$\vdash \downarrow$	<u> </u>	UEP9E	UEPH9	14.00	70.00	35.00	35.00	10.00		11.90				<u> </u>
	2W VG Port Terminated on 800 Service Term	<u> </u>	\sqcup	<u> </u>	UEP9E	UEPH2	14.00	70.00	35.00	35.00	10.00		11.90			├	<u> </u>
Loca	I Switching		$\vdash \vdash$		LIEBOE	LIDEOC	0.7001							ļ	-	├	
	Centrex Intercom Funtionality, per port		$\vdash \vdash$	<u> </u>	UEP9E	URECS	0.7384								-		
Loca	I Number Portability	<u> </u>	\vdash	<u> </u>	LIEDOE	LNDCC	0.05								!	├	
 	Local No Portability (1 per port)	<u> </u>	\vdash	<u> </u>	UEP9E	LNPCC	0.35		1			 	1	1	 	+	
Featu		<u> </u>	\vdash	<u> </u>	LIEDOE	LIEDVE	0.00		1			 	1	1	 	+	
\vdash	All Standard Features Offered, per port		\vdash		UEP9E	UEPVE	0.00	270.70	-				44.00		 		
	All Select Features Offered, per port	<u> </u>	\vdash	<u> </u>	UEP9E	UEPVS	0.00	370.70	1			 	11.90	1	 	+	├
\Box	All Centrex Control Features Offered, per port	-	₩	 	UEP9E	UEPVC	0.00		-			1			 		\leftarrow
NIA DA		1	1 1	ı								1		l	l .	1	1
NARS					LIEDOE	HADOV	0.00	0.00	0.00				44.00			1	
NAR	Unbundled Network Access Register-Combination				UEP9E	UARCX	0.00	0.00	0.00				11.90				
NAR					UEP9E UEP9E UEP9E	UARCX UAR1X UAROX	0.00 0.00 0.00	0.00 0.00 0.00	0.00 0.00 0.00				11.90 11.90 11.90				

Version 3Q02: 10/07/02 Page 41 of 123

UNBUNDL	ED NETWORK ELEMENTS - Florida											Attachmen	:: 2	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Inte rim	BCS	usoc		R.A	ATES(\$)				Submitted Manually per LSR	I Charge - Manual	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	I Charge -	I Charge Manual Svc Orde vs.
					Rec	Nonrec	urring	NRC Dis	connect			oss	Rates(\$)	•	•
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wir	e Trunk Side														
	Trunk Side Terms, each		UEP9E	CEND6	8.81										
4-Wir	e Digital (1.544 Megabits)														
	DS1 Circuit Terms, each		UEP9E	M1HD1	54.95										
	DS0 Channel Activated Per Channel		UEP9E	M1HDO	0.00	15.69					11.90				
Interd	office Channel Mileage - 2-Wire														
	Interoffice Channel Facilities Term		UEP9E	MIGBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile		UEP9E	MIGBM	0.0091										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service														
D4 CI	hannel Bank Feature Activations														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		UEP9E	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		UEP9E	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		UEP9E	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different WC		UEP9E	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		UEP9E	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot		UEP9E	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		UEP9E	1PQWA	0.66										
Non-l	Recurring Charges (NRC) Associated with UNE-P Centrex														
	NRC Conversion Currently Combined Switch-As-Is w allowed changes,														
	per port		UEP9E	USAC2		21.50	8.42				11.90				
	Conversion of Existing Centrex Common Block, each		UEP9E	USACN		5.17	8.32				11.90				
	New Centrex Standard Common Block		UEP9E	M1ACS	0.00	618.82					11.90				
	New Centrex Customized Common Block		UEP9E	M1ACC	0.00	618.82					11.90				
	NAR Establishment Charge, Per Occasion		UEP9E	URECA	0.00	66.48					11.90				
	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD														
	2 - Requres Interoffice Channel Mileage								1						<u> </u>
	3 - Requires Specific Customer Premises Equipment Rates displaying an "R" in Interim column are interim and subject to														

UNBUNDLED NET	WORK ELEMENTS - North Carolina												Attachment:		Exhil	oit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc		R.A	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs. Electronic-	Increment I Charge Manual Svc Orde vs.
													1st	Electronic-	Disc 1st	Electroni
						Rec	Nonred First	curring Add'l		sconnect	SOMEC	SOMAN		Rates(\$) SOMAN	SOMAN	SOMAN
The "Zone" sh	own in the sections for stand-alone loops or loops as part of a	com	bina	tion refers to Geogra	phically D	eaveraged UNE										COMPAR
http://www.int	erconnection.bellsouth.com/become_a_clec/html/interconnection	on.ht	m		1	T				ı		1	ı	1		
	ctronic Service Order: CLEC should contact its contract negotion	ator if	it p	refers the state speci	fic electro	nic service ord	ering charges	as ordered b	v the Cor	nmission	s. The ele	ctronic serv	rice orderina	charge curre	ently contain	ed in this
	the BellSouth regional electronic service ordering charge. CLE r element that can be ordered electronically will be billed accor															
NOTE: (2) Any	For those elements that cannot be ordered electronically will be billed according to the second section of the control of the	aing	to th	the BBB I O the list	in this cat	gory. Please	refer to Bells	outn's Busine	ess Rules	tor Local	Ordering	C enec elec	determine ir	a product c	an be ordere	a ina far th
	erwise, the manual ordering charge, SOMAN, will be applied to						tegory reflect	s the charge t	nat would	a be bille	a to a CLE	C once elec	tronic orderii	ng capabiliti	es come on-i	ine for the
	ic OSS Charge, per LSR, submitted via BST's OSS interactive	a OLL	-03	bili when it submits t	lii Lok to i	Jenoodin.										
interface	es (Regional)				SOMEC		3.50									
	ADVANCEMENT CHARGE															
	spedite charge will be maintained commensurate with BellSout	n's FC	C N			ole.	200.00									
UNE EX	pedite Charge per Circuit or Line Assignable USOC, per Day			ALL UNE	SDASP		200.00									
	OG VOICE GRADE LOOP	-+				 										
	log VG Loop-SL1-Zone 1		1	UEANL	UEAL2	12.11	57.99	42.37					26.94	12.76		
	log VG Loop-SL1-Zone 2		2	UEANL	UEAL2	21.24	57.99	42.37					26.94	12.76		
	log VG Loop-SL1-Zone 3		3	UEANL	UEAL2	33.65	57.99	42.37					26.94	12.76		
	sting-Basic 1st Half Hour			UEANL	URET1		76.24						26.94	12.76		
	sting-Basic Add'l Half Hour		_	UEANL	URETA		39.51 15.76	0.00					26.94	12.76		
	CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1) led Voice Loop, Unbundled Non-Design Voice Loop, billing for	-	-	UEANL	UREWO		15.76	8.93					26.94	12.76		
	viding make-up			UEANL	UEANM		28.74	28.74								
	Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38								
	oordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		45.34									
	ndled COPPER LOOP															
	undled Copper Loop-Non-Designed Zone 1		1	UEQ UEQ	UEQ2X	10.16 17.55	35.27	15.60					26.94 26.94	12.76		
	undled Copper Loop-Non-Designed-Zone 2 undled Copper Loop-Non-Designed-Zone 3		3	UEQ	UEQ2X UEQ2X	17.55 27.58	35.27 35.27	15.60 15.60					26.94	12.76 12.76		
	oordination 2W Unbundled Copper Loop-Non-Designed (per loop)		3	UEQ	USBMC	21.50	45.34	15.60					20.94	12.70		
	led Copper Loop, Non-Designed Billing for BST providing make-			UEQ	UEQMU	ĺ	28.74	28.74					26.94	12.76		
	sting-Basic 1st Half Hour			UEQ	URET1		76.24						26.94	12.76		
	sting-Basic Add'l Half Hour			UEQ	URETA		39.51						26.94	12.76		
	CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO		14.26	7.42					26.94	12.76		
UNBUNDLED EXCHAN	OG VOICE GRADE LOOP	-														
	log VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	12.11	57.99	42.37					26.94	12.76		
	log VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	12.11	57.99	42.37					26.94	12.76		
	log VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	21.24	57.99	42.37					26.94	12.76		
	log VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	21.24	57.99	42.37					26.94	12.76		
	log VG Loop-SL1-Line Splitting-Zone 3 log VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB UEPSR UEPSB	UEALS UEABS	33.65 33.65	57.99 57.99	42.37 42.37		 			26.94 26.94	12.76 12.76		
	log VG Loop-SL1-Line Splitting-Zone 3	+	J	UEFOR UEFOB	OEAB2	33.05	57.99	42.37	-	1	-		20.94	12./6		
	Loop (SL1) for Line Splitting-Zone 1		1	UEPRX	UEPLX	13.03	2.77	0.40	42.95	9.85						
2W VG I	Loop (SL1) for Line Splitting-Zone 2		2	UEPRX	UEPLX	21.33	2.77	0.40	42.95	9.85						
	Loop (SL1)for Line Splitting-Zone 3		3	UEPRX	UEPLX	32.61	2.77	0.40	42.95	9.85						
UNBUNDLED EXCHAN						ļ										
	OG VOICE GRADE LOOP log VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1	-	1	UEA	UEAL2	14.97	142.97	106.56					26.94	12.76		
	log VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1	-+	2	UEA	UEAL2	25.93	142.97	106.56	 				26.94	12.76		
	log VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3	-	3	UEA	UEAL2	40.81	142.97	106.56					26.94	12.76		
Order Co	oordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34									
	og VG Loop-SL2 w/Reverse Battery Signaling-Zone 1		1	UEA	UEAR2	14.97	142.97	106.56					26.94	12.76		
	log VG Loop-SL2 w/Reverse Battery Signaling-Zone 2		2	UEA	UEAR2	25.93	142.97	106.56					26.94	12.76		
	log VG Loop-SL2 w/Reverse Battery Signaling-Zone 3 oordination for Specified Conversion Time (per LSR)	-+	3	UEA UEA	UEAR2 OCOSL	40.81	142.97 45.34	106.56	-		 		26.94	12.76		
	OCTIONATION FOR Specified Conversion Time (per LSR) CLEC Conversion Charge w/o outside dispatch	-+		UEA	UREWO	 	45.34 87.64	36.33					26.94	12.76		
	OG VOICE GRADE LOOP	-+		OLA .	J.K.LVVO		07.04	50.55		1			20.04	12.70		
	log VG Loop-Zone 1		1	UEA	UEAL4	21.32	288.47	237.45					26.94	12.76		
	log VG Loop-Zone 2		2	UEA	UEAL4	36.27	288.47	237.45					26.94	12.76		

Version 3Q02: 10/07/02 Page 43 of 123

UNDUNDL	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc		R.	ATES(\$)			Svc Order Submitte d Elec per LSR	per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-	I Charge - Manual Svc Orde
						Rec	Nonre	curring		sconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	56.57	288.47	237.45					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.64	36.33					26.94	12.76		
2-WIF	RE ISDN DIGITAL GRADE LOOP															
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	19.42	325.91	251.31					26.94	12.76		
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	32.88	325.91	251.31					26.94	12.76		
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	51.14	325.91	251.31					26.94	12.76		
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45.34									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.55	44.12					26.94	12.76		ļ
2-WIF	RE Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 1		1	UDC	UDC2X	19.42	325.91	251.31	ļ	ļ			26.94	12.76	ļ	
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 2		2	UDC	UDC2X	32.88	325.91	251.31					26.94	12.76		
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 3		3	UDC	UDC2X	51.14	325.91	251.31					26.94	12.76		
L	CLEC to CLEC Conversion Charge w/o outside dispatch			UDC	UREWO		91.55	44.12					26.94	12.76		
2-WIF	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE	LOO	Р													
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-		ایا	1141	1141.07	44.00	004.74	445.00								
ļ	Zone 1		1	UAL	UAL2X	11.00	264.71	145.60								<u> </u>
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-															
	Zone 2		2	UAL	UAL2X	18.39	264.71	145.60								
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-															
	Zone 3		3	UAL	UAL2X	28.42	264.71	145.60								ļ
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	44.00	45.34							40.00		
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 1		1	UAL	UAL2W	11.00	190.25	114.82					26.94	12.76		
ļ	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 2		2	UAL	UAL2W	18.39	190.25	114.82					26.94	12.76		<u> </u>
ļ	2W Unbundled ADSL Loop w/o manl svc ing & facility reservaton-Zone 3		3	UAL	UAL2W	28.42	190.25	114.82					26.94	12.76		<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34	10.00						40.00		
0.14/15	CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		86.12	40.36					26.94	12.76		<u> </u>
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE L	UUP														-
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-		ایا		1 11 11 034	0.04	004.74	100 51					0.00	0.00		
	Zone 1		1	UHL	UHL2X	9.01	284.74	163.54					0.00	0.00		
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-		2	UHL	UHL2X	44.07	204.74	163.54					0.00	0.00		
	Zone 2			UHL	UHLZX	14.87	284.74	163.54					0.00	0.00		
	2W Unbundled HDSL Loop including manl svc inq & facility reservation- Zone 3		3	UHL	UHL2X	22.82	284.74	163.54					0.00	0.00		
			3	UHL	OCOSL	22.82		163.54					0.00	0.00		
	Order Coordination for Specified Conversion Time (per LSR) 2W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 1		1	UHL	UHL2W	9.01	45.34 207.48	132.05					26.94	12.76		
	2W Unbundled HDSL Loop w/o mani svc inq & facility reservation-zone 1 2W Unbundled HDSL Loop w/o mani svc inq & facility reservation-Zone 2		2	UHL	UHL2W	14.87	207.48	132.05					26.94	12.76		
	2W Unbundled HDSL Loop w/o man! svc inq & facility reservation-Zone 2 2W Unbundled HDSL Loop w/o man! svc inq & facility reservation-Zone 3		3	UHL	UHL2W	22.82	207.48	132.05					26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	22.02	45.34	132.05					20.94	12.76		-
-	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.06	40.36					26.94	12.76		-
4-WIE	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE L	nn P		UNL	UKEWU		00.00	40.30					20.94	12.70		-
4-441	4W Unbundled HDSL Loop including manl svc ing & facility reservation-	UUP			_											-
	Zone 1		1	UHL	UHL4X	10.62	341.65	220.45								
	4W Unbundled HDSL Loop including manl svc inq & facility reservation-			OTIL	OFILTA	10.02	341.03	220.43								
	Zone 2		2	UHL	UHL4X	17.67	341.65	220.45								
	4W Unbundled HDSL Loop including man! svc inq & facility reservation-			OTIL	OFILTA	17.07	341.03	220.43								
	Zone 3		3	UHL	UHL4X	27.24	341.65	220.45								
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	21.24	45.34	220.43	1	 	1		 		1	
	4W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 1		1	UHL	UHL4W	10.62	264.39	188.96	1	 	1		26.94	12.76	1	
	4W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UHL	UHL4W	17.67	264.39	188.96					26.94	12.76		
	4W Unbundled HDSL Loop w/o man! svc inq & facility reservation-Zone 3		3	UHL	UHL4W	27.24	264.39	188.96		1			26.94	12.76		
	Order Coordination for Specified Conversion Time (per LSR)		 	UHL	OCOSL	21.27	45.34	100.00	1	 			20.04	12.70	<u> </u>	
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.06	40.36	1	†	t		26.94	12.76	1	†
4-WIF	RE DS1 DIGITAL LOOP			J. 12	5		55.00	.5.55		1			20.04	.2.70		
· · · · · · · · · · · · · · · · · · ·	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	47.60	714.84	421.47		†			42.19	12.76		
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	84.36	714.84	421.47	†				42.19	12.76	Ì	†
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	134.29	714.84	421.47					42.19	12.76		
	Order Coordination for Specified Conversion Time (per LSR)		H	USL	OCOSL		48.31	1	†					.=	Ì	
 	CLEC to CLEC Conversion Charge w/o outside dispatch		1	USL	UREWO		100.99	43.00	1			i	26.94	12.76	1	

UNBUNDLI	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc		R/	ATES(\$)		Si c p		Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-	I Charge Manual Svc Orde
						Rec		curring	NRC Disconi					Rates(\$)		
							First	Add'l	First Ad	d'IS	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25.32	489.04	337.51					26.94	12.76		
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	43.11	489.04	337.51					26.94	12.76		
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	67.26	489.04	337.51					26.94	12.76		
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	25.32	489.04	337.51					26.94	12.76		
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	43.11	489.04	337.51					26.94	12.76		
-	4W Unbundled Digital Loop 56 Kbps-Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UDL UDL	UDL56 OCOSL	67.26	489.04 45.34	337.51					26.94	12.76		
-	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	25.32	489.04	337.51					26.94	12.76		
-	4W Unbundled Digital Loop 64 Kbps-Zone 1 4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	43.11	489.04	337.51					26.94	12.76		
+	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	67.26	489.04	337.51					26.94	12.76		
+	Order Coordination for Specified Conversion Time (per LSR)		3	UDL	OCOSL	07.20	45.34	337.31					20.34	12.70		
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.03	49.70					26.94	12.76		
2-WIR	E Unbundled COPPER LOOP			052	UNLING		.02.00	.0.70					20.01	12.70		
	2W Unbundled Copper Loop/Short including manl svc ing & facility							1					İ		i e	
	reservation-Zone 1		1	UCL	UCLPB	13.26	262.86	143.75					1	1		
	2W Unbundled Copper Loop/Short including manl svc ing & facility															
	reservation-Zone 2		2	UCL	UCLPB	22.39	262.86	143.75								
	2W Unbundled Copper Loop/Short including manl svc ing & facility															
	reservation-Zone 3		3	UCL	UCLPB	34.80	262.86	143.75								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-															
	Zone 1		1	UCL	UCLPW	13.26	188.39	112.96					26.94	12.76		
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-															
	Zone 2		2	UCL	UCLPW	22.39	188.39	112.96					26.94	12.76		
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-															
	Zone 3		3	UCL	UCLPW	34.80	188.39	112.96					26.94	12.76		
-	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	2W Unbundled Copper Loop/Long-includes man! svc inq & facility		1	LICI	1101.01	40.00	202.00	440.75								
	reservation-Zone 1 2W Unbundled Copper Loop/Long-includes manl svc inq & facility		1	UCL	UCL2L	13.26	262.86	143.75								
	reservation-Zone 2		2	UCL	UCL2L	22.39	262.86	143.75								
+	2W Unbundled Copper Loop/Long-includes manl svc ing & facility			UCL	UCLZL	22.39	202.00	143.73		-					1	
	reservation-Zone 3		3	UCL	UCL2L	34.80	262.86	143.75								
	Order Coordination for Unbundled Copper Loops (per loop)		J	UCL	UCLMC	34.00	61.38	61.38								
	2W Unbundled Copper Loop/Long-w/o man! svc inq & facility reservation-			002	COLIVIO		01.00	01.00								
	Zone 1		1	UCL	UCL2W	13.26	188.39	112.96					26.94	12.76		
	2W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation-				OOLLII	10.20	100.00	1.12.00					20.0 .	12.70		
	Zone 2		2	UCL	UCL2W	22.39	188.39	112.96					26.94	12.76		
	2W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation-															
	Zone 3		3	UCL	UCL2W	34.80	188.39	112.96					26.94	12.76		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)			UCL	UREWO		97.14	42.44					26.94	12.76		
4-WIR	E COPPER LOOP															
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone		1	UCL	UCL4S	17.36	311.03	191.93								
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone		2	UCL	UCL4S	29.61	311.03	191.93								
\vdash	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone		3	UCL	UCL4S	46.26	311.03	191.93	 	_					 	
\vdash	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	47.00	61.38	61.38	1		-		20.04	40.70	1	-
-	4W Copper Loop/Short-w/o manl svc ing & facility reservation-Zone 1		1	UCL	UCL4W	17.36	236.57	161.14					26.94	12.76		
 	4W Copper Loop/Short-w/o manl svc ing & facility reservation-Zone 2		3	UCL	UCL4W UCL4W	29.61 46.26	236.57 236.57	161.14 161.14	 				26.94 26.94	12.76 12.76		-
 	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 3 Order Coordination for Unbundled Copper Loops (per loop)		3	UCL UCL	UCL4W UCLMC	46.∠6	61.38	61.38	 				∠6.94	12.76	1	-
\vdash	4W Unbundled Copper Loop/Long-includes manl svc inq & facility		\vdash	UUL	UCLIVIC		01.38	01.38	 		-		1	 	1	-
	reservation-Zone 1		1	UCL	UCL4L	17.36	311.03	191.93					1	1		
 	4W Unbundled Copper Loop/Long-includes manl svc ing & facility			UUL	OOL4L	17.30	311.03	191.93	1				 	 	 	-
	reservation-Zone 2		2	UCL	UCL4L	29.61	311.03	191.93					1	1		
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility		-		JULTE	20.01	311.00	101.00	 	-	1		 	1	1	t
	reservation-Zone 3		3	UCL	UCL4L	46.26	311.03	191.93								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	0	61.38	61.38	 	_			1	 	1	

UNDUNDLI	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	USOC		R.	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge Manual Svc Orde vs.
						Rec	Nonre	curring	NRC Disc					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-															
	Zone 1		1	UCL	UCL40	17.36	236.57	161.14					26.94	12.76		
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-		_											40.00		
	Zone 2		2	UCL	UCL40	29.61	236.57	161.14					26.94	12.76		
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-		3	UCL	UCL4O	46.26	236.57	161.14					26.94	12.76		
—	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	40.20	61.38	61.38	-				20.94	12.76	-	
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)			UCL	UREWO		97.14	42.44								
LOOP MODIF				002	ONLETTO		0									
				UAL,UHL,UCL,UEQ,U												
				LS,UEA,UEANL,UDL,											1	
1 1	Unbundled Loop Modification, Removal of Load Coils-2W pr < or = 18kft			UDC,UDN,USL	ULM2L		21.24	21.24					1	1	I	1
	Unbundled Loop Modification, Removal of Load Coils-2W > 18kft			UCL,ULS,UEQ	ULM2G		119.24	119.24								
	Unbundled Loop Modification Removal of Load Coils-4W < or = 18kft			UHL,UCL	ULM4L		21.24	21.24								
	Unbundled Loop Modification Removal of Load Coils-4W pr > 18kft			UCL	ULM4G		119.24	119.24								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL,UHL,UCL,UEQ,U EF,ULS,UEA,UEANL, UDL,UDC,UDN,USL	ULMBT		24.84	24.84								
SUB-LOOPS																
Sub-L	oop Distribution															
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	- 1		UEANL	USBSA		373.57									
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	-		UEANL	USBSB		33.78									
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up			UEANL	USBSC		234.76									
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up		1	UEANL	USBSD	7.04	81.05	54.54					00.04	40.70		
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1 Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2	\pm	2	UEANL UEANL	USBN2 USBN2	7.31 11.93	126.03 126.03	54.54 54.54					26.94 26.94	12.76 12.76		
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3	÷	3	UEANL	USBN2	18.20	126.03	54.54					26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		3	UEANL	USBMC	10.20	61.38	61.38					20.54	12.70		
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 1		1	UEANL	USBN4	8.44	156.52	79.66					26.94	12.76		
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 2		2	UEANL	USBN4	13.81	156.52	79.66					26.94	12.76		
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 3		3	UEANL	USBN4	21.10	156.52	79.66					26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		Ť	UEANL	USBMC		61.38	61.38								
	Sub-Loop 2W Intrabuilding Network Cable (INC)			UEANL	USBR2	2.79	114.05	37.20					26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		61.38	61.38								
	Sub-Loop 4W Intrabuilding Network Cable (INC)	- 1		UEANL	USBR4	3.74	127.67	50.82					26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		61.38	61.38								
	2W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS2X	6.10	137.10	60.24					26.94	12.76		
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	_	2	UEF	UCS2X	9.70	137.10	60.24					26.94	12.76		
	2W Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF	UCS2X	14.59	137.10	60.24					26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		_	UEF	USBMC	0.50	61.38	61.38					00.04	40.70		
	4W Copper Unbundled Sub-Loop Distribution-Zone 1 4W Copper Unbundled Sub-Loop Distribution-Zone 2		1	UEF UEF	UCS4X UCS4X	6.58 10.51	162.24 162.24	85.38 85.38					26.94 26.94	12.76 12.76		
	4W Copper Unbundled Sub-Loop Distribution-Zone 2	+	3	UEF	UCS4X	15.84	162.24	85.38					26.94	12.76		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		3	UEF	USBMC	15.64	61.38	61.38					20.94	12.76		
Unhu	ndled Sub-Loop Modification			OLI	CODIVIC		01.50	01.50								
050	Unbundled Sub-Loop Modification-2W Copper Dist Load Coil/Equip							 	 				 	1	I	1
	Removal per 2W PR			UEF	ULM2X		124.51	1.82					26.94	12.76	I	
	Unbundled Sub-loop Modification-4W Copper Dist Load Coil/Equip Removal per 4W PR			UEF	ULM4X		124.51	1.82					26.94	12.76		
	Unbundled Sub-loop Modification-2W/4W Copper Dist Bridged Tap			UEE	111 1447		040.05	47.00					00.04	40.70		
IInt	Removal, per PR unloaded ndled Network Terminating Wire (UNTW)		_	UEF	ULM4T		249.25	47.30					26.94	12.76	1	1
uanu	Unbundled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per pr		_	UENTW	UENPP	0.4351	64.98								 	
Notw	prk Interface Device (NID)			UEINTVV	UEINPP	0.4351	04.98	1	 				1		 	1
NetWo	Network Interface Device (NID)-1-2 lines			UENTW	UND12		86.37	56.69	 				26.94	12.76	t	
	Network Interface Device (NID)-1-2 lines	÷		UENTW	UND16		127.93	98.21	 				26.94	12.76	t	
	Network Interface Device (NB)-1-6 lines Network Interface Device Cross Connect-2 W	Ė		UENTW	UNDC2		11.68	11.68	+				26.94	12.76	I	1
	Network Interface Device Cross Connect-4W	÷		UENTW	UNDC4		11.68	11.68	h				26.94	12.76	t	

UNBUNDLE	D NETWORK ELEMENTS - North Carolina			,									Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Inte rim		BCS	USOC		R.	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	I Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	I Charge
						Rec		curring	NRC Disc					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	oop Feeder			LIEA LIBALLIOL LIBI II												
	USL-Feeder, DS0 Set-up per Cross Box location-CLEC Distribution Facility set-up			UEA,UDN,UCL,UDL,U DC	USBFW		373.57									
	, ,			UEA,UDN,UCL,UDL,U												
	USL Feeder-DS0 Set-up per Cross Box location-per 25 pr set-up			DC	USBFX		33.78	33.78								
	USL Feeder DS1 Set-up at DSX location, per DS1 Term			USL	USBFZ		523.51	11.31					19.99	19.99		
	Unbundled Sub-Loop Feeder Loop, 2W Ground Start, VG-Zone 1		1	UEA	USBFA	10.41	122.52	46.61					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 2		2	UEA	USBFA	17.31	122.52	46.61					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Zone 3		3	UEA	USBFA	26.67	122.52	46.61					26.94	12.76		
	Order Coordination for Specified Conversion Time, per LSR			UEA	OCOSL	40.44	45.34	10.01					00.04	40.70		<u> </u>
	Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 1	-	7	UEA UEA	USBFB	10.41	122.52	46.61 46.61	-				26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Zone 2 Unbundled Sub-Loop Feeder Loop, 2W Start Loop, VG-Zone 3	+	3	UEA	USBFB USBFB	17.31 26.67	122.52 122.52	46.61	 				26.94 26.94	12.76 12.76		
	Order Coordination for Specified Time Conversion, per LSR	+	-	UEA	OCOSL	20.07	45.34	40.01					20.34	12.10		-
	Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 1	-	1	UEA	USBFC	10.41	122.52	46.61					26.94	12.76	1	
	Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 2		2	UEA	USBFC	17.31	122.52	46.61					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 2W Reverse Battery, VG-Zone 3	1	3	UEA	USBFC	26.67	122.52	46.61					26.94	12.76		
	Order Coordination For Specified Conversion Time, per LSR			UEA	OCOSL		45.34									
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 1		1	UEA	USBFD	19.96	226.36	144.28					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 2		2	UEA	USBFD	33.91	226.36	144.28					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 4W Ground Start, VG-Zone 3		3	UEA	USBFD	52.85	226.36	144.28					26.94	12.76		
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		45.34									
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 1		1	UEA	USBFE	19.96	226.36	144.28					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 2		2	UEA	USBFE	33.91	226.36	144.28					26.94	12.76		<u> </u>
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 3		3	UEA	USBFE	52.85	226.36	144.28					26.94	12.76		<u> </u>
	Order Coordination For Specified Conversion Time, Per LSR		4	UEA	OCOSL	47.04	45.34	405.00					20.04	40.70		ļ
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 1 Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 2		2	UDN UDN	USBFF USBFF	17.24 29.17	202.01 202.01	105.88 105.88					26.94 26.94	12.76 12.76		
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 3	-	3	UDN	USBFF	45.37	202.01	105.88	-				26.94	12.76		ļ
	Order Coordination For Specified Conversion Time, Per LSR	+	3	UDN	OCOSL	43.37	45.34	103.00					20.54	12.70		
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		1	UDC	USBFS	17.24	202.01	105.88					26.94	12.76		
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		2	UDC	USBFS	29.17	202.01	105.88					26.94	12.76		
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		3	UDC	USBFS	45.37	202.01	105.88					26.94	12.76		
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	USL	USBFG	35.65	393.01	153.37					42.19	12.76		
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	USL	USBFG	63.18	393.01	153.37					42.19	12.76		
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	USL	USBFG	100.58	393.01	153.37					42.19	12.76		
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		48.31									
	Unbundled Sub-Loop Feeder, 2W Copper Loop-Zone 1		1	UCL	USBFH	9.14	172.89	90.81					26.94	12.76		ļ
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 2		2	UCL	USBFH	14.90	172.89	90.81					26.94	12.76		ļ
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 3 Order Coordination For Specified Conversion Time, per LSR	_	3	UCL UCL	USBFH	22.71	172.89 45.34	90.81					26.94	12.76		-
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 1	-	1	UCL	USBFJ	13.41	207.14	134.77	-				26.94	12.76		ļ
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 2	-	2	UCL	USBFJ	22.42	207.14	134.77					26.94	12.76		
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 3		3	UCL	USBFJ	34.66	207.14	134.77					26.94	12.76		
	Order Coordination For Specified Conversion Time, per LSR		Ŭ	UCL	OCOSL	01.00	45.34						20.0 .	.2		
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	24.27	215.00	132.92					26.94	12.76		
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	41.55	215.00	132.92					26.94	12.76		
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	65.02	215.00	132.92					26.94	12.76		
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFO	24.27	215.00	132.92					26.94	12.76		
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFO	41.55	215.00	132.92					26.94	12.76		<u> </u>
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFO	65.02	215.00	132.92					26.94	12.76		
	Order Coordination For Specified Time Conversion, per LSR	-	4	UDL	OCOSL	04.07	45.34	400.00					20.04	40.70	ļ	
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFP	24.27	215.00	132.92					26.94	12.76	1	
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 2 Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 3	-	3	UDL UDL	USBFP	41.55	215.00	132.92 132.92					26.94	12.76 12.76		
	Order Coordination For Specified Conversion Time, per LSR	-	3	UDL	USBFP OCOSL	65.02	215.00 45.34	132.92	+				26.94	12.76		
SUB-LOOPS	Order Goordination For Openined Conversion Filme, per LON	+	1	UDL	COOSE	1	45.54	1					1			
	oop Feeder					1		1					1			†
	Sub Loop Feeder-DS3-Per Mile Per mo	\top	1	UE3	1L5SL	16.03		1					İ		Ì	
	Sub Loop Feeder-DS3-Facility Term Per mo	Ť	1	UE3	USBF1	350.32	3,399.57	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder – STS-1 – Per Mile Per mo	T		UDLSX	1L5SL	16.03										
	Sub Loop Feeder-STS-1-Facility Term Per mo			UDLSX	USBF7	376.06	3,399.57	406.81	164.08	93.01			26.94	12.76		

UNDUNDLE	D NETWORK ELEMENTS - North Carolina				•							Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Inte Z	I BCS	USOC		R/	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
					Rec	Nonre	curring		sconnect				Rates(\$)		
						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub Loop Feeder – OC-3 – Per Mile Per mo	1	UDLO3	1L5SL	12.16										
	Sub Loop Feeder-OC-3-Facility Term Protection Per mo	!	UDLO3	USBF5	56.60	0.000.57	400.04	404.00	00.04			00.04	40.70		
	Sub Loop Feeder-OC-3-Facility Term Per mo Sub Loop Feeder-OC-12-Per Mile Per mo	-	UDLO3	USBF2	564.14	3,399.57	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder-OC-12-Per Mile Per mo Sub Loop Feeder-OC-12-Facility Term Protection Per mo	+	UDL12 UDL12	1L5SL USBF6	14.97 639.50										
	Sub Loop Feeder-OC-12-Facility Term Per mo	÷	UDL12	USBF3	1,841.00	3,399.57	406.81	164.08	93.01			26.94	12.76		
	Sub Loop Feeder-OC-48-Per Mile Per mo	i l	UDL48	1L5SL	49.10	0,000.07	400.01	104.00	30.01			20.04	12.70		
	Sub Loop Feeder-OC-48-Facility Term Protection Per mo	it	UDL48	USBF9	319.92										
	Sub Loop Feeder-OC-48-Facility Term Per mo		UDL48	USBF4	1,603.00	3,585.57	406.81	160.39	90.92			26.94	12.76		1
	Sub Loop Feeder-OC-12 Interface On OC-48	1	UDL48	USBF8	360.95	804.30	406.81	160.39	90.92			26.94	12.76		
UNBUNDLED	LOOP CONCENTRATION														
	Unbundled Loop Concentration-System A (TR008)		ULC	UCT8A	398.41	652.26	652.26								
	Unbundled Loop Concentration-System B (TR008)		ULC	UCT8B	58.36	271.78	271.78								
	Unbundled Loop Concentration-System A (TR303)		ULC	UCT3A	439.73	652.25	652.26								ļ
	Unbundled Loop Concentration-System B (TR303)		ULC	UCT3B	98.34	271.78	271.78								ļ
	Unbundled Loop Concentration-DS1 Loop Interface Card		ULC	UCTCO	5.52	126.85	92.35	33.65	9.42						
-	Unbundled Loop Concentration-ISDN Loop Interface (Brite Card)		UDN	ULCC1	8.77	21.11	21.00	10.81	10.74						
-	Unbundled Loop Concentration-UDC Loop Interface (Brite Card)		UDC	ULCCU	8.77	21.11	21.00	10.81	10.74						-
	Unbundled Loop Concentration2W Voice-Loop Start or Ground Start		1154	111.000	0.89	25.72	25.40								
-	Loop Interface (POTS Card) Unbundled Loop Concentration-2W Voice-Reverse Battery Loop Interface		UEA	ULCC2	0.89	35.73	35.49								
	(SPOTS Card)		UEA	ULCCR	13.03	21.11	21.00	10.81	10.74						
+	Unbundled Loop Concentration-4W Voice Loop Interface (Specials Card)		UEA	ULCC4	7.77	21.11	21.00	10.81	10.74						+
	Unbundled Loop Concentration-TEST CIRCUIT Card		ULC	UCTTC	37.98	21.11	21.00	10.81	10.74						
	Unbundled Loop Concentration-Digital 19.2 Kbps Data Loop Interface		UDL	ULCC7	11.51	21.11	21.00	10.81	10.74						
	Unbundled Loop Concentration-Digital 56 Kbps Data Loop Interface		UDL	ULCC5	11.51	21.11	21.00	10.81	10.74						
	Unbundled Loop Concentration-Digital 64 Kbps Data Loop Interface		UDL	ULCC6	11.51	21.11	21.00	10.81	10.74						
UNE OTHER,	PROVISIONING ONLY - NO RATE														
	NID-Dispatch & Service Order for NID installation		UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only-No Rate		UENTW	UENCE	0.00	0.00									
			UEANL,UEF,UEQ,UE												
	Unbundled Contract Name, Provisioning Only-No Rate		NTW	UNECN	0.00	0.00									
UNE OTHER,	PROVISIONING ONLY - NO RATE														ļ
			UAL,UCL,UDC,UDL,U												
-	Unbundled Contact Name, Provisioning Only-no rate		DN,UEA,UHL,ULC	UNECN	0.00	0.00									-
-	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate		UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
+	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate Unbundled DS1 Loop-Superframe Format Option-no rate		UEA,USL,UCL,UDL USL	USBFR	0.00	0.00									
1	Unbundled DS1 Loop-Expanded Superframe Format option-no rate		USL	CCOEF	0.00	0.00									
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP		OOL	CCCLI	0.00	0.00									
	High Capacity Unbundled Local Loop-DS3-Per Mile per mo		UE3	1L5ND	13.33										
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo		UE3	UE3PX	450.69	1,071.00	646.12					53.48	53.48		
	High Capacity Unbundled Local Loop-STS-1-Per Mile per mo		UDLSX	1L5ND	13.33	,									
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo		UDLSX	UDLS1	464.26	1,071.00	646.12					53.48	53.48		
LOOP MAKE-	UP														
	Loop Makeup-Preordering w/o Reservation, per working or spare facility														
	queried (Manual).		UMK	UMKLW		55.44	55.44								
	Loop Makeup-Preordering w Reservation, per spare facility queried		UMK	UMKLP		55.73	55.73								
	Loop Makeupw or w/o Reservation, per working or spare facility queried								1	<u> </u>]	1
	(Mechanized)		UMK	PSUMK		0.6960821	0.6960821		ļ						ļ
	ENCY SPECTRUM														<u> </u>
	SHARING TERS CENTRAL OFFICE BASED		+	1					 				ļ		
SPLII	TERS-CENTRAL OFFICE BASED Line Sharing Splitter, per System 96 Line Capacity		ULS	ULSDA	181.18	631.54	31.27		 			26.94	12.76		
 	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity		ULS	ULSDB	38.99	631.54	31.27		-			26.94			
 	Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity		ULS	ULSDB ULSD8	12.73	424.61	0.00	1	-	1		26.94	12.76		1
	Line Sharing Splitter-per Line Activation in the Remote Terminal (RT)		ULS	OLODO	2.23	122.12	48.05		 			26.94	12.76		
\leftarrow	Line Sharing Splitter-per Line Activation in the Remote reminial (RT)		310	t	2.23	122.12	40.00	1	1			20.04	12.70		
	LSOD)		ULS	ULSDG		146.32	31.27					26.94	12.76		1
END I	JSER ORDERING-CENTRAL OFFICE BASED-HIGH FREQUENCY SPECT	RUM A				, 10.0Z	027		l			20.04	.20	1	t
	Line Sharing-per Line Activation (BST Owned Splitter)	1	ULS	ULSDC	0.61	54.71	28.77		1			25.33	2.53	1	1

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attachment:		Exhi	
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc		R.	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge -
						Rec	Nonre	curring	NRC Disc	connect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned															·
	Splitter			ULS	ULSDS		35.42	16.57					25.33	2.53		i '
	Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC Owned															[
	Splitter			ULS	ULSCS		35.14	16.29					26.94	12.76		L
	Line Sharing-per Line Activation (DLEC owned Splitter)	ı		ULS	ULSCC	0.61	47.44	19.31					26.94	12.76		
	SPLITTING															L
END	USER ORDERING-CENTRAL OFFICE BASED			LIEDOD LIEDOD	LIDEOO	0.04										 '
	Line Splitting-per line activation DLEC owned splitter	-		UEPSR UEPSB	UREOS	0.61	50.00	00.50					20.04	40.70		
	Line Splitting-per line activation BST owned-physical	1		UEPSR UEPSB	UREBP	0.61	56.92	28.59					26.94	12.76		
DEM	Line Splitting-per line activation BST owned-virtual OTE SITE HIGH FREQUENCY SPECTRUM	1		UEPSR UEPSB	UREBV	0.61	56.92	28.59	\vdash		 		26.94	12.76	1	
	TTERS-REMOTE SITE				1			1	+		1		1	 		
J-LI	Remote Site Line Share BST Owned Splitter, 24 Port			ULS	ULSRB	38.18	424.61	0.00	+				26.94		1	
	Remote Site Line Share Cable pr Activation CLEC Owned at RS &			OLO	OLOND	00.10	727.01	0.00					20.04			—
	Deactivation			ULS	ULSTG		74.38	0.00					26.94			1 '
END	USER ORDERING-REMOTE SITE HIGH FREQUENCY SPECTRUM AKA R	ЕМО	TE S					0.00								
	Remote Site Line Share Line Activationfor End User Served at RS, BST															
	Splitter	- 1		ULS	ULSRC	0.61	56.92	28.59					26.94	12.76		i '
	RS Line Share Line Activation for End User served at RS, CLEC Splitter	-		ULS	ULSTC	0.61	56.92	28.59					26.94	12.76		
UNBUNDLED	DEDICATED TRANSPORT															· ·
NOTE	E: INTEROFFICE CHANNEL DEDICATED TRANSPORT - minimum billing	g peri	od -	below DS3=one mont	th, DS3/ST	S-1=four mont	hs									·
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel-Dedicated Transport-2W VG-Per Mile per mo			U1TVX	1L5XX	0.0125										L
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Per Mi per mo			U1TVX	1L5XX	0.0125										
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility Term			U1TVX	U1TR2	18.00	137.48	52.58					38.07	38.07		
	Interoffice Channel-Dedicated Transport-4W VG-Per Mile per mo			U1TVX	1L5XX	0.0125	100.11	05.05					00.00	00.00		├
	Interoffice Channel-Dedicated Transport-4W VG-Facility Term			U1TVX U1TDX	U1TV4 1L5XX	22.16 0.0282	106.11	65.95					22.32	22.32		+
-	Interoffice Channel-Dedicated Transport-56 kbps-per mile per mo Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	17.40	137.48	52.58	-				38.07	38.07		├──
	Interoffice Channel-Dedicated Transport-64 kbps-per mile per mo			U1TDX	1L5XX	0.0282	137.40	52.56					30.07	36.07		
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	17.40	137.48	52.58	 				38.07	38.07		
	Interoffice Channel-Dedicated Channel-DS1-Per Mile per mo			U1TD1	1L5XX	0.5753	107.40	02.00					00.07	00.07		—
	Interoffice Channel-Dedicated Tranport-DS1-Facility Term			U1TD1	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Interoffice Channel-Dedicated Transport-DS3-Per Mile per mo			U1TD3	1L5XX	12.98										
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	720.38	794.94	579.55					91.26	91.26		
	Interoffice Channel-Dedicated Transport-STS-1-Per Mile per mo			U1TS1	1L5XX	6.14										
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	790.37	642.23	408.89					53.48	53.48		
	AL CHANNEL - DEDICATED TRANSPORT															
NOTE	E: LOCAL CHANNEL DEDICATED TRANSPORT - minimum billing period	- bel	ow [<u> </u>
	Local Channel-Dedicated-2W VG-Zone 1		1	ULDVX	ULDV2	11.24	553.80	89.69					42.17	12.76		
	Local Channel-Dedicated-2W VG-Zone 2		2	ULDVX	ULDV2	19.91	553.80	89.69					42.17	12.76		
	Local Channel-Dedicated-2W VG-Zone 3		3	UNDVX	ULDV2	31.70	553.80	89.69					42.17	12.76		
	Local Channel-Dedicated-4W VG-Zone 1		1	UNDVX	ULDV4	12.03	562.23	92.67	-				42.17	12.76	1	
	Local Channel-Dedicated-4W VG-Zone 2	\vdash	2	UNDVX UNDVX	ULDV4 ULDV4	21.33	562.23 562.23	92.67 92.67	+				42.17 42.17	12.76 12.76	1	
	Local Channel-Dedicated-4W VG-Zone 3 Local Channel-Dedicated-DS1-Zone 1		3	ULDD1	ULDV4	33.95 27.05	562.23	92.67 462.69	\vdash		 		42.17 86.15	12.76	1	\vdash
	Local Channel-Dedicated-DS1-Zone 1		2	ULDD1	ULDF1	47.94	534.48	462.69	+			1	86.15	1.77	1	
 	Local Channel-Dedicated-DS1-Zone 2		3	ULDD1	ULDF1	76.32	534.48	462.69	+				86.15	1.77	1	
	Local Channel-Dedicated-DS1-20ne 3 Local Channel-Dedicated-DS3-Per Mile per mo		J	ULDD3	1L5NC	0.9954	JJ4.40	+0∠.09	 				00.15	1.77	 	
	Local Channel-Dedicated-DS3-Fer Wille per Info			ULDD3	ULDF3	298.92	562.25	527.88	+				56.25	56.25	 	
	Local Channel-Dedicated-STS-1-Per Mile per mo			ULDS1	1L5NC	0.9954	302.20	327.30	+		1		55.25	00.20	1	
<u> </u>	Local Channel-Dedicated-STS-1-Facility Term			ULDS1	ULDFS	286.13	1,071.00	646.12					53.48	53.48		
DARK FIBER							,						1			
1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per mo-															
	Local Channel			UDF	1L5DC	64.04			[]			1		l		1 '

UNBUNDLE	D NETWORK ELEMENTS - North Carolina					_							Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc			ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-	I Charge -
						Rec		curring	NRC Disc					Rates(\$)		
-	NDO Ded Electrod Observed	1		UDE	LIDEO4		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	NRC Dark Fiber-Local Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per mo-	1		UDF	UDFC4		1,347.00	279.87								
	Interoffice Channel			UDF	1L5DF	27.71										
-	NRC Dark Fiber-Interoffice Channel			UDF	UDF14	21.11	1,807.00	562.96	-						-	-
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per mo-			ODI	ODI 14		1,007.00	302.30								
	Local Loop			UDF	1L5DL	64.04										
	NRC Dark Fiber-Local Loop			UDF	UDFL4		1,347.00	279.87								
	TEN DIGIT SCREENING						-									
	8XX Access Ten Digit Screening, Per Call			OHD		0.0005										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No															
	Reserved			OHD	N8R1X		7.05	0.96					26.94			
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS	Ī						_	1 1	· <u>-</u>	1]		
ļļ	Translations P. Division P. Di			OHD	1		23.82	2.73					41.35			
	8XX Access Ten Digit Screening, Per 8XX No. Established w POTS			0115	NOCTY		00.00	0.70					44.0-			
	Translations 8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No			OHD OHD	N8FTX N8FCX		23.82 5.63	2.73 2.82	-				41.35		 	-
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No 8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per			OHD	INSFUX		5.63	2.82								
	CXR Requested Per 8XX No.			OHD	N8FMX		6.59	3.77								
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		8.01	0.96					26.94			
	8XX Access Ten Digit Screening, Call Handling & Destination Features			OHD	N8FDX		5.63	0.30					20.34			
	ATION DATA BASE ACCESS (LIDB)			OND	NOIDA		3.03									
1	LIDB Common Transport Per Query			OQT		0.00003										
	LIDB Validation Per Query			OQU		0.0134										
	LIDB Originating Point Code Establishment or Change			OQT,OQU	NRPBX		62.26						26.94	26.94		
SIGNALING (
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	18.22	278.02	278.02					41.35	41.35		
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	18.22	278.02	278.02					41.35	41.35		
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	132.83										
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.00004										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.00009										
-	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	338.98										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00					19.99	19.99		
	CCS7 Signaling Point Code, per Destination Point Code Establishment or															
	Change, Per Stp Affected			UDB	CCAPD		8.00	8.00					19.99	19.99		
E911 SERVIC	E															
	Local Channel-Dedicated-2Wr VG-Zone 1		1			11.24	553.80	89.69					42.17	12.76		
	Local Channel-Dedicated-2Wr VG-Zone 2		2			19.91	553.80	89.69					42.17	12.76		
	Local Channel-Dedicated-2Wr VG-Zone 3		3	ļ		31.70	553.80	89.69	ļļ.				42.17	12.76		
	Interoffice Transport-Dedicated-2Wr VG Per Mile					0.0282	107 10	50.50	 				00.07	00.00		
	Interoffice Transport-Dedicated-2Wr VG Per Facility Term		4	1	1	18.00	137.48	52.58	-				38.07	38.07		
	Local Channel-Dedicated-DS1-Zone 1 Local Channel-Dedicated-DS1-Zone 2		2	1	1	27.05 47.94	534.48 534.48	462.69 462.69	+		-		86.15 86.15	1.77 1.77	1	1
 	Local Channel-Dedicated-DS1-Zone 2 Local Channel-Dedicated-DS1-Zone 3		3		-	76.32	534.48	462.69	-				86.15	1.77		
-	Interoffice Transport-Dedicated-DS1 Per Mile		3	1	1	0.5753	334.48	402.09	 				00.15	1.77	+	
	Interoffice Transport-Dedicated-DS1 Per Facility Term				1	71.29	217.17	163.75	+				38.07	38.07		
	ME (CNAM) SERVICE			1		71.23	-17.17	100.10					55.07	55.57	t e	
	CNAM For DB Owners-Service Establishment			OQV	1		75.62									
	CNAM For Non DB Owners-Service Establishment			OQV			75.62									
	CNAM For DB Owners-Service Provisioning w Point Code Establishment															
	(Initial)			OQV			2,354.00	2,354.00								
	CNAM For DB Owners-Service Provisioning w Point Code Establishment			0011			4 =00 0-	4 =00 0:	T							
	(Subsqnt)			OQV	1		1,739.00	1,739.00	 		ļ					
	CNAM For Non DB Owners-Service Provisioning w Point Code Establishment (Initial)			001/			1 070 00	1 070 00			1					
	Establishinent (initial)			OQV	1		1,072.00	1,072.00						l	-	
	CNAM For Non DR Owners-Service Provisioning w Point Code	- 1														
	CNAM For Non DB Owners-Service Provisioning w Point Code Establishment (Subsont)			OQV			768.44	768.44								

UNDUNDLI	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim		BCS	USOC			ATES(\$)			Svc Order Submitte d Elec per LSR	per LSR	Manual Svc Order vs. Electronic- 1st	Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs. Electronic-
						Rec		curring	NRC Dis					Rates(\$)		
		<u> </u>					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LNP Query Se		<u> </u>	ļ	001/		0.00004										
-	LNP Charge Per query LNP Service Establishment Manual	1	-	OQV OQV		0.00084	41.05									
	LNP Service Establishment (Initial)	1	1	OQV			41.25 1,563.00	1,563.00								
+	LNP Service Provisioning w Point Code Establishment (Initial)	1	1	OQV			883.99	883.99								
OPERATOR O	CALL PROCESSING			OQV			000.00	000.00								
	Oper Call Processing-Oper Provided, Per Min-Using BST LIDB					1.20										
	Oper Call Processing-Oper Provided, Per Min-Using Foreign LIDB					1.24										
	Oper Call Processing-Fully Automated, per Call-Using BST LIDB					0.20										
	Oper Call Processing-Fully Automated, per Call-Using Foreign LIDB					0.20										
INWARD OPE	RATOR SERVICES															
	Inward Operator Services-Verification, Per Min		<u> </u>			1.15										
	Inward Operator Services-Verification & Emergency Interrupt-Per Min		<u> </u>			1.15										
	OPERATOR CALL PROCESSING	1	1													
Facili	ty based CLEC	1	1		CBAGG		7 000 00	7 000 00					26.04	10.70		
 	Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN	+	1		CBAOS CBAOL		7,000.00 500.00	7,000.00 500.00					26.94 26.94	12.76 12.76		
LINED	CLEC	1	1		CBAOL		500.00	500.00					26.94	12.76		
UNLF	Recording of Custom Branded OA Announcement	1	1				7,000.00	7,000.00					26.94	12.76		
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN	1	1				500.00	500.00					26.94	12.76		
Unbra	anding via OLNS for UNEP CLEC	1	1				300.00	300.00					20.54	12.70		
Olibic	Loading of OA per OCN (Regional)						1,200.00	1,200.00					26.94	12.76		
DIRECTORY	ASSISTANCE SERVICES						1,200.00	.,								
DIRE	CTORY ASSISTANCE ACCESS SERVICE															
	Directory Assistance Access Service Calls, Charge Per Call					0.275										
DIRE	CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC)															
	Directory Assistance Call Completion Access Service (DACC), Per Call Attempt					0.062										
	ASSISTANCE SERVICES															
DIRE	CTORY ASSISTANCE DATA BASE SERVICE (DADS)	<u> </u>														
	Directory Assistance Data Base Service Charge Per Listing	1	1		DDOOF	0.04										
DDANDING	Directory Assistance Data Base Service, per mo DIRECTORY ASSISTANCE	1	ļ		DBSOF	150.00										
	ty Based CLEC		-													
raciii	Recording & Provisioning of DA Custom Branded Announcement	1		AMT	CBADA		6,000.00	6,000.00					26.94	12.76		
	Loading of Custom Branded Announcement per Switch			AMT	CBADC		1,170.00	1,170.00					26.94	12.76		
UNEP	CLEC	1		7 4411	05/150		1,170.00	1,110.00					20.0 .	12.10		
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00					26.94	12.76		
	Loading of DA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00					26.94	12.76		
Unbra	anding via OLNS for UNEP CLEC															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00					26.94	12.76		
	Loading of DA per Switch per OCN	1	<u> </u>				16.00	16.00					26.94	12.76		
SELECTIVE F		<u> </u>	<u> </u>		1100.05		100	100						10		
WIDTHAL CO.	Selective Routing Per Unique Line Class Code Per Request Per Switch	1	1		USRCR		188.59	188.59					26.94	12.76		
VIRTUAL CO		1-	₩	AMTEC	EAF		2 040 20	2 040 22					26.94	10.70	+	
	Virtual Collocation-Application Cost Virtual Collocation-Cable Installation Cost, per cable	+	1	AMTFS AMTFS	ESPCX		2,848.30 2,750.00	2,848.30 2,750.00					26.94	12.76 12.76		
 	Virtual Collocation-Cable Installation Cost, per cable Virtual Collocation-Floor Space, per sq. ft.	\vdash	1	AMTFS	ESPVX	3.20	۷,150.00	2,730.00					20.94	12.76		
 	Virtual Collocation-Power, per fused amp		 	AMTFS	ESPAX	3.48					1					
	Virtual Collocation-Cable Support Structure, per entrance cable	1	1	AMTFS	ESPSX	13.35										
				UEANL,UEA,UDN,UD C,UAL,UHL,UCL,UEQ												
	Virtual Collocation-2W Cross Connects (loop)			,AMTFS,UDL,UNCVX, UNCDX,UNCNX	UEAC2	0.09	41.78	39.23	4.75	4.75			26.94	12.76		
				UEA,UHL,UCL,UDL,A MTFS,UAL,UDN,UNC												
	Virtual Collocation-4W Cross Connects (loop)	-	<u> </u>	VX,UNCDX AMTFS,UDL12,UDLO	UEAC4	0.18	41.91	39.25	4.73	4.73			26.94	12.76		
				3,U1T48,U1T12,U1T0 3,ULDO3,ULD12,ULD												
1	Virtual Collocation-2-Fiber Cross Connects			48,UDF	CNC2F	15.99	67.34	48.55					26.94	12.76		

CATEGORY RATE ELEMENTS Interprint ZO	UNBUNDLE	D NETWORK ELEMENTS - North Carolina						-					Attachment:	2	Exhi	bit: B
MATHER LITERATION SOME S				BCS	usoc						Order Submitte d Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic-	Incrementa I Charge - Manual Svc Order vs.
Martin Collection—Filter Cross Centrests						Rec										
Virtual Collocation 4 Fiber Cross Connects				AMTEC LIDI 40 LIDI O			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
R. NITTO LINCX VI.		Virtual Collocation-4-Fiber Cross Connects		3,U1T48,U1T12,U1T0 3,ULDO3,ULD12,ULD 48,UDF		28.74	82.35	63.56					26.94	12.76		
Virtual Collocation Special Across & LNE, cross-correct per DS3		Virtual collocation-Special Access & UNE, cross-connect per DS1		R,UXTD1,UNC1X,UL DD1,U1TD1,USLEL,U NLD1		0.97	71.02	51.08					26.94	12.76		
Winsus Collocation-Os-Carrier Cross Connected-Fiber Cable Support AMTES VE1CB 0.0028				3,U1TD3,UXTS1,UXT D3,UNC3X,UNCSX,U LDD3,U1TS1,ULDS1,												
Structure, per larger foot				UDLSX,UNLD3	CND3X	56.25	151.90	11.83					26.94	12.76		
Support Structure, per linear ft Winter Collocation-Co-Cord Crises Connection-Fiber Cabile Support Structure, per carbolic control of Collocation-Collocation Carbolic Commission-Copper/Coax Cabble AMTES VE1CC Siz27 26.94 12.76		Structure, per linear foot		AMTFS	VE1CB	0.0028										
Structure per cable		Support Structure, per linear ft		AMTFS	VE1CD	0.0041										
Support Structure, per cable		Structure,per cable		AMTFS	VE1CC		532.72						26.94	12.76		
Virtual Collocation Calife Records VGDSC Cable, per cable record AMTFS VETBE 923.08		Support Structure, per cable											26.94	12.76		
Wirtual Collocation Calce Records VGIDSQ Cable, per 981 100 pr AMTES VEIBC 18.02 18.02 18.02																
Virtual Collocation Cable Records-0S 5, per 171E	-							18.02							-	
Virtual Collocation Cable Records-DS3, per T3TIE			<u>_</u>													
Virtual collocation-Security Escon-Centremp, per half hour		Virtual Collocation Cable Records-DS3, per T3TIE														
Virtual collocation-Security Escort-Permium, per half hour																
Virtual collocation-Security Escort-Premium, per half hour																
Wirtual collocation-Maintenance in CO-Basic, per half hour						-									1	
Virtual colication-Maintenance in CO-Overnium, per half hour						†									†	
MTRUAL COLLOCATION			<u>_</u>													
Virtual Collocation -2W Cross Connect, Exchange Port 2W Line Side PBX UEPSR VE1R2 0.09 41.78 39.23 26.94 12.76 VIrtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX UEPSR VE1R2 0.00 41.78 39.23 26.94 12.76 VIrtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX UEPSR VE1R2 0.09 41.78 39.23 26.94 12.76 VIrtual Collocation 2W Cross Connect, Exchange Port 2W ISDN UEPSR VE1R2 0.09 41.78 39.23 26.94 12.76 VIrtual Collocation 2W Cross Connect, Exchange Port 2W ISDN UEPSR VE1R2 0.09 41.78 39.23 26.94 12.76 VIrtual Collocation 2W Cross Connect, Exchange Port 2W ISDN UEPSR VE1R2 0.09 41.78 39.23 26.94 12.76 VIrtual Collocation 2W Cross Connect, Exchange Port 2W ISDN UEPSR VE1R2 0.09 41.78 39.23 26.94 12.76 VIrtual Collocation 2W Cross Connect, Exchange Port 2W ISDN UEPSR VE1R2 0.09 41.78 39.23 26.94 12.76 VIRTUAL COLLOCATION VIRTUAL COLLOCATION UEPSR VE1R4 0.16 41.91 39.25 26.94 12.76 VIRTUAL COLLOCATION VIRTUAL COLLOCATION UEPSR VE1R4 0.16 41.91 39.25 26.94 12.76 VIRTUAL COLLOCATION VIRTUAL COLLOCATION UEPSR VE1R4 0.16 41.91 39.25 26.94 12.76 VIRTUAL COLLOCATION VIRTUAL COLLOCATION UEPSR VE1R4 0.16 41.91 39.25 26.94 12.76 VIRTUAL COLLOCATION VI																
Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX UEPSP VE1R2 0.09 41.78 39.23 26.94 12.76																
Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res UEPSE VE1R2 0.09 41.78 39.23 26.94 12.76		Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX														
Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN UEPSB VETR2 0.09 41.78 39.23 26.94 12.76		Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-														
Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN																
Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN UEPTX																
Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1																
Virtual Collocation-2W Cross Connects (Loop) for Line Splitting																
PHYSICAL COLLOCATION																
AIN SELECTIVE CARRIER ROUTING Regional Service Establishment SRC SRCEC 215,597.00 Regional Service Establishment SRC SRCEO 347.27 Query NRC, per query SRC 0.0053758 AIN - BELLSOUTH AIN SMS ACCESS SERVICE AIN SMS Access Service-Service Establishment, Per State, Initial Setup AIN SMS Access Service-Port Connection-Dial/Shared Access A1N CAMSE 294.77 AIN SMS Access Service-Port Connection-Dial/Shared Access A1N CAMDP 86.94 AIN SMS Access Service-Port Connection-ISDN Access A1N CAMIP 86.94 AIN SMS Access Service-User Identification Codes-Per User ID Code A1N SMS Access Service-Security Card, Per User ID Code, Initial or Replacement AIN SMS Access Service-Storage, Per Unit (100 Kilobytes) AIN SMS Access Service-Session, Per Min AIN SMS Access Service-Session, Per Min AIN SMS Access Service-Company Performed Session, Per Min AIN SMS Access Service-Company Performed Session, Per Min AIN SMS Access Service-Company Performed Session, Per Min AIN SMS Access Service-Company Performed Session, Per Min AIN SMS Access Service-Company Performed Session, Per Min AIN SMS Access Service-Company Performed Session, Per Min AIN SMS Access Service-Company Performed Session, Per Min AIN SMS Access Service-Company Performed Session, Per Min AIN SMS Access Service-Company Performed Session, Per Min AIN SMS Access Service-Company Performed Session, Per Min AIN SMS Access Service-Company Performed Session, Per Min AIN SMS Access Service-Company Performed Session, Per Min AIN SMS Access Service-Company Performed Session, Per Min AIN SMS Access Service-Company Performed Session, Per Min AIN SMS Access Service-Company Performed Session, Per Min AIN SMS Access Service-Company Performed Session, Per Min AIN SMS Access Service-Company Performed Session, Per Min AIN SMS Access Service-Company Performed Session, Per Min AIN SMS Access Service-Company Performed Session, Per Min	PHYSICAL CO	DLLOCATION														
Regional Service Establishment				UEPSR,UEPSB	PE1LS	0.0309	33.53	31.65	36.29	34.41	-		19.99	19.99	ļ	
End Office Establishment Query NRC, per query SRC O.0053758 AIN - BELLSOUTH AIN SMS ACCESS SERVICE AIN SMS Access Service-Service Establishment, Per State, Initial Setup A1N CAMSE AIN SMS Access Service-Port Connection-Dial/Shared Access A1N CAMDP AIN SMS Access Service-Port Connection-ISDN Access A1N CAMIP AIN SMS Access Service-Port Connection-ISDN Access A1N CAMIP AIN SMS Access Service-Ver Identification Codes-Per User ID Code A1N SMS Access Service-Ser				SRC	SRCEC		215,597 00			1					+	
AIN - BELLSOUTH AIN SMS ACCESS SERVICE									1	1						
AIN SMS Access Service-Port Connection-Dial/Shared Access A1N CAMSE 294.77 AIN SMS Access Service-Port Connection-Dial/Shared Access A1N CAMDP 86.94 AIN SMS Access Service-Port Connection-ISDN Access A1N CAMIDP 86.94 AIN SMS Access Service-User Identification Codes-Per User ID Code A1N CAMAU 200.83 AIN SMS Access Service-Security Card, Per User ID Code, Initial or Replacement A1N CAMRC 172.05 AIN SMS Access Service-Storage, Per Unit (100 Kilobytes) 0.0023 AIN SMS Access Service-Session, Per Min 0.0791 AIN SMS Access Service-Company Performed Session, Per Min 2.08						0.0053758										
AIN SMS Access Service-Port Connection-Dial/Shared Access																
AIN SMS Access Service-Port Connection-ISDN Access						 										
AIN SMS Access Service-User Identification Codes-Per User ID Code A1N CAMAU 200.83 AIN SMS Access Service-Security Card, Per User ID Code, Initial or Replacement A1N CAMRC 172.05 AIN SMS Access Service-Storage, Per Unit (100 Kilobytes) AIN SMS Access Service-Session, Per Min 0.0791 AIN SMS Access Service-Company Performed Session, Per Min 2.08						 			 	 					 	
AIN SMS Access Service-Security Card, Per User ID Code, Initial or Replacement AIN CAMRC 172.05 AIN SMS Access Service-Storage, Per Unit (100 Kilobytes) 0.0023 AIN SMS Access Service-Session, Per Min 0.0791 AIN SMS Access Service-Company Performed Session, Per Min 2.08																
AIN SMS Access Service-Storage, Per Unit (100 Kilobytes) AIN SMS Access Service-Session, Per Min AIN SMS Access Service-Company Performed Session, Per Min 2.08																
AIN SMS Access Service-Session, Per Min 0.0791 AIN SMS Access Service-Company Performed Session, Per Min 2.08				A1N	CAMRC		172.05									
AIN SMS Access Service-Company Performed Session, Per Min 2.08					<u> </u>											
					<u> </u>											
IMIN DELLOCUTI MIN TOUCHT GENYICE					 	2.08									+	

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc		R.A	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	I Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge - Manual Svc Order
						Rec		curring		sconnect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		290.05									
	AIN Toolkit Service-Training Session, Per Customer AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term.				BAPVX		8,363.00									
	Attempt				BAPTT		72.76									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		72.76									İ
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook				DALID		12.10									
	Immediate				BAPTM		72.76									İ
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		149.95									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		149.95									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature															
	Code				BAPTF		149.95									
	AIN Toolkit Service-Query Charge, Per Query					0.02				ļ						—
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.005										
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1.45										
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	15.98	71.80									
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	0.08	47.20									
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service			CAM	BAPDS	15.90	71.80									
	Subscription			CAM	BAPES	0.003	47.20									İ
ENHANCED	EXTENDED LINK (EELs)			O7 tivi	D/11 E0	0.000	47.20									
	: New Density Zone 1 EELs are available in the following MSAs:															
	otte-Gastonia-Rockhill, NC; Greensboro-Winston Salem-High Point, NC															
	EEL network elements shown below also apply to currently combined											verted to U	NEs.(NRC rat	es do not ap	oply.)	
	E: EEL network elements apply to ordinarily combined network elements RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFI				nen orderir	ig ordinarily c	ombined netv	work elements	s, NRC rat	es do ap	piy.					
2-1111	First 2W VG Loop(SL2) in a DS1 Interofficed Transport Combination-Zone	JE 11	VAIN	OI OI(I (LLL)												
	1		1	UNCVX	UEAL2	14.97	142.97	106.56								İ
	First 2W VG Loop(SL2) in a DS1 Interofficed Transport Combination-Zone															
	2		2	UNCVX	UEAL2	25.93	142.97	106.56								
	First 2W VG Loop(SL2) in a DS1 Interofficed Transport Combination-Zone		3	UNCVX	UEAL2	40.81	142.97	106.56								
	Interoffice Transport-Dedicated-DS1 combination-Per Mile per mo			UNC1X	1L5XX	0.5753	142.37	100.30								
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	DS1 Channelization System Per mo			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	VG COCI-DS1 To Ds0 Interface-Per mo			UNCVX	1D1VG	1.27	13.09	9.38					38.07	38.07		
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56								
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56								
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56								
	VG COCI-DS1 to DS0 Channel System combination-per mo NRC Currently Combined Network Elements Switch-As-Is Charge			UNCVX UNC1X	1D1VG UNCCC	1.27	13.09 21.75	9.38 21.75	32.28	10.96			38.07 38.07	38.07 38.07		-
4-WIF	RE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFIC	CF TE	RAN		UNCCC		21.75	21.75	32.20	10.96			36.07	30.07		
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-	i			1			1								
	Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45								
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination- Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45								
	First 4W Analog VG Loop in a DS1 Interoffice Transport Combination-			-												
	Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45								
	Interoffice Transport-Dedicated-DS1 combination-Per Mile Per mo			UNC1X	1L5XX	0.5753	6.5	400 ==		ļ						—
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	U1TF1	71.29	217.17	163.75 140.06		-	-		38.07	38.07 38.07	1	
	VG COCI-DS1 to DS0 Channel System DS1 to DS0 combination Per mo			UNC1X UNCVX	MQ1 1D1VG	146.69 1.27	197.78 13.09	9.38	1	-	-		38.07 38.07	38.07		-
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination- Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					55.07	30.07		
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-															
	Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45								

Version 3Q02: 10/07/02 Page 53 of 123

UNBUNDLI	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc		R/	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incremental	Incrementa I Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge Manual Svc Orde
						Rec	Nonre	curring	NRC Di	sconnect			OSS	Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-															
	Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45								
	VG COCI-DS1 to DS0 Channel System combination-per mo			UNCVX	1D1VG	1.27	13.09	9.38					38.07	38.07		<u> </u>
4 1405	NRC Currently Combined Network Elements Switch-As-ls Charge		- TD	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIR	LE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTERO First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport	FFICE	= IK/	ANSPORT (EEL)												
	Combination-Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport		-	ONODA	ODL30	25.52	403.04	337.31								
	Combination-Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	First 4W 56Kbps Digital Grade Loop in a DS1 Interoffice Transport		_	0.105/	05200	10.11	100.01	001.01								
	Combination-Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	Interoffice Transport-Dedicated-DS1 combination-Per Mile Per mo			UNC1X	1L5XX	0.5753										
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	OCU-DP COCI (data)-DS1 to DS0 Channel System-combination per mo															
	(2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		<u> </u>
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		<u> </u>
4-WIR	RE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTERO	FFICE	= IR/	ANSPORT (EEL)												ļ
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport			UNCDX	UDL64	05.00	400.04	227.54								
	Combination-Zone 1 First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport		1	UNCDX	UDL64	25.32	489.04	337.51								
	Combination-Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport			ONODA	ODLO4	40.11	403.04	337.31								
	Combination-Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	Interoffice Transport-Dedicated-DS1 combination-Per Mile Per mo		Ť	UNC1X	1L5XX	0.5753	.00.01	007.01								
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization-Channel System DS1 to DS0 combination Per mo			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo															
	(2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28					38.07	38.07		
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport															
	Combination-Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport															
	Combination-Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport															
	Combination-Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51		ļ						
	OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo															
	(2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28		40.00			38.07	38.07		<u> </u>
4 14/15	NRC Currently Combined Network Elements Switch-As-Is Charge	<u> </u>	ANC	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIR	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFIC	EIK	ANS		LICI VV	47.60	714.84	404.47		1						
	4W DS1 Digital Loop in Combination w DS1 Interoffice Transport-Zone 1		2	UNC1X UNC1X	USLXX	47.60 84.36	714.84	421.47 421.47								
 	4W DS1 Digital Loop in Combination w DS1 Interoffice Transport-Zone 2 4W DS1 Digital Loop in Combination w DS1 Interoffice Transport-Zone 3	\vdash	3	UNC1X UNC1X	USLXX	134.29	714.84	421.47		}			1	-	1	
 	Interoffice Transport-Dedicated-DS1 combination-Per Mile Per mo	\vdash	J	UNC1X UNC1X	1L5XX	0.5753	114.04	421.47		1			1		1	
- 	Interoffice Transport-Dedicated-DS1 combination-Fer Mile Fer Mo	\vdash		UNC1X	U1TF1	71.29	217.17	163.75	1	†	1		38.07	38.07	 	
	NRC Currently Combined Network Elements Switch-As-Is Charge	\vdash		UNC1X	UNCCC	7 1.23	21.75	21.75	32.28	10.96	1		38.07	38.07	 	
4-WIR	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFIC	E TR	ANS		1									22.07	İ	
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47		1			İ		İ	
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47								
	First DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47								
	Interoffice Transport-Dedicated-DS3 combination-Per Mile Per mo			UNC3X	1L5XX	12.98										
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
	DS3 to DS1 Channel System combination per mo			UNC3X	MQ3	233.10	403.97	234.40					38.07	38.07		
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	16.07	13.09	9.38		ļ			38.07	38.07	ļ	
\vdash	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47							ļ	
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47								1

Version 3Q02: 10/07/02 Page 54 of 123

JINDUNUL	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Inte		BCS	USOC		RA	TES(\$)			Svc Order Submitte d Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	I Charge - Manual Svc Order	Incremental Charge - Manual Svc Order vs.	I Charge Manual Svc Orde
											per LSR		Electronic- 1st	vs. Electronic-	Electronic- Disc 1st	vs. Electroni
1					+		Nonrec	urring	NDC Di	sconnect			088	Rates(\$)	l	<u> </u>
						Rec	First	Add'l	First		SOMEC	SOMAN			SOMAN	SOMAN
-	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47	11100	Addi	COMILO	COMPAN	COMPAR	COMPAR	COMPAR	COMPA
_	DS3 Interface Unit (DS1 COCI) combination per mo		Ŭ	UNC1X	UC1D1	16.07	13.09	9.38					38.07	38.07		
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		<u> </u>
2-WI	RE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFI	CE TI	RANS										-			†
	2WVG Loop used w 2W VG Interoffice Transport Combination-Zone 1	- 1	1	UNCVX	UEAL2	14.97	142.97	106.56								<u> </u>
	2WVG Loop used w 2W VG Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56								<u> </u>
_	2WVG Loop used w 2W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56								
_	Interoffice Transport-Dedicated-2W VG combination-Per Mile Per mo		Ŭ	UNCVX	1L5XX	0.0282	142.07	100.00								
	Interoffice Transport-Dedicated-2W VG combination-Facility Term per mo			UNCVX	U1TV2	18.00	137.48	52.58		 			38.07	38.07	1	\vdash
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCVX	UNCCC	10.00	21.75	21.75	32.28	10.96			38.07	38.07	-	
4-WI	RE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFI	CF T	RANG		014000		21.73	21.73	32.20	10.30			30.07	50.07	1	
4-441	4WVG Loop used w 4W VG Interoffice Transport Combination-Zone 1	J_ 11	1	UNCVX	UEAL4	21.32	288.47	237.45		1				 	 	
-	4WVG Loop used w 4W VG Interoffice Transport Combination-Zone 1		2	UNCVX	UEAL4	36.27	288.47	237.45		1		H		-	-	-
	4WVG Loop used w 4W VG Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45						ļ	-	-
	Interoffice Transport-Dedicated-4W VG combination-Per Mile Per mo		3	UNCVX	1L5XX	0.0282	288.47	237.45								
			_		U1TV4		106.11	65.95					00.07	00.07		
	Interoffice Transport-Dedicated-4W VG combination-Facility Term per mo			UNCVX		22.16			00.00	40.00			38.07	38.07		<u> </u>
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
DS3	DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRAN	SPOF	₹1 (E													
	High Capacity Unbundled Local Loop-DS3 combination-Per Mile per mo			UNC3X	1L5ND	13.33										
	High Capacity Unbundled Local Loop-DS3 combination-Facility Term per			UNC3X	UE3PX	450.69	1,071.00	646.12					38.07	38.07		
	Interoffice Transport-Dedicated-DS3-Per Mile per mo			UNC3X	1L5XX	12.98										
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		↓
STS	I DIGITAL EXTENDED LOOP WITH DEDICATED STS1 INTEROFFICE TR	ANSP	ORT													↓
	High Capacity Unbundled Local Loop-STS1 combination-Per Mile per mo			UNCSX	1L5ND	13.33										
	High Capacity Unbundled Local Loop-STS1 combination-Facility Term per			UNCSX	UDLS1	464.26	1,071.00	646.12					38.07	38.07		
	Interoffice Transport-Dedicated-STS1 combination-Per Mile per mo			UNCSX	1L5XX	6.14										
	Interoffice Transport-Dedicated-STS1 combination-Facility Term per mo			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
2-WI	RE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT (EEL)															
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31								
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31								
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31								
	Interoffice Transport-Dedicated-DS1 combination-Per Mile			UNC1X	1L5XX	0.5753										
	Interoffice Transport-Dedicated-DS1 combintion-Facility Term per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Channelization-Channel System DS1 to DS0 combination-per mo			UNC1X	MQ1	146.69	197.78	140.06					38.07	38.07		
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combination-per			UNCNX	UC1CA	3.59	15.76	11.28					38.07	38.07		
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone		1	UNCNX	U1L2X	19.42	325.91	251.31								
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone		2	UNCNX	U1L2X	32.88	325.91	251.31								
	Add'I 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone		3	UNCNX	U1L2X	51.14	325.91	251.31				i		1	1	1
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System combintaion-per			UNCNX	UC1CA	3.59	15.76	11.28					38.07	38.07		1
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNC1X	UNCCC	2.30	21.75	21.75	32.28	10.96			38.07	38.07		<u> </u>
4-WI	RE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFF	ICE T	RAN				=:::0	0					22.01	22.01		
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 1	<u> </u>	1	UNC1X	USLXX	47.60	714.84	421.47		†				<u> </u>	<u> </u>	t
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47		 				1	t	
	First DS1 Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47		 						
-	Interoffice Transport-Dedicated-STS1 combination-Per Mile Per mo		3	UNCSX	1L5XX	6.14	7 17.04	721.47						1	1	
-+	Interoffice Transport-Dedicated-STS1 combination-Fer Mile Fer Mile			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07	1	\vdash
	STS1 to DS1 Channel System conbination per mo			UNCSX	MQ3	233.10	403.97	234.40		1		 	38.07	38.07	 	
	DS3 Interface Unit (DS1 COCI) combination per mo			UNCOA	IVIUJ	233.10	403.97	9.38		1			30.07	JO.U/		

<u>JNBU</u> NDLI	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	USOC		R.	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-	I Charge Manual Svc Orde
						Rec		curring		sconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47								
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47								
	Add'l DS1Loop in STS1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47								
	DS3 Interface Unit (DS1 COCI) combination per mo			UNC1X	UC1D1	16.07	13.09	9.38					38.07	38.07		
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
4-WIR	RE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE T	RANS	SPOR													
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	4W 56 kbps Loop/4W 56 kbps Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per Mile			UNCDX	1L5XX	0.0282										
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term		Ш	UNCDX	U1TD5	17.40	137.48	52.58		<u> </u>			38.07	38.07	ļ	ļ
	NRC Currently Combined Network Elements Switch-As-Is Charge	<u> </u>		UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07	ļ	ļ
4-WIF	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE T	RANS	SPOR												ļ	<u> </u>
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 1	1	1	UNCDX	UDL64	25.32	489.04	337.51	ļ	ļ			ļ		ļ	
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51	ļ	ļ					ļ	ļ
	4W 64 kbps Loop/4W 64 kbps Interoffice Transport Combination-Zone 3	1	3	UNCDX	UDL64	67.26	489.04	337.51							ļ	
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per Mile			UNCDX	1L5XX	0.0282										
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term			UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
	NRC Currently Combined Network Elements Switch-As-Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	NETWORK ELEMENTS															
	n used as a part of a currently combined facility, the non-recurrng cha															
	n used as ordinarily combined network elements in All States, the non-					s Is Charge do	es not.									
Nonre	ecurring Currently Combined Network Elements "Switch As Is" Charge	(One	appli	es to each combina	ition)											
	NRC Currently Combined Network Elements Switch-As-Is Charge-2W/4W															
	VG			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	NRC Currently Combined Network Elements Switch-As-Is Charge-56/64															
	kbps			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	NRC Currently Combined Network Elements Switch-As-ls Charge-DS1			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	NRC Currently Combined Network Elements Switch-As-Is Charge-DS3			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	NRC Currently Combined Network Elements Switch-As-ls Charge-STS1			UNCSX	UNCCC	L	21.75	21.75	32.28	10.96	ļ		38.07	38.07		
NOTE	E: Local Channel - Dedicated Transport - minimum billing period - Belo	W DS.	3=one			11.24	550.00	89.69			ļ					
	Local Channel-Dedicated-2W VG Zone 1	-	1	UNCVX	ULDV2 ULDV2		553.80									
	Local Channel-Dedicated-2W VG Zone 2 Local Channel-Dedicated-2W VG-Zone 3	-	2	UNCVX	ULDV2	19.91 31.70	553.80	89.69 89.69								
		-					553.80									
	Local Channel-Dedicated-4W VG Zone 1	-	1	UNCVX	ULDV4	12.03	562.23	92.67								
	Local Channel-Dedicated-4W VG Zone 2		2	UNCVX	ULDV4	21.33	562.23	92.67			ļ					
	Local Channel-Dedicated-4W VG-Zone 3		3	UNCXV	ULDV4	33.95	562.23	92.67			ļ					
	Local Channel-Dedicated-DS1 per mo Zone 1	-	1	UNC1X	ULDF1	27.05	534.48	462.69								
	Local Channel-Dedicated-DS1 Per mo Zone 2	-	2	UNC1X	ULDF1	47.94	534.48	462.69								
	Local Channel-Dedicated-DS1-Per mo Zone 3	-	3	UNC1X	ULDF1	76.32	534.48	462.69								
	Local Channel-Dedicated-DS3-Per Mile per mo			UNC3X	1L5NC	0.9954	500.05	507.00			ļ					
	Local Channel-Dedicated-DS3-Facility Term			UNC3X	ULDF3	298.92	562.25	527.88			ļ					
	Local Channel-Dedicated-STS-1-Per Mile per mo			UNCSX	1L5NC	0.9954		0.10.10								
	Local Channel-Dedicated-STS-1-Facility Term			UNCSX	ULDFS	286.13	1,071.00	646.12			ļ					
	onal Features & Functions:										ļ					
MULT	TIPLEXERS TChannelization DS1 to DS0 Channel System	1		UXTD1	MQ1	146.69	197.78	140.06					24.85	8.16	 	
_	Channelization-DS1 to DS0 Channel System	 	$\vdash \vdash$						1	<u> </u>					1	<u> </u>
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) 2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo	1		UDL UDN	1D1DD UC1CA	2.00 3.59	13.09 13.09	9.38 9.38	 	 	-	-	24.85 24.85	8.16 8.16		
	VG COCI-DS1 to DS0 Channel System-per mo	1		UEA	1D1VG	1.27	13.09	9.38	 	 	-	-	24.85	8.16		
		1-	\vdash	UXTD3	MQ3	233.10	403.97	234.40	 	 	 	-	24.85	7.42		
_	DS3 to DS1 Channel System per mo	 	\vdash						1	<u> </u>					1	<u> </u>
_	STS1 to DS1 Channel System per mo	 	\vdash	UXTS1	MQ3	233.10	403.97	234.40	1	<u> </u>			38.07	38.07	1	<u> </u>
	DS3 Interface Unit (DS1 COCI) used w Loop per mo	1	\vdash	USL	UC1D1	16.07	13.09	9.38	 	 	1	-	24.85	8.16	 	
	DS3 Interface Unit (DS1 COCI) used w Local Channel per mo	-	\vdash	ULDD1	UC1D1	16.07	13.09	9.38	}	}	!		24.85	8.16	1	}
	DS3 Interface Unit (DS1 COCI) used w Interoffice Channel per mo	-	\vdash	U1TD1	UC1D1	16.07	13.09	9.38	 	 	 	ļ	24.85	8.16	 	
Sub-L	Loop Feeder	1	\vdash	LINIOAV	HODES	05.05	000 01	450.00	-						1	<u> </u>
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	UNC1X	USBFG	35.65	393.01	153.37	<u> </u>			ļ		ļ	1	<u> </u>
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		2	UNC1X UNC1X	USBFG USBFG	63.18 100.58	393.01 393.01	153.37 153.37			ļ					

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte Z	Zo ne	BCS	usoc		R/	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incremental	Incrementa I Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge Manual Svc Orde vs.
						Rec	Nonre	curring	NRC Disco	onnect			OSS	Rates(\$)		
						Rec	First	Add'l	First A	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	D LOCAL EXCHANGE SWITCHING(PORTS)															
	ange Ports															
2-WI	RE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports-2W Analog Line Port w Caller ID-Res.			UEPSR	UEPRC	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports-2W VG unbundled res, low usage line port w Caller ID			UEPSR	UEPAP	2.19	21.60	21.60					26.94	12.76		
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	2.19	21.60	21.60					26.94	12.76		
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00					26.94	12.76		
FEA	TURES															
	All Available Vertical Features			UEPSR	UEPVF	3.40	0.00	0.00					26.94	12.76		
2-WI	RE VOICE GRADE LINE PORT RATES (BUS)				<u> </u>											
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports-2W VG unbundled Line Port w unbundled port w															
	Caller+E484 ID-Bus.			UEPSB	UEPBC	2.19	21.60	21.60					26.94	12.76		
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	2.19	21.60	21.60					26.94	12.76		
	Exhange Ports-2W VG unbundled incoming only port w Caller ID-Bus			UEPSB	UEPB1	2.19	21.60	21.60					26.94	12.76		
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	2.19	21.60	21.60					26.94	12.76		
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00								
FEA	TURES															
	All Available Vertical Features			UEPSB	UEPVF	3.40	0.00	0.00					26.94	12.76		
EXC	HANGE PORT RATES (DID & PBX)				ļ <u>-</u>											
	2W VG Unbundled 2Way PBX Trunk-Res			UEPSE	UEPRD	2.18	21.60	21.60					26.94	12.76		
	2W VG Line Side Unbundled 2Way PBX Trunk-Bus			UEPSP	UEPPC	2.18	21.60	21.60					26.94	12.76		
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	2.18	21.60	21.60					26.94	12.76		
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	2.18	21.60	21.60					26.94	12.76		
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		<u> </u>
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
	2W Vice Unbundled 2Way PBX Usage Port			UEPSP	UEPXA	2.18	21.60	21.60					26.94	12.76		<u> </u>
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.18	21.60	21.60					26.94	12.76		
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.18	21.60	21.60					26.94	12.76		<u> </u>
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.18	21.60	21.60					26.94	12.76		
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port 2W Voice Unbundled 2Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXE	2.18	21.60	21.60					26.94 26.94	12.76		
	2W Voice Unbundled 2Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	2.18	21.60	21.60					26.94	12.76		
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room			JE. JI	0 = 7 / (IV)	2.10	21.00	21.00	 				20.04	12.70	<u> </u>	
	Calling Port			UEPSP	UEPXO	2.18	21.60	21.60					26.94	12.76		1
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.18	21.60	21.60					26.94	12.76		
	Subsqnt Activity		\neg	UEPSP	USASC	0.00	0.00	0.00					26.94	12.76	Ì	
FEA	TURES		\dashv		1	2.23	2.20	2.30	1					1	Ì	
	All Available Vertical Features		- L	JEPSP UEPSE	UEPVF	3.40	0.00	0.00					26.94	12.76		
EXC	HANGE PORT RATES (COIN)													_		
	Exchange Ports-Coin Port					2.59	21.60	21.60					26.94	12.76		
NOT	E: Transmission/usage charges associated with POTS circuit switched	usage v	will also	o apply to circuit	switched v				ission by B-	Chann	els associa	ated with 2\				
	E: Access to B Channel or D Channel Packet capabilities will be availab															
	D LOCAL EXCHANGE SWITCHING(PORTS)					·										
EXC	HANGE PORT RATES															
	Exchange Ports-2W DID Port			UEPEX	UEPP2	12.36	81.84	81.84					26.94	12.76		
	Exchange Ports-DDITS Port-4W DS1 Port w DID capability			UEPDD	UEPDD	123.65	116.59	69.92	ĺ				26.94	12.76		
	Exchange Ports-2W ISDN Port (See Notes below.)		Ų	JEPTX UEPSX	U1PMA	24.50	62.29	62.29					55.30	55.30		
	All Features Offered			JEPTX UEPSX	UEPVF	3.40	0.00	0.00								
NOT	E: Transmission/usage charges associated with POTS circuit switched	usage v	will also	o apply to circuit	switched v	oice and/or ci	rcuit switche	d data transm	ission by B-	Chann	els associa	ated with 2\	N ISDN ports.			
	E: Access to B Channel or D Channel Packet capabilities will be availab		throug	h BFR/NBR Proc	ess. Rates	for the packet										
	Exchange Ports-2W ISDN PortChannel Profiles		Ī	JEPTX UEPSX	U1UMA	0.00	0.00	0.00								
	Exchange Ports-4W ISDN DS1 Port			UEPEX	UEPEX	179.75	241.63	241.63					53.89	53.89		
UNB	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
UNB	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	2.19	21.60	21.60					26.94	12.76		
			_													

Version 3Q02: 10/07/02 Page 57 of 123

ONRONDEED NE	TWORK ELEMENTS - North Carolina											Attachment:			bit: B
CATEGORY		Inte rim		BCS	USOC			ATES(\$)		Svc Order Submitt d Elec per LS	per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	I Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment I Charge Manual Svc Orde vs. Electronic
						Rec	Nonre		NRC Disconi				Rates(\$)		
							First	Add'l	First Ad	J'I SOME	SOMAN		SOMAN	SOMAN	SOMAN
Unbun	dled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	2.19	21.60	21.60				26.94	12.76		
Non-Recurrin	ng														
Unbun	dled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVR	USAC2		2.77	0.40				26.94	12.76		
Unbun	dled Remote Call Forwarding Service-Conversion w allowed														
	e (PIC & LPIC)			UEPVR	USACC		2.77	0.40							
UNBUNDLED	REMOTE CALL FORWARDING - Bus														
	dled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	2.19	21.60	21.60				26.94	12.76		
	dled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	2.19	21.60	21.60				26.94	12.76		
	dled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	2.19	21.60	21.60				26.94	12.76		
	dled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	2.19	21.60	21.60				26.94	12.76		
	dled Remote Call Forwarding Service Expanded & Exception Local					20	200	200			Ì	23.54	1 .2	i	
Calling				UEPVB	UERVJ	2.19	21.60	21.60				26.94	12.76		
Non-Recurrin				OLI VD	OLIVO	2.19	21.00	21.00		-	+	20.94	12.70	1	
	dled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		2.77	0.40		_	1	26.94	12.76	1	
	dled Remote Call Forwarding Service-Conversion wallowed			OLF VD	USAUZ		2.11	0.40		-	+	20.94	12.70	1	
	e (PIC & LPIC)			UEPVB	USACC		2.77	0.40							
	SWITCHING, PORT USAGE			UEFVB	USACC		2.11	0.40			_		1		
					ļ						-				
	witching (Port Usage)														
	ffice Switching Function, Per MOU					0.0015									
	ffice Trunk Port-Shared, Per MOU					0.00023									
	tching (Port Usage) (Local or Access Tandem)														
	m Switching Function Per MOU					0.0006									
	m Trunk Port-Shared, Per MOU					0.0003									
Common Tra															
	on Transport-Per Mile, Per MOU					0.00001									
	on Transport-Facilities Term Per MOU					0.00034									
JNBUNDLED PORT/I	LOOP COMBINATIONS - COST BASED RATES														
	Rates are applied where BellSouth is required by FCC and/or Co														
Features sha	Il apply to the Unbundled Port/Loop Combination - Cost Based	Rate:	sect	tion in the same mann	er as they	are applied to	the Stand-Ald	one Unbundle	d Port section	of this Rate	Exhibit.				
	Tandem Switching Usage & Common Transport Usage rates in											op Combinat	ions.		
	dd'I Port NRC charges apply to Not Currently Combined Combos	s. For	Cur	rrently Combined Cor	nbos the N	RC charges sh	all be those i	dentified in th	e NRC - Curre	ntly Combine	d sections.				
2-WIRE VOIC	E GRADE LOOP WITH 2-WIRE LINE PORT (RES)														
UNE Port/Loc	op Combination Rates														
2W VG	Loop/Port Combo-Zone 1		1			13.03									
2W VG	Loop/Port Combo-Zone 2		2			21.33									
2W VG	Loop/Port Combo-Zone 3		3			32.61									
UNE Loop Ra															
	Loop (SL1)-Zone 1		1	UEPRX	UEPLX	10.75									
	G Loop (SL1)-Zone 2		2	UEPRX	UEPLX	19.05					İ	İ	İ	İ	
	G Loop (SL1)-Zone 3		3	UEPRX	UEPLX	30.33									
	Grade Line Port Rates (Res)		_	02.100	OL: EX	00.00									
	ce unbundled port-residence			UEPRX	UEPRL	2.28	79.59	63.97				40.18	9.45		
	ce unbundled port w Caller ID-res			UEPRX	UEPRC	2.28	79.59	63.97				40.18	9.45		
	ce unbundled port w Galler 15-res	-		UEPRX	UEPRO	2.28	79.59	63.97				40.18			
	ce unbundled port outgoing only-res ce unbundles res, low usage line port w Caller ID (LUM)			UEPRX	UEPAP	2.28	79.59	63.97		_	+	40.18	9.45	-	
				UEPRX	UEPRT	2.28	79.59 79.59	63.97			+	40.18	9.45		
FEATURES	ce unbundled Low Usage Line Port w/o Caller ID Capability			UEPKA	UEPKI	2.28	79.59	63.97		_	+	40.18	9.45	 	
	t O#			LIEDDY	LIEDVE	0.40	0.00	0.00			1	40.40	0.45		
	tures Offered			UEPRX	UEPVF	3.40	0.00	0.00		_	1	40.18	9.45		
	BER PORTABILITY			L	 								<u> </u>		ļ
LOCAL NUMI				UEPRX	LNPCX	0.35							ļ		
LOCAL NUMI Local N	No Portability (1 per port)									1	1		1		l
LOCAL NUMI Local N NONRECURR	RING CHARGES (NRCs) - CURRENTLY COMBINED														
LOCAL NUMI Local N NONRECURR 2W VG	RING CHARGES (NRCs) - CURRENTLY COMBINED Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		2.77	0.40				40.18	9.45		
LOCAL NUMI Local N NONRECURR 2W VG 2W VG	RING CHARGES (NRCs) - CURRENTLY COMBINED Loop/Line Port Combination-Conversion-Switch-as-is Loop/Line Port Combination-Conversion-Switch w change			UEPRX UEPRX	USAC2 USACC		2.77	0.40 0.40				40.18			
LOCAL NUMI Local N NONRECURR 2W VG 2W VG	RING CHARGES (NRCs) - CURRENTLY COMBINED Loop/Line Port Combination-Conversion-Switch-as-is														
LOCAL NUMI Local N NONRECURR 2W VG 2W VG	RING CHARGES (NRCs) - CURRENTLY COMBINED Loop/Line Port Combination-Conversion-Switch-as-is Loop/Line Port Combination-Conversion-Switch w change Loop/Line Port Combination-Conversion-Subsqnt Database						2.77					40.18			

ONDONDLE	D NETWORK ELEMENTS - North Carolina									-		Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	USOC		R/	ATES(\$)		Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	I Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec		curring	NRC Disconne				Rates(\$)		
2-WID	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)				-		First	Add'l	First Add'	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ort/Loop Combination Rates		-		-										
	2W VG Loop/Port Combo-Zone 1		1			13.03				_					
	2W VG Loop/Port Combo-Zone 2		2			21.33									<u> </u>
	2W VG Loop/Port Combo-Zone 3		3			32.61									
UNE L	oop Rates														
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	10.75									
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	19.05									
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	30.33									
	Voice Grade Line Port (Bus)			UEPBX	UEPBL	2.28	79.59	63.97		-		40.18	0.45		
	2W voice unbundled port w/o Caller ID-bus 2W voice unbundled port w Caller + E484 ID-bus	+		UEPBX	UEPBC	2.28	79.59	63.97				40.18	9.45 9.45		
	2W voice unbundled port w Care + E404 10-bus	1	-	UEPBX	UEPBO	2.28	79.59	63.97				40.18	9.45		
	2W voice unbundled incoming only port w Caller ID-Bus	+		UEPBX	UPEB1	2.28	79.59	63.97				40.18	9.45		†
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	2.28	79.59	63.97				40.18	9.45		
LOCAL	L NUMBER PORTABILITY								i						
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35									
FEAT															
	All Features Offered			UEPBX	UEPVF	3.40	0.00	0.00				40.18	9.45		
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		2.77	0.40				40.18	9.45		
	2W VG Loop/Line Port Combination-Conversion-Switch w change 2W VG Loop/Line Port Combination-Conversion-Subsqnt Database			UEPBX	USACC		2.77 1.42	0.40		-		40.18 10.27	9.45		
	IONAL NRCs		-		+		1.42			+		10.27	-		-
	2W VG Loop/Line Port Combination-Subsqnt Activity		-	UEPBX	USAS2		0.00	0.00		-		40.18	9.45		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			OLI DX	00/102		0.00	0.00				40.10	0.40		
	ort/Loop Combination Rates														
	2W VG Loop/Port Combo-Zone 1		1			13.03									
	2W VG Loop/Port Combo-Zone 2		2			21.33									
	2W VG Loop/Port Combo-Zone 3		3			32.61									
	oop Rates														
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	10.75									
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	19.05				-					
	2W VG Loop (SL 1)-Zone 3 Voice Grade Line Port Rates (RES - PBX)		3	UEPRG	UEPLX	30.33				+			-		-
	2W VG Unbundled Combination 2Way PBX Trunk Port-Res		-	UEPRG	UEPRD	2.28	164.57	128.16		-		40.18	9.45		
	L NUMBER PORTABILITY			OLI ILO	OLI ND	2.20	104.07	120.10		_		40.10	0.40		
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00							
FEATU															
	All Features Offered			UEPRG	UEPVF	3.40	0.00	0.00				40.18	9.45		
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		2.77	0.40				40.18	9.45		
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch w Change			UEPRG	USACC		2.77	0.40				40.18	9.45		
	2W VG Loop/Line Port Combination-Conversion-Subsqnt Database						1.42			_		10.27			
	IONAL NRCs 2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00		-		40.18	9.45		<u> </u>
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		-	UEFRG	U3A32	0.00	0.00	0.00		+		40.10	9.45		-
	ort/Loop Combination Rates	+	— h		+								 		
	2W VG Loop/Port Combo-Zone 1		1			13.03				_					
	2W VG Loop/Port Combo-Zone 2	\dagger	2		1	21.33								1	
	2W VG Loop/Port Combo-Zone 3		3			32.61									
UNE L	oop Rates														
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	10.75	•								
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	19.05									
	2W VG Loop (SL 1)-Zone 3	\sqcup	3	UEPPX	UEPLX	30.33		ļ	 		ļ		<u> </u>		<u> </u>
	Voice Grade Line Port Rates (BUS - PBX) Line Side Unbundled Combination 2Way PBX Trunk Port-Bus	+		HEDDY	LIEDDO	0.00	10157	400.40				40.40	0.45		
		+		UEPPX	UEPPC	2.28 2.28	164.57	128.16 128.16		-		40.18 40.18	9.45 9.45	-	-
	Line Side Unbundled Outward PBX Trunk Port-Bus Line Side Unbundled Incoming PBX Trunk Port-Bus	+	- 	UEPPX	UEPPO UEPP1	2.28	164.57 164.57	128.16			-	40.18	9.45		
	2W Voice Unbundled Incoming PBX Trunk Port-Bus 2W Voice Unbundled PBX LD Terminal Ports	+		UEPPX	UEPLD	2.28	164.57	128.16				40.18	9.45		
	2W Voice Unbundled 2Way Combination PBX Usage Port	+	- +	UEPPX	UEPXA	2.28	164.57	128.16				40.18			
	2W Voice Unbundled PBX Toll Terminal Hotel Ports	+ +		UEPPX	UEPXB	2.28	164.57	128.16	 	1	1	40.18		1	\leftarrow

Version 3Q02: 10/07/02 Page 59 of 123

NRONDLE	D NETWORK ELEMENTS - North Carolina											Attachment:			bit: B
ATEGORY	PATE ELEMENTS	Inte rim	Zo ne	BCS	USOC			ATES(\$)		Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec		curring	NRC Disconne				Rates(\$)		
	2W Voice Unbundled PBX LD DDD Terminals Port		-	UEPPX	UEPXC	2.20	First	Add'l	First Add'	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Voice Unbundled PBX LD DDD Terminal Switchboard Port			UEPPX	UEPXD	2.28 2.28	164.57 164.57	128.16 128.16				40.18 40.18	9.45 9.45		-
_	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		-	UEPPX	UEPXE	2.28	164.57	128.16				40.18	9.45		
	2W Voice Unbundled 2Way PBX Hotel/Hospital Economy Administrative		-	OLITA	OLI AL	2.20	104.07	120.10				40.10	0.40		
	Calling Port			UEPPX	UEPXL	2.28	164.57	128.16				40.18	9.45		
	2W Voice Unbundled 2Way PBX Hotel/Hospital Economy Room Calling														
	Port			UEPPX	UEPXM	2.28	164.57	128.16				40.18	9.45		
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room														
	Calling Port			UEPPX	UEPXO	2.28	164.57	128.16				40.18	9.45		
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.28	164.57	128.16				40.18	9.45		
LOCA	L NUMBER PORTABILITY			HERRY	LNSSS	2.5				1		10.1-			
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00	 			40.18	9.45		
FEAT				HEDDY	HEDVE	0.40	0.00	0.00		1		40.40	0.45		
	All Features Offered ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPPX	UEPVF	3.40	0.00	0.00	 	+		40.18	9.45	-	
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is		-+	UEPPX	USAC2		2.77	0.40		+		40.18	9.45	 	
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch w Change		-+	UEPPX	USACC		2.77	0.40	 	+		40.18	9.45	 	
	2W VG Loop/Line Port Combination (LBX)-conversion-Switch w Change 2W VG Loop/Line Port Combination-Conversion-Subsqnt Database	- 1		52/1/A	23/100		1.42	5.40		1		10.27	5.75		
	TONAL NRCs														
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00				40.18	9.45		
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT														
UNE F	ort/Loop Combination Rates														
	2W VG Coin Port/Loop Combo – Zone 1		1			13.03									
	2W VG Coin Port/Loop Combo – Zone 2		2			21.33									
	2W VG Coin Port/Loop Combo – Zone 3		3			32.61									
	oop Rates														<u> </u>
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	10.75									
	2W VG Loop (SL1)-Zone 2		2	UEPCO UEPCO	UEPLX	19.05 30.33				_					
	2W VG Loop (SL1)-Zone 3 v Voice Grade Line Ports (COIN)		3	UEPCO	UEPLA	30.33									
	2W Coin 2Way w/o Operator Screening & w/o Blocking (NC)			UEPCO	UEPND	2.28	79.59	63.97				40.18	9.45		
	2W Coin 2Way w Operator Screening (NC)			UEPCO	UEPNC	2.28	79.59	63.97				40.18	9.45		
	2W Coin 2Way w Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRP	2.28	79.59	63.97				40.18	9.45		
	2W Coin 2Way w Operator Screening & 011 Blocking (NC)			UEPCO	UEPNB	2.28	79.59	63.97				40.18	9.45		
	2W Coin 2Way w Oper Screening: 900 Blocking: 900/976, 1+DDD, 011+,														
	& Local			UEPCO	UEPCA	2.28	79.59	63.97				40.18	9.45		
	2W Coin Outward w Operator Screening & 011 Blocking (NC)			UEPCO	UEPNE	2.28	79.59	63.97				40.18	9.45		
	2W Coin Outward w Oper Screening & Blocking: 900/976, 1+DDD, 011+,														
	& Local			UEPCO	UEPCL	2.28	79.59	63.97				40.18	9.45		<u> </u>
	2W 2Way Smartline w 900/976			UEPCO	UEPCK	2.28	79.59	63.97		1		40.18	9.45		
	2W Coin Outward Smartline w 900/976 TONAL UNE COIN PORT/LOOP (RC)		-+	UEPCO	UEPCR	2.28	79.59	63.97		+		40.18	9.45	 	
ADDII	UNE Coin Port/Loop Combo Usage (Flat Rate)		-+	UEPCO	URECU	3.70	79.59	63.97	 	+		40.18	9.45		
LOCA	L NUMBER PORTABILITY		-	JL1 00	UNLOU	5.70	10.00	05.37		1		40.10	3.43		
	Local No Portability (1 per port)		-	UEPCO	LNPCX	0.35						1		1	
	ECURRING CHARGES - CURRENTLY COMBINED					0.00						Ì			
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is		-t	UEPCO	USAC2		2.77	0.40		1		40.18	9.45	İ	
	2W VG Loop/Line Port Combination-Conversion-Switch w change			UEPCO	USACC		2.77	0.40				40.18	9.45		
	2W VG Loop/Line Port Combination-Conversion-Subsqnt Database			•			1.42								
	IONAL NRCs														
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00		1		40.18	9.45		<u> </u>
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PO	ORT ((RES)		1										
	Port/Loop Combination Rates				-			-				1			₩
	oop Rates		-+		+				 	_		 		 	
	Voice Grade Line Port Rates (Res)			UEPFR	UEPRL	2.10	225.00	225.00	 	+		40.18	0.45	-	├──
	2W voice unbundled port-residence 2W voice unbundled port w Caller ID-res			UEPFR	UEPRC	2.19 2.19	225.00	225.00	 	+		40.18	9.45 9.45	-	├──
	2W voice unbundled port w Caller ID-res 2W voice unbundled port outgoing only-res		-+	UEPFR	UEPRO	2.19	225.00	225.00	 	+		40.18	9.45	1	
-	2W voice unbundles res, low usage line port w Caller ID (LUM)		-+	UEPFR	UEPAP	2.19	225.00	225.00		+		40.18	9.45	 	
	OFFICE TRANSPORT			OLFIN	OLFAP	2.13	220.00	223.00		+		40.10	3.43	 	
1415	Interoffice Transport-Dedicated-2W VG-Facility Term		-+	UEPFR	U1TV2	18.00	140.00	71.00	 	+			 		
				UEPFR	1L5XX	0.0125	170.00	7 1.00	l						

Version 3Q02: 10/07/02 Page 60 of 123

UNBUNDLED	NETWORK ELEMENTS - North Carolina											Attachment:	2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc			ATES(\$)		Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec		curring	NRC Disconnec				Rates(\$)		
							First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEATUR				LIEBER	115515	0.10						10.10			
	Il Features Offered NUMBER PORTABILITY			UEPFR	UEPVF	3.40	0.00	0.00				40.18	9.45		
	ocal No Portability (1 per port)			UEPFR	LNPCX	0.35									
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLFIK	LINEUX	0.55				-					
	W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-														
	witch-as-is			UEPFR	USAC2		9.03	1.87				40.18	9.45		
	W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-														
	witch-w-Change			UEPFR	USACC		9.03	1.87				40.18	9.45		
2-WIRE \	VOICE LOOP, 2WIRE VOICE GRADE IO TRANSPORT, 2-WIRE LINE P	ORT	(BUS)											
UNE Por	rt/Loop Combination Rates														
	op Rates					_	•								
	/oice Grade Line Port (Bus)														
	W voice unbundled port w/o Caller ID-bus		Ш	UEPFB	UEPBL	2.19	225.00	225.00				40.18	9.45		
	W voice unbundled port w Caller + E484 ID-bus			UEPFB	UEPBC	2.19	225.00	225.00		1		40.18	9.45	ļ	
	W voice unbundled port outgoing only-bus		\sqcup	UEPFB	UEPBO	2.19	225.00	225.00		1		40.18	9.45		
	W voice unbundled incoming only port w Caller ID-Bus			UEPFB	UEPB1	2.19	225.00	225.00				40.18	9.45		
	NUMBER PORTABILITY			LIEDED	LNDOV	0.05									
	ocal No Portability (1 per port)			UEPFB	LNPCX	0.35				_					
	FFICE TRANSPORT teroffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2										
	teroffice Transport-Dedicated-2W VG-Pacinty Term teroffice Transport-Dedicated-2W VG-Per Mile or Fraction Mile			UEPFB	1L5XX										
FEATUR				OLFIB	ILSAA										
	Il Features Offered			UEPFB	UEPVF	3.40	0.00	0.00		-		40.18	9.45		
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITB	OLI VI	3.40	0.00	0.00				40.10	3.43		
	W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-														
	witch-as-is			UEPFB	USAC2		9.03	1.87				40.18	9.45		
2W	W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			V=											
Sw	witch w change			UEPFB	USACC		9.03	1.87				40.18	9.45		
2-WIRE \	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)														
UNE Por	rt/Loop Combination Rates														
	op Rates														
	/oice Grade Line Port Rates (BUS - PBX)														
	ne Side Unbundled Combination 2Way PBX Trunk Port-Bus			UEPFP	UEPPC	2.18	225.00	225.00				40.18	9.45		
	ne Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	2.18	225.00	225.00				40.18	9.45		
	ne Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	2.18	225.00	225.00				40.18	9.45		
	W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	2.18	225.00	225.00		_		40.18 40.18	9.45 9.45		
	W Voice Unbundled 2Way Combination PBX Usage Port W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP UEPFP	UEPXA	2.18 2.18	225.00 225.00	225.00 225.00				40.18	9.45		
	W Voice Unbundled PBX LD DDD Terminal Hotel Ports W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	2.18	225.00	225.00				40.18	9.45		
	W Voice Unbundled PBX LD Terminal Switchboard Port		H	UEPFP	UEPXD	2.18	225.00	225.00	 	+		40.18	9.45	 	-
	W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		\vdash	UEPFP	UEPXE	2.18	225.00	225.00		+		40.18	9.45		
	W Voice Unbundled 2Way PBX Hotel/Hospital Economy Administrative			Q=111	JEI AL	2.10				1		40.10	5.45		1
	alling Port			UEPFP	UEPXL	2.18	225.00	225.00				40.18	9.45		
	W Voice Unbundled 2Way PBX Hotel/Hospital Economy Room Calling											12.10	50		
Po	, , , ,			UEPFP	UEPXM	2.18	225.00	225.00				40.18	9.45		
	W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room						-		1					1	
	alling Port			UEPFP	UEPXO	2.18	225.00	225.00				40.18	9.45	L	<u> </u>
	W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	2.18	225.00	225.00				40.18	9.45		
	NUMBER PORTABILITY														
	ocal No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				40.18	9.45		
	FFICE TRANSPORT			LIEBER	114777.47					1		ļ		ļ	ļ
	teroffice Transport-Dedicated-2W VG-Facility Term		Ш	UEPFP	U1TV2					1					ļ
	teroffice Transport-Dedicated-2W VG-Per Mile or Fraction Mile			UEPFP	1L5XX			ļ	 	1		 		ļ	
FEATUR			$\vdash \vdash$	HEDED	HED./E	0.40	2.22	0.00		+		40.40	0.4-		
	Features Offered		$\vdash \vdash$	UEPFP	UEPVF	3.40	0.00	0.00		+		40.18	9.45		
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED N Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-				1				 	+					
	witch-as-is			UEPFP	USAC2		9.03	1.87				40.18	9.45		
	W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-			UEFFF	USACZ		9.03	1.87		+		40.18	9.45	1	
	witch w change			UEPFP	USACC		9.03	1.87				40.18	9.45	1	1
	ORT/LOOP COMBINATIONS - COST BASED RATES	-	\vdash	OLITI	UUAUU		9.03	1.07		+		70.10	3.43		├ ──

Version 3Q02: 10/07/02 Page 61 of 123

ONBONDL	ED NETWORK ELEMENTS - North Carolina													Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	ВС	s	USOC			ATES(\$)			Svc Order Submitte d Elec per LSR	Submitted	Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge Manual Svc Orde vs.
							Rec		curring	NRC Dis					Rates(\$)		
0.14/15	DE VOICE CRADE I COR RUE ONLY WITH A WIRE DID TRUNK DORT							First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT Port/Loop Combination Rates																
UNE	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1	1	1				20.97										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		2				27.80										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3				37.08										
UNF	Loop Rates	t	Ū				07.00										
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEP	PX	UECD1	8.85										
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEP		UECD1	15.68										
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEP		UECD1	24.96										
UNE	Port Rate																
	Exchange Ports-2W DID Port			UEP	PX	UEPD1	12.12	224.81	188.40					40.18	9.45		
NONE	RECURRING CHARGES - CURRENTLY COMBINED	T															
	2W VG Loop/2W DID Trunk Port Combination-Switch-as-is			UEP	PX	USAC1		13.26	8.39					53.89	11.34		
	2W VG Loop/2W DID Trunk Port Conversion w BST Allowable Changes			UEP	PX	USA1C		13.26	8.39					53.89	11.34		
ADDI	TIONAL NRCs																
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEP	PX	USAS1		53.49						40.18	9.45		
Telep	hone Number/Trunk Group Establisment Charges																
	DID Trunk Term (One Per Port)			UEP		NDT	0.00	0.00	0.00								
	DID Nos, Establish Trunk Group & Provide First Group of 20 DID Nos			UEP		NDZ	0.00	0.00	0.00								
	Add'l DID Nos for each Group of 20 DID Nos			UEP		ND4	0.00	0.00	0.00								
	DID Nos, Non-consecutive DID Nos , Per No			UEP		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos			UEP		ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEP	PX	NDV	0.00	0.00	0.00								
LOCA	AL NUMBER PORTABILITY	1															
	Local No Portability (1 per port)		_	UEP	PX	LNPCP	3.15	0.00	0.00								
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE	POR															
UNE	Port/Loop Combination Rates	1	4	UEPPB	UEPPR		38.84										
-	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 1		2	UEPPB	UEPPR		50.01										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 2 2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 3		3	UEPPB	UEPPR		65.18										ļ
LINE	Loop Rates		3	UEPPB	UEPPR		05.10										
UNE	2W ISDN Digital Grade Loop-UNE Zone 1	1	1	UEPPB	UEPPR	USL2X	14.47										
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	25.64										
	2W ISDN Digital Grade Loop-UNE Zone 2	1	3	UEPPB	UEPPR	USL2X	40.81										
UNF	Port Rate		J	OLITE	OLITIK	OOLZX	40.01										
0.12	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	24.37	388.20	302.77					19.99	19.99		
NONE	RECURRING CHARGES - CURRENTLY COMBINED																
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-																
	Conversion			UEPPB	UEPPR	USACB	0.00	174.35	174.35								
ADDI	TIONAL NRCs																
LOCA	AL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CH	ANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00	ļ J							
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & T	ΓN)															
USER	R TERMINAL PROFILE			==	==												
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00							ļ	
VERT	TOTAL FEATURES			HEDDO	HEDDD	HED.	0.40	2.22	0.00							1	
INITE:	All Vertical Features-One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.40	0.00	0.00								
INTE	ROFFICE CHANNEL MILEAGE Interoffice Channel mileage each, including first mile & facilities Term			UEPPB	HEDDD	M1GNC	18.0282	137.48	52.58					19.99	19.99	1	-
								0.00	0.00					19.99	19.99		
4-16/15	Interoffice Channel mileage each, Add'l mile RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT			UEPPB	UEPPR	M1GNM	0.0282	0.00	0.00	 			-				
	Port/Loop Combination Rates			 						 			-				
ONE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 1		1	UEP	PP		226.55									1	
 	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-ONE Zone 1		2	UEP			263.28			 			 			 	
 	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 3	- t	3	UEP			313.15			 						†	
UNF	Loop Rates		-	JLI			010.10										
15	4W DS1 Digital Loop-UNE Zone 1	t	1	UEP	PP	USL4P	47.54									Ì	
	4W DS1 Digital Loop-UNE Zone 2		2	UEP		USL4P	84.27			 			1			1	

Version 3Q02: 10/07/02

ONBONDE	ED NETWORK ELEMENTS - North Carolina					1					_		Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc		R/	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonre	curring	NRC Dis	connect		l l		Rates(\$)	•	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LINE	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	134.14										
	Port Rate Exchange Ports-4W ISDN DS1 Port			UEPPP	UEPPP	179.01	956.47	663.10					19.99	19.99		
	RECURRING CHARGES - CURRENTLY COMBINED			UEPPP	UEFFF	179.01	956.47	003.10	1				19.99	19.99		
110111	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-															
	Conversion-Switch-as-is			UEPPP	USACP	0.00	481.51	481.51								
ADDI	TIONAL NRCs															
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward/2Way Tel			LIEDDD	DDTTO		4.47	4.47								
	Nos-(NC Only)			UEPPP	PR7TG		1.17	1.17								
	4W DS1 Loop/4W ISDN Digital Trunk Port-Subsqnt Activity Outward tel nos. (NC only)			UEPPP	PR7TP		28.17	28.17								
—	4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel Nos			UEPPP	PR7ZT		56.33	56.33								
LOCA	L NUMBER PORTABILITY			02	1		00.00	22.00								
	Local No Portability (1 per port)			UEPPP	LNPCN	1.75										
INTE	RFACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New o	or Additional "B" Channel			LIEDDD	DDZD\/	0.00	20.00						10.00	40.00		
	New or Add'l-Voice/Data B Channel New or Add'l-Digital Data B Channel			UEPPP UEPPP	PR7BV PR7BF	0.00	36.92 36.92						19.99 19.99	19.99 19.99		
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	36.92		1				19.99	19.99		
CALL	TYPES			OLITI	TINTOD	0.00	30.32						13.33	13.33		
0/122	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7C0	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interd	ffice Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	71.8653	217.17	163.75	0.00				19.99	19.99		
	Each Airline-Fractional Add'l Mile			UEPPP	1LN1B	0.5753										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
UNE	Port/Loop Combination Rates 4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 1		1	UEPDC		171.06										
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 2		2	UEPDC		207.79			1							
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 3		3	UEPDC		257.66										
	Loop Rates		Ŭ	OLI DO		207.00										
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	47.54										
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	84.27										
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	134.14										
UNE	Port Rate															
	4W DDITS Digital Trunk Port			UEPDC	UDD1T	123.52	831.43	491.39					19.99	19.99		
NONE	RECURRING CHARGES - CURRENTLY COMBINED			UEPDC	HEACA		400.30	400.20	1					-		
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is 4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion w			UEPUC	USAC4		490.38	490.38						-		
	DS1 Changes			UEPDC	USAWA		490.38	490.38								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion w			OLFDO	JUANA	 	+30.30	+30.30						 		1
	Change-Trunk			UEPDC	USAWB		490.38	490.38								
ADDI	TIONAL NRCs				1			122.30								
l	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Service Activity Per Service		T													
	Order			UEPDC	USAS4		127.63	127.63								
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel		T		l											
	Activation/Chan-2Way Trunk			UEPDC	UDTTA		28.81	28.81								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-			HEDDO	LIDTTE		00.04	00.01								
	Way Outward Trunk 4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan			UEPDC	UDTTB		28.81	28.81						-		
	Inward Trunk w/out DID			UEPDC	UDTTC		28.81	28.81					19.99	19.99		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-			OLFDO	00110		20.01	20.01					13.33	13.33		
	Inward Trunk w DID			UEPDC	UDTTD		28.81	28.81					19.99	19.99		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-				1		20.01	20.01					.0.50	.0.00		
	2Way DID w User Trans			UEPDC	UDTTE		28.81	28.81								
BIPO	AR 8 ZERO SUBSTITUTION															
	B8ZS-Superframe Format			UEPDC	CCOSF		0.00	615.00								
. 1	B8ZS-Extended Superframe Format			UEPDC	CCOEF	1	0.00	615.00								

DINDUNDLED	NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc		RA	TES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment I Charge Manua Svc Ord vs. Electron
1 1						B	Nonrec	urring	NRC Di	sconnect			oss	Rates(\$)	I	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
Alternate	e Mark Inversion															
A٨	MI-Superframe Format			UEPDC	MCOSF		0.00	0.00								
A٨	MI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telephor	ne Number/Trunk Group Establisment Charges															
Te	elephone No for 2Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		
	elephone No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
	elephone No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00							19.99	19.99		
	ID Nos, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPDC	NDZ	0.00	0.00	0.00						12.00		
	ID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00	5.50	0.00	1					l	1	
	ID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00			1					l	1	
	eserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00	 							
	eserve DID Nos			UEPDC	NDV	0.00	0.00	0.00								
	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital	Loon	with			0.00	0.00	0.00								
		гоор	WILI	UEPDC		71.29	217.17	163.75	0.00	0.00			19.99	19.99		
	teroffice Channel Mileage-Fixed rate 0-8 miles (Facilities Term)				1LNO1				0.00	0.00			19.99	19.99		
	teroffice Channel Mileage-Add'l rate per mile-0-8 miles			UEPDC	1LNOA	0.5753	0.00	0.00								
	teroffice Channel Mileage-Fixed rate 9-25 miles (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								
	teroffice Channel Mileage-Add'l rate per mile-9-25 miles			UEPDC	1LNOB	0.5753	0.00	0.00								
	teroffice Channel Mileage-Fixed rate 25+ miles (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	teroffice Channel Mileage-Add'l rate per mile-25+ miles			UEPDC	1LNOC	0.5753	0.00	0.00								
	ocal No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	entral Office Termininating Point			UEPDC	CTG	0.00										
	DS1 LOOP WITH CHANNELIZATION WITH PORT															
	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
	stem can have up to 24 combinations of rates depending on type an	d nur	nber	of ports used												
UNE DS1																
4V	W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	47.54	0.00	0.00								
4V	W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	84.27	0.00	0.00								
4V	W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	134.14	0.00	0.00								
UNE DSC	O Channelization Capacities (D4 Channel Bank Configurations)															
24	4 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	123.06	0.00	0.00					19.99	19.99		
	B DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	246.12	0.00	0.00					19.99	19.99		
	5 DSO Channel Capacity-1per 4 DS1s			UEPMG	VUM96	492.24	0.00	0.00					19.99	19.99		
	44 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	738.36	0.00	0.00					19.99	19.99		
	92 DS0 Channel Capacity-1 per 8 DS1s			UEPMG	VUM19	984.48	0.00	0.00					19.99	19.99		
	40 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,230,60	0.00	0.00					19.99	19.99		
	38 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,476,72	0.00	0.00	1				19.99	19.99	1	
	34 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM38	1,968.96	0.00	0.00	 				19.99	19.99		
	34 D30 Channel Capacity-1 per 10 D31s 30 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	2,461.20	0.00	0.00					19.99	19.99		
	76 DS0 Channel Capacity-1 per 24 DS1s			UEPMG	VUM57	2,953.44	0.00	0.00					19.99	19.99		
	72 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	3,445.68	0.00	0.00	 				19.99	19.99	 	
		olisti:	. n. 1					0.00	-				19.99	19.99	-	
	curring Charges (NRC) Associated with 4-Wire DS1 Loop with Channel						#111							ļ	ļ	
	num System configuration is One (1) DS1, One (1) D4 Channel Bank,															
	es of this configuration functioning as one are considered Add'I after	the n	nının				200.5:						10	40		
	RC-Conversion (Currently Combined) w or w/o BST Allowed Changes			UEPMG	USAC4	0.00	330.61	16.64	ļ				19.99	19.99		
	Additions at End User Locations Where 4-Wire DS1 Loop with Chan			with Port Combination	on Currently	/ Exists and										
	ot Currently Combined) in all states, except in Density Zone 1 of Top	8 MS	A's													
	DS1/D4 Channel Bank-Add'lly Add NRC for each Port & Assoc Fea															
	ctivation			UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68	l		19.99	19.99	l	l

UNDUNDL	ED NETWORK ELEMENTS - North Carolina	-	1								C1	Cup Carle	Attachment:		Exhi	
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	USOC			ATES(\$)			Svc Order Submitte d Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa I Charge - Manual Svc Order vs. Electronic
						Rec		curring		connect				Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Bipol	lar 8 Zero Substitution															
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	615.00								
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only			UEPMG	CCOEF	0.00	0.00	615.00								
Alter	nate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelization with	Port														
Exch	ange Ports				LIEDOV								10.10	0.45		
-	Line Side Combination Channelized PBX Trunk Port-Business			UEPPX	UEPCX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		
	Line Side Outward Channelized PBX Trunk Port-Business			UEPPX	UEPOX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		
$-\!\!\!+\!\!\!\!-$	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	2.28	0.00	0.00	0.00	0.00			40.18	9.45		
	2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	13.26	0.00	0.00	0.00	0.00			40.18	9.45	1	
Featu	ure Activations - Unbundled Loop Concentration			LIEDDY	4000444	0.05	05.07	40.04	4.45	4.40			40.40	0.45		
<u> </u>	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.65	25.27	13.34	4.15	4.12			40.18	9.45		
7.1.	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.65	77.75	18.33	58.74	11.48			40.18	9.45		
I elep	phone Number/ Group Establishment Charges for DID Service	<u> </u>		HEDDY	NIDT	0.00	0.00	0.00							1	
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								
Loca	Number Portability															
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	TURES - Vertical and Optional															
Loca	Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
	PORT LOOP COMBINATIONS - MARKET RATES		!		L		L									
	tet Rates shall apply where BellSouth is not required to provide unbund	led lo	cal s	witching or switch po	orts per FC	C and/or Com	mission rule	S.								
	includes:				. T 0 M	40 :- B-IIO-				D00						
	undled port/loop combinations that are Currently Combined or Not Curr															
	Top 8 MSAs in BellSouth's region are: FL (Orlando, Ft. Lauderdale, Miar South currently is developing the billing capability to mechanically bill t													In the interio	m where Bell	Courth
	not bill Market Rates, BellSouth shall bill the rates in the Cost-Based sec										urrently c	ombinea m	FL and NC.	in the interi	ili wilere beli	South
	not bill market Rates, BellSouth shall bill the rates in the Cost-based sed Market Rate for unbundled ports includes all available features in all sta		rece	ding in lieu of the Ma	rket Rates	and reserves	the right to tr	ue-up the bill	ng amere	ence.				ı	1	
	Office and Tandem Switching Usage and Common Transport Usage rate		ho D	art caction of this rate	o ovhihit c	aall annly to a	II combinatio	ns of loon/no	t notwork	r olomont	c avcant f	or LINE Coi	n Bort/Loon (Combination	se which have	a flat rate
	e charge (USOC: URECU).	3 III U	ile r	on section of this rati	e exilibit s	iaii appiy to a	ii combinatio	iis oi ioop/poi	LIIELWOII	Celement	s except i	OI OINE COII	i Fort/Loop (Johnshiation	is willcii ilav	a mai rate
									the NDC	charnes	are listed i	in the NRC -	Currently Co	mhined sec	tion Add'l N	IRCs may
For N	Not Currently Combined scenarios the NRC charges are listed in the Firs	t and	hhΔ	'I NRC columns for e	ach Port II	SOC For Cur	rently Combin	ned scenarios			are moteur	iii tiio itito	ourrently of	Jilibilica scc	Juon. Auu i	ii (Oo iiia)
	Not Currently Combined scenarios the NRC charges are listed in the First	t and	Add	'I NRC columns for ea	ach Port U	SOC. For Cur	rently Combin	ned scenarios	, the NKC	ona.goo						
apply	y also and are categorized accordingly.	t and	Add	'I NRC columns for ea	ach Port U	SOC. For Cur	rently Combin	ned scenarios	, the NKC					l		
apply 2-WIF	y also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	st and	Add	'I NRC columns for ea	ach Port U	SOC. For Cur	rently Combi	ned scenarios	, the NKC							
apply 2-WIF	y also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates	and	Add	'I NRC columns for ea	ach Port U		rently Combi	ned scenarios	, tile NKC							
apply 2-WIF	y also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates [2W VG Loop/Port Combo-Zone 1	at and	1	'I NRC columns for ea	ach Port U	24.75	rently Combin	ned scenarios	, tile NKC							
apply 2-WIF	y also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2	at and	1 2	'I NRC columns for ea	ach Port U	24.75 33.05	rently Combin	ned scenarios	, tile NKC							
apply 2-WIF UNE	y also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3	at and	1	'I NRC columns for ea	ach Port U	24.75	rently Combii	ned scenarios	, the NKC							
apply 2-WIF UNE	y also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop VG Loop/Port Combo-Zone 3 Loop Rates	st and	1 2			24.75 33.05 44.33	rently Combii	ned scenarios	, the NKC							
apply 2-WIF UNE	y also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates [2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates [2W VG Loop (SL1)-Zone 1	et and	1 2 3	UEPRX	UEPLX	24.75 33.05 44.33	rently Combii	ned scenarios	, the NRC							
apply 2-WIF UNE	y also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1	et and	1 2 3 1 2	UEPRX UEPRX	UEPLX UEPLX	24.75 33.05 44.33 10.75 19.05	rently Combi	ned scenarios	, the NRC							
apply 2-WIF UNE	y also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3	et and	1 2 3	UEPRX	UEPLX	24.75 33.05 44.33	rently Combin	ned scenarios	, the NRC							
apply 2-WIF UNE	y also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 re Voice Grade Line Port (Res)	et and	1 2 3 1 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX	24.75 33.05 44.33 10.75 19.05 30.33			, the NRC				40.18	9.45		
apply 2-WIF UNE	y also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 re Voice Grade Line Port (Res) 2W Voice unbundled port-residence	et and	1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX	24.75 33.05 44.33 10.75 19.05 30.33	90.00	90.00	, the NKC				40.18	9.45		
apply 2-WIF UNE	y also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 re Voice Grade Line Port (Res) 2W voice unbundled port-residence 2W voice unbundled port w Caller ID-res	et and	1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRL UEPRC	24.75 33.05 44.33 10.75 19.05 30.33 14.00	90.00	90.00	THE NRC				40.18	9.45		
apply 2-WIF UNE	y also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates [2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates [2W VG Loop (St.1)-Zone 1 2W VG Loop (St.1)-Zone 1 2W VG Loop (St.1)-Zone 2 2W VG Loop (St.1)-Zone 3 re Voice Grade Line Port (Res) 2W voice unbundled port-residence 2W voice unbundled port w Caller ID-res 2W voice unbundled port outgoing only-res	et and	1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRL UEPRC UEPRO	24.75 33.05 44.33 10.75 19.05 30.33 14.00 14.00	90.00	90.00	THE NRC				40.18 40.18	9.45 9.45		
apply 2-WIF UNE	y also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 re Voice Grade Line Port (Res) 2W voice unbundled port-residence 2W voice unbundled port w Caller ID-res 2W voice unbundled port outgoing only-res 2W voice unbundled port segale line port w Caller ID (LUM)	st and	1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRC UEPRC UEPAP	24.75 33.05 44.33 10.75 19.05 30.33 14.00 14.00 14.00	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00	THE NRC				40.18 40.18 40.18	9.45 9.45 9.45		
apply 2-WIF UNE	y also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 re Voice Grade Line Port (Res) 2W voice unbundled port-residence 2W voice unbundled port outgoing only-res 2W voice unbundled res, low usage line port w Caller ID (LUM) 2W voice unbundled row Usage Line Port wO Caller ID (LUM)	t and	1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRL UEPRC UEPRO	24.75 33.05 44.33 10.75 19.05 30.33 14.00 14.00	90.00	90.00	, the NRC				40.18 40.18	9.45 9.45		
apply 2-WIF UNE	y also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates [2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates [2W VG Loop (St.1)-Zone 1 2W VG Loop (St.1)-Zone 1 2W VG Loop (St.1)-Zone 2 2W VG Loop (St.1)-Zone 3 re Voice Grade Line Port (Res) 2W voice unbundled port-residence 2W voice unbundled port w Caller ID-res 2W voice unbundled port with support w	t and	1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRL UEPRC UEPRO UEPRO UEPAP	24.75 33.05 44.33 10.75 19.05 30.33 14.00 14.00 14.00 14.00	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00	THE NRC				40.18 40.18 40.18	9.45 9.45 9.45		
apply 2-WIF UNE UNE 2-WIF	y also and are categorized accordingly. RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2W VG Loop/Port Combo-Zone 1 2W VG Loop/Port Combo-Zone 2 2W VG Loop/Port Combo-Zone 3 Loop Rates 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 1 2W VG Loop (SL1)-Zone 2 2W VG Loop (SL1)-Zone 3 re Voice Grade Line Port (Res) 2W voice unbundled port-residence 2W voice unbundled port outgoing only-res 2W voice unbundled res, low usage line port w Caller ID (LUM) 2W voice unbundled row Usage Line Port wO Caller ID (LUM)	t and	1 2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRC UEPRC UEPAP	24.75 33.05 44.33 10.75 19.05 30.33 14.00 14.00 14.00	90.00 90.00 90.00 90.00	90.00 90.00 90.00 90.00 90.00	THE NRC				40.18 40.18 40.18	9.45 9.45 9.45		

Version 3Q02: 10/07/02 Page 65 of 123

<u>INBU</u> NDLE	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	USOC			ATES(\$)		Su d pe	Order S	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec		curring	NRC Discor					Rates(\$)		
							First	Add'l	First A	dd'l S0	OMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	ECURRING CHARGES - CURRENTLY COMBINED			LIEBBY/	110100		44.50	44.50					10.10			
	2W VG Loop/Line Port Combination-Switch-as-is			UEPRX	USAC2		41.50	41.50					40.18	9.45		
	2W VG Loop/Line Port Combination-Switch w change			UEPRX	USACC		41.50	41.50					40.18	9.45		-
	TONAL NRCs NRC-2W VG Loop/Line Port Combination-Subsqnt	-	-	UEPRX	USAS2		0.00	0.00					40.18	9.45		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	+		UEPRA	U3A32		0.00	0.00					40.16	9.45		
	Port/Loop Combination Rates	+			+ +											
	2W VG Loop/Port Combo-Zone 1		1		+ +	24.75			<u> </u>							
	2W VG Loop/Port Combo-Zone 2	+	2			33.05			 							
	2W VG Loop/Port Combo-Zone 3		3		+	44.33										
	oop Rates		Ť													
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	10.75		İ							1	
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	19.05			1 1				İ			
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	30.33										
	e Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	14.00	90.00	90.00					40.18	9.45		
	2W voice unbundled port w Caller + E484 ID-bus			UEPBX	UEPBC	14.00	90.00	90.00					40.18	9.45		
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	14.00	90.00	90.00					40.18	9.45		
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	14.00	90.00	90.00					40.18	9.45		
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT																
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00					40.18	9.45		
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Switch-as-is			UEPBX	USAC2		41.50	41.50					40.18	9.45		
	2W VG Loop/Line Port Combination-Switch w change			UEPBX	USACC		41.50	41.50					40.18	9.45		
	IONAL NRCs															
	NRC-2W VG Loop/Line Port Combination-Subsqnt			UEPBX	USAS2		0.00	0.00					40.18	9.45		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates	-	_			04.75										
	2W VG Loop/Port Combo-Zone 1		1		-	24.75										-
	2W VG Loop/Port Combo-Zone 2	-	3		+	33.05 44.33										
	2W VG Loop/Port Combo-Zone 3		3		-	44.33			-							
	2W VG Loop (SL1)-Zone 1		1	UEPRG	UEPLX	10.75			-							
	2W VG Loop (SL1)-Zone 1	+	2	UEPRG	UEPLX	19.05										
	2W VG Loop (SL1)-Zone 3	+	3	UEPRG	UEPLX	30.33										
	e Voice Grade Line Port Rates (RES - PBX)		-	OLI IXO	OLI LX	00.00			 							
	2W VG Unbundled Combination 2Way PBX Trunk Port-Res			UEPRG	UEPRD	14.00	90.00	90.00					40.18	9.45		
	L NUMBER PORTABILITY			OLITIO	OLITE	14.00	50.00	50.00					40.10	0.40		
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT																
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00					40.18	9.45		
	ECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Switch-As-Is			UEPRG	USAC2		41.50	41.50					40.18	9.45		
	2W VG Loop/Line Port Combination-Switch w Change			UEPRG	USACC		41.50	41.50					40.18	9.45		
ADDIT	TONAL NRCs															
	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC						0.00	0.00					40.18	9.45		
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64	14.64					40.18	9.45		
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE F	Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			24.75										
	2W VG Loop/Port Combo-Zone 2		2			33.05										
	2W VG Loop/Port Combo-Zone 3		3			44.33										
UNE L	oop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPPX	UEPLX	10.75										
	2W VG Loop (SL1)-Zone 2		2	UEPPX	UEPLX	19.05										
	2W VG Loop (SL1)-Zone 3		3	UEPPX	UEPLX	30.33									1	
2-Wire	Voice Grade Line Port Rates (BUS - PBX)				 											
	Line Side Unbundled Combination 2Way PBX Trunk Port-Bus	1	lacksquare	UEPPX	UEPPC	14.00	90.00	90.00	\vdash				40.18	9.45		—
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	14.00	90.00	90.00	\vdash	_			40.18	9.45		
1	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	14.00	90.00	90.00					40.18	9.45		

Version 3Q02: 10/07/02 Page 66 of 123

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc		R/	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incremental	Incrementa I Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	
						Rec		curring	NRC Disc					Rates(\$)		
				LIEBBY/			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	14.00	90.00	90.00					40.18	9.45		
	2W Voice Unbundled 2Way Combination PBX Usage Port			UEPPX	UEPXA UEPXB	14.00	90.00	90.00	 				40.18	9.45 9.45		
	2W Voice Unbundled PBX Toll Terminal Hotel Ports 2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX UEPPX	UEPXB	14.00 14.00	90.00	90.00	-				40.18 40.18	9.45		
	2W Voice Unbundled PBX LD DDD Terminals Port 2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	14.00	90.00	90.00	 				40.18	9.45		
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	14.00	90.00	90.00	 				40.18	9.45		
-	2W Voice Unbundled 2Way PBX Hotel/Hospital Economy Administrative			OLITA	OLI AL	14.00	30.00	30.00					40.10	3.43		
	Calling Port			UEPPX	UEPXL	14.00	90.00	90.00					40.18	9.45		
	2W Voice Unbundled 2Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	14.00	90.00	90.00					40.18	9.45		
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	14.00	90.00	90.00					40.18	9.45		
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	14.00	90.00	90.00					40.18	9.45		
LOCA	L NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT																
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00					40.18	9.45		
NONE	ECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Switch-As-Is			UEPPX	USAC2		41.50	41.50					40.18	9.45		
	2W VG Loop/Line Port Combination-Switch w Change			UEPPX	USACC		41.50	41.50	.				40.18	9.45		
ADDI	TONAL NRCs			LIEDDY.									10.10			
	2W VG Loop/Line Port Combination-Subsqnt			UEPPX	USAS2		0.00	0.00	.				40.18	9.45		
	2W Loop/Line Side Port Combination-Non feature-Subsqnt Activity-NRC						0.00	0.00					40.18	9.45		
2 14/15	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT				+		14.64	14.64	 				40.18	9.45		
	Port/Loop Combination Rates				_				 							
UNE	2W VG Coin Port/Loop Combo – Zone 1		1		+	24.75			-							
	2W VG Coin Port/Loop Combo – Zone 2		2		+	33.05			 							
	2W VG Coin Port/Loop Combo – Zone 3		3			44.33			t							
UNF I	oop Rates		Ŭ			44.00			† †							
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	10.75										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	19.05										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	30.33										
2-Wir	Voice Grade Line Port Rates (Coin)															
	2W Coin 2Way w/o Operator Screening & w/o Blocking (NC)			UEPCO	UEPND	14.00	90.00	90.00					40.18	9.45		
	2W Coin 2Way w Operator Screening (NC)			UEPCO	UEPNC	14.00	90.00	90.00					40.18	9.45		
	2W Coin 2Way w Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRP	14.00	90.00	90.00					40.18	9.45		
	2W Coin 2Way w Operator Screening & 011 Blocking (NC)			UEPCO	UEPNB	14.00	90.00	90.00					40.18	9.45		
	2W Coin 2Way w Oper Screening & Blocking: 900/976, 1+DDD, 011+, &															
	Local			UEPCO	UEPCA	14.00	90.00	90.00					40.18	9.45		
	2W Coin Outward w Operator Screening & 011 Blocking (NC)			UEPCO	UEPNE	14.00	90.00	90.00	.				40.18	9.45		
	2W Coin Outward w Oper Screening & Blocking: 900/976, 1+DDD, 011+,			LIEDOO	LIEBOL	44.00	00.00	00.00					40.40	0.45		
	& Local			UEPCO	UEPCL	14.00	90.00	90.00	 				40.18	9.45		
LOCA	L NUMBER PORTABILITY Local No Portability (1 per port)			UEPCO	LNPCX	0.35			-							
NONE	ECURRING CHARGES - CURRENTLY COMBINED			UEPCO	LNPCX	0.35			-							
NONE	2W VG Loop/Line Port Combination-Switch-As-Is			UEPCO	USAC2	-	41.50	41.50	-				40.18	9.45		
	2W VG Loop/Line Port Combination-Switch w Change			UEPCO	USACC		41.50	41.50	1				40.18	9.45		
ADDI	TONAL NRCs			OLI CO	00/100		41.00	41.00	t				40.10	0.40		
	2W VG Loop/Line Port Combination-Subsqnt			UEPCO	USAS2		0.00	0.00					40.18	9.45		
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE P	ORT	(RES		1 37 102	1	0.00	3.50						3.70	Ì	
	Port/Loop Combination Rates			ĺ												
	oop Rates															
2-Wire	Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-residence			UEPFR	UEPRL	14.00	225.00	170.00					40.18	9.45		
	2W voice unbundled port w Caller ID-res			UEPFR	UEPRC	14.00	225.00	170.00					40.18	9.45		
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	14.00	225.00	170.00					40.18	9.45		
	2W voice unbundles res, low usage line port w Caller ID (LUM)			UEPFR	UEPAP	14.00	225.00	170.00					40.18	9.45		
INTER	OFFICE TRANSPORT			ļ	_			ļ					ļ		1	
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	18.00	140.00	71.00								
	Interoffice Transport-Dedicated-2W VG-Per Mile or Fraction Mile			UEPFR	1L5XX	0.0125										
FEAT	UKES								1			l	l	l	1	

Version 3Q02: 10/07/02 Page 67 of 123

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	USOC		R.	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge
						Rec	Nonre	curring	NRC Di	sconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00					40.18	9.45		
LOCA	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35										
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFR	USAC2		9.03	1.87					40.18	9.45		
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-w-Change			UEPFR	USACC		9.03	1.87					40.18	9.45		
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE P	ORT	(BUS	5)												
	Port/Loop Combination Rates															
	Loop Rates															
2-Wir	e Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	14.00	225.00	170.00					40.18	9.45		
	2W voice unbundled port w Caller + E484 ID-bus			UEPFB	UEPBC	14.00	225.00	170.00					40.18	9.45		
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	14.00	225.00	170.00					40.18	9.45		
	2W voice unbundled incoming only port w Caller ID-Bus			UEPFB	UEPB1	14.00	225.00	170.00					40.18	9.45		
LOCA	AL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35										
INTE	ROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2											
	Interoffice Transport-Dedicated-2W VG-Per Mile or Fraction Mile			UEPFB	1L5XX											
FEAT	URES															
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00					40.18	9.45		
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion- Switch-as-is			UEPFB	USAC2		9.03	1.87					40.18	9.45		
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-															
	Switch w change			UEPFB	USACC		9.03	1.87					40.18	9.45		
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)										1					
	Port/Loop Combination Rates										1					
UNE	Loop Rates										1					
	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2Way PBX Trunk Port-Bus			UEPFP	UEPPC	14.00	225.00	170.00					40.18	9.45		
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	14.00	225.00	170.00			1		40.18	9.45		
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	14.00	225.00	170.00					40.18	9.45		
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	14.00	225.00	170.00					40.18	9.45		
	2W Voice Unbundled 2Way Combination PBX Usage Port			UEPFP	UEPXA	14.00	225.00	170.00					40.18	9.45		
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	14.00	225.00	170.00					40.18	9.45		
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	14.00	225.00	170.00					40.18	9.45		
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	14.00	225.00	170.00					40.18	9.45		
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	14.00	225.00	170.00					40.18	9.45		
	2W Voice Unbundled 2Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	14.00	225.00	170.00					40.18	9.45		
	2W Voice Unbundled 2Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	14.00	225.00	170.00					40.18	9.45		
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	14.00	225.00	170.00					40.18	9.45		
 	2W Voice Unbundled 1-Way Outgoing PBX Measured Port		\vdash	UEPFP	UEPXS	14.00	225.00	170.00	1	1	1		40.18	9.45	<u> </u>	
LOCA	AL NUMBER PORTABILITY			02	32.7.0	00			†	1	1	-	10	0.40		
1200	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00	1	1	1		40.18	9.45	<u> </u>	
INTE	ROFFICE TRANSPORT			OLITI	2141 01	0.10	0.00	3.00	1	1	1		40.10	0.40		
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2				1	1	1				<u> </u>	
	Interoffice Transport-Dedicated-2W VG-Par Mile or Fraction Mile			UEPFP	1L5XX				1	1	1				<u> </u>	
FFAT	TURES			02	. 20,01				1	1	1					
	All Features Offered	—	-	UEPFP	UEPVF	0.00	0.00	0.00	1	1	1		40.18	9.45	1	1

ONBONDL	ED NETWORK ELEMENTS - North Carolina			T									,	Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Inte rim		BCS	US	soc			ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge -
							Rec	Nonre		NRC Dis					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-																
	Switch-as-is			UEPFP	US	SAC2		9.03	1.87					40.18	9.45		ļ
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-																
	Switch w change			UEPFP	US	SACC		9.03	1.87					40.18	9.45		ļ
	PORT/LOOP COMBINATIONS - MARKET BASED RATES																
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																ļ
UNE	Port/Loop Combination Rates																ļ
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1				60.85										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2				67.68										
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3				77.96										
	Loop Rates		Ļ.,	Lieber:	<u> </u>	-05:	2.00										ļ
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX		ECD1	8.85										
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX		ECD1	15.68										
—	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UE	ECD1	25.96			 				1	-	ļ	
UNE	Port Rate			LIEDDY.			#0.00	10= 00	== 00					10.10	0.45		
	Exchange Ports-2W DID Port			UEPPX	UE	EPD1	52.00	485.00	75.00					40.18	9.45		
NONE	ECURRING CHARGES - CURRENTLY COMBINED																
	2W VG Loop/2W DID Trunk Port Combination-Switch-As-Is Top 8 MSAs																
	only			UEPPX	US	SAC1		200.00	75.00					53.89	11.34		ļ
	2W VG Loop/2W DID Trunk Port Conversion w BST Allowable Changes																
	Top 8 MSAs only			UEPPX	US	SA1C		200.00	75.00					53.89	11.34		
	TIONAL NRCs																
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	US	SAS1		75.00						40.18	9.45		
Telep	hone Number/Trunk Group Establisment Charges																
	DID Trunk Term (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	DID Nos, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPPX		NDZ	0.00	0.00	0.00								
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX		ND4	0.00	0.00	0.00								
	DID Nos, Non-consecutive DID Nos, Per No			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPPX	N	VDV	0.00	0.00	0.00								
	L NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPPX	LN	NPCP	3.15	0.00	0.00								
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE	POR	T														
UNE	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 1		1	UEPPB UEF	PPR		79.47										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 2		2	UEPPB UEF			90.64										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port-UNE Zone 3		3	UEPPB UEF	PPR		105.81										
UNE I	oop Rates																
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB UEP		SL2X	14.47										ļ
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB UEF		SL2X	25.64									ļ	
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB UEP	PR US	SL2X	40.81		`								
	Port Rate																
	Exchange Port-2W ISDN Line Side Port			UEPPB UEP	PR UE	EPPB	65.00	450.00	375.00					19.99	19.99		
NONE	ECURRING CHARGES - CURRENTLY COMBINED																ļ
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-												1			l	1
	Conversion-Top 8 MSAs only			UEPPB UEP	PR US	SACB	0.00	200.00	200.00								
	FIONAL NRCs																<u> </u>
	L NUMBER PORTABILITY														1		<u> </u>
	Local No Portability (1 per port)			UEPPB UEP	PR LN	NPCX	0.35	0.00	0.00								<u> </u>
B-CH	ANNEL USER PROFILE ACCESS:			L											1		<u> </u>
	CVS/CSD (DMS/5ESS)			UEPPB UEP		1UCA	0.00	0.00	0.00						1		<u> </u>
	CVS (EWSD)			UEPPB UEP		1UCB	0.00	0.00	0.00						1		<u> </u>
	CSD			UEPPB UEP	PR U1	1UCC	0.00	0.00	0.00						1		<u> </u>
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, &	TN)															<u> </u>
USER	TERMINAL PROFILE															ļ	<u> </u>
	User Terminal Profile (EWSD only)			UEPPB UEP	PR U1	1UMA	0.00	0.00	0.00								<u> </u>
	ICAL FEATURES																
1 -	All Vertical Features-One per Channel B User Profile			UEPPB UEP	PR UE	EPVF	3.40	0.00	0.00				L	19.99	19.99		

ONRONDL	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	USOC		R.	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge Manual Svc Orde
						Rec		curring		sconnect				Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTE	ROFFICE CHANNEL MILEAGE															
	Interoffice Channel mileage each, including first mile & facilities Term			UEPPB UEPPR	M1GNC	18.0282	137.48	52.58					19.99	19.99		
	Interoffice Channel mileage each, Add'I mile			UEPPB UEPPR	M1GNM	0.0282	0.00	0.00								
4-WIF	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT															
	Port/Loop Combination Rates															
0.12	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 1		1	UEPPP		947.54										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 2		2	UEPPP		984.27										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port-UNE Zone 3		3	UEPPP		1,034.14										
LINE	Loop Rates		J	OLITI	1	1,004.14									1	
UNE			1	UEPPP	USL4P	47.54									-	
	4W DS1 Digital Loop-UNE Zone 1		2	UEPPP	USL4P USL4P	47.54 84.27			 	 	-	-			-	
	4W DS1 Digital Loop-UNE Zone 2			UEPPP	USL4P USL4P				 	1					1	
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	134.14									1	
UNE	Port Rate	ļ	.		==											
	Exchange Ports-4W ISDN DS1 Port		<u> </u>	UEPPP	UEPPP	900.00	1,150.00	1,150.00	ļ	ļ			19.99	19.99		ļ
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-															Ì
	Conversion-Switch-As-Is Top 8 MSAs only			UEPPP	USACP	0.00	925.00	925.00								
ADDI'	TIONAL NRCs															
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward/2Way Tel															
	Nos-(NC Only)			UEPPP	PR7TG		1.17	1.17								İ
	4W DS1 Loop/4W ISDN Digital Trunk Port-Subsqnt Activity Outward tel															
	nos. (NC only)			UEPPP	PR7TP		28.17	28.17								İ
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqnt Inward Tel Nos			UEPPP	PR7ZT		56.33	56.33								
1.004	L NUMBER PORTABILITY			OLITI	110721		00.00	00.00								
LOCA	Local No Portability (1 per port)			UEPPP	LNPCN	1.75										
INITE	RFACE (Provsioning Only)			ULFFF	LINECIN	1.73										
IIVIE	Voice/Data			UEPPP	PR71V	0.00										├ ──
	Digital Data			UEPPP	PR71D	0.00										├ ──
																!
L	Inward Data			UEPPP	PR71E	0.00										.
New o	or Additional "B" Channel															
	New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	36.92						19.99	19.99		ļ
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	36.92						19.99	19.99		<u> </u>
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	36.92						19.99	19.99		<u> </u>
CALL	TYPES															
	Inward			UEPPP	PR7C1	0.00										
	Outward			UEPPP	PR7C0	0.00										
	Two-way			UEPPP	PR7CC	0.00										
Interd	office Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	71.8653	217.17	163.75	0.00				19.99	19.99		
	Each Airline-Fractional Add'l Mile			UEPPP	1LN1B	0.5753										
4-WIF	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
	Port/Loop Combination Rates															
·	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 1		1	UEPDC		797.54		1				1	1		1	
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 2		2	UEPDC		834.27		1					1			
	4W DS1 Digital Loop/4W DDITS Trunk Port-UNE Zone 3		3	UEPDC	1	884.14			1	1						
IINE	Loop Rates		Ŭ	02.00	t	554.14		 	t	†		1	 			
ONE	4W DS1 Digital Loop-UNE Zone 1	-	1	UEPDC	USLDC	47.54		 	1	1		1	 		 	
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	84.27		-	1	1		-	-		-	
			3						 	 	-	-			-	
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	134.14			-	 		-			-	
UNE	Port Rate		<u> </u>	LIEDDO	LIDDAT	750.00	4.050.00	400.00	0.00	0.00		ļ	40.00	40.00	-	
	4W DDITS Digital Trunk Port	ļ	.	UEPDC	UDD1T	750.00	1,050.00	480.00	0.00	0.00			19.99	19.99		<u> </u>
NONE	RECURRING CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-As-Is Top		1					l				1	Ì		1	
	8 MSAs only			UEPDC	USAC4		288.86	133.87				<u> </u>				
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion w															İ
	DS1 Changes Top 8 MSAs only	L_	<u>L</u>	UEPDC	USAWA		288.86	133.37	<u></u>	<u></u>		<u> </u>				<u></u>
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion w															
	Change-Trunk Top 8 MSAs only		Ì	UEPDC	USAWB		288.86	133.37				l	ĺ			1

IDONDEL	D NETWORK ELEMENTS - North Carolina				1					-		T -	Attachment:			bit: B
TEGORY	RATE ELEMENTS	Inte Z rim r	Zo ne	BCS	usoc			ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge Manua Svc Ord vs.
\longrightarrow						Rec		curring	NRC Dis		001150	001111		Rates(\$)	001111	00111
ADDIT	IONAL NRCs		_				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Service Activity Per Service		_													
	Order			UEPDC	USAS4		127.63	127.63								
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel			OLI DO	00/104		127.03	127.00								
	Activation/Chan-2Way Trunk			UEPDC	UDTTA		28.81	28.81								
	4W DS1 Loop/4W DDITS Trunk Port-Subsont Channel Activation/Chan-1-			02. 20	051174		20.01	20.01								
	Way Outward Trunk			UEPDC	UDTTB		28.81	28.81								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan															
	Inward Trunk w/out DID			UEPDC	UDTTC		28.81	28.81					19.99	19.99		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-															
	Inward Trunk w DID			UEPDC	UDTTD		28.81	28.81					19.99	19.99		
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-															
	2Way DID w User Trans		_	UEPDC	UDTTE		28.81	28.81								
	AR 8 ZERO SUBSTITUTION B8ZS-Superframe Format			UEPDC	CCOSF		0.00	615.00					19.99	19.99		
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00	615.00					19.99	19.99		
	ate Mark Inversion			OLI DO	CCOLI		0.00	013.00					13.33	13.33		
	AMI-Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
	one Number/Trunk Group Establisment Charges							0.00								
	Telephone No for 2Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		
	Telephone No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
	Telephone No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00							19.99	19.99		
	DID Nos, Establish Trunk Group & Provide First Group of 20 DID Nos			UEPDC	NDZ	0.00	0.00	0.00								
	DID Nos for each Group of 20 DID Nos		_	UEPDC	ND4	0.00	0.00	0.00								
	DID Nos, Non-consecutive DID Nos, Per No Reserve Non-Consecutive DID Nos.			UEPDC	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos. Reserve DID Nos		_	UEPDC UEPDC	ND6 NDV	0.00	0.00	0.00								
	ted DS1 (Interoffice Channel Mileage) -			OLFDC	INDV	0.00	0.00	0.00								
	O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel Mileage-Fixed rate 0-8 miles (Facilities Term)			UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00			19.99	19.99		
	Interoffice Channel Mileage-Add'l rate per mile-0-8 miles			UEPDC	1LNOA	0.5753	0.00	0.00								
	Interoffice Channel Mileage-Fixed rate 9-25 miles (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage-Add'l rate per mile-9-25 miles			UEPDC	1LNOB	0.5753	0.00	0.00								
	Interoffice Channel Mileage-Fixed rate 25+ miles (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage-Add'l rate per mile-25+ miles			UEPDC	1LNOC	0.5753	0.00	0.00								
	Local No Portability, per DS0 Activated		_	UEPDC	LNPCP	3.15	0.00	0.00	0.00							<u> </u>
	Central Office Termininating Point			UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
	em can have various rate combinations based on type and number of	norts II	ısed													
	S1 Loop	0113 0	1000													
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	47.54										
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	84.27	0.00	0.00								
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	134.14	0.00	0.00								
	SO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	123.06	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	246.12	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity-1per 4 DS1s			UEPMG	VUM96	492.24	0.00	0.00					19.99	19.99		
	144 DS0 Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	738.36	0.00	0.00			-		19.99	19.99	1	1
	192 DS0 Channel Capacity-1 per 8 DS1s		-	UEPMG	VUM19	984.48	0.00	0.00					19.99	19.99	 	-
	240 DS0 Channel Capacity-1 per 10 DS1s 288 DS0 Channel Capacity-1 per 12 DS1s	\vdash		UEPMG UEPMG	VUM20 VUM28	1,230.60 1,476.72	0.00	0.00			-		19.99 19.99	19.99 19.99	-	
	384 DS0 Channel Capacity-1 per 16 DS1s	+		UEPMG	VUM38	1,968.96	0.00	0.00					19.99	19.99	 	<u> </u>
	480 DS0 Channel Capacity-1 per 16 DS1s	-+	-	UEPMG	VUM40	2,461.20	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity-1 per 24 DS1s	-	-	UEPMG	VUM57	2,953.44	0.00	0.00					19.99	19.99	t	<u> </u>
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	3,445.68	0.00	0.00					19.99	19.99	1	
	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with Chann	eliztion	n witl				em									
A Mini	mum System configuration is One (1) DS1, One (1) D4 Channel Bank,															
A Mini Multipl	mum System configuration is One (1) DS1, One (1) D4 Channel Bank, les of this configuration functioning as one are considered Add'l after NRC-Conversion (Currently Combined) w or w/o BST Allowed Changes-															

Version 3Q02: 10/07/02 Page 71 of 123

IUNDUI	NDLED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: B
CATEGO		Inte rim	Zo ne	BCS	usoc			ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	
					↓	Rec		curring		sconnect				Rates(\$)		
		<u> </u>	Į				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	System Additions Where Currently Combined and New (Not Currently Comb In Density Zone 1 Top 8 MSAs	inea)		 	 										
	1 DS1/D4 Channel Bank-Add NRC for each Port & Assoc Fea Activation			UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68			19.99	19.99		
	Bipolar 8 Zero Substitution			02.10	10	0.00	7 10.7 1	020:22	1 10.02	171.00			10.00	10.00		
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00	615.00								
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity															
	Only			UEPMG	CCOEF	0.00	0.00	615.00								
	Alternate Mark Inversion (AMI)			LIEDMO	140005	0.00	0.00	0.00								
-	Superframe Format Extended Superframe Format			UEPMG UEPMG	MCOSF MCOPO	0.00	0.00	0.00								
H-1	Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with	Port		UEPIVIG	WCOPO	0.00	0.00	0.00								
	Exchange Ports				+											
	Line Side Combination Channelized PBX Trunk Port-Business			UEPPX	UEPCX	14.00	0.00	0.00	0.00	0.00			40.18	9.45		
	Line Side Outward Channelized PBX Trunk Port-Business			UEPPX	UEPOX	14.00	0.00	0.00	0.00	0.00			40.18	9.45		
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	14.00	0.00	0.00	0.00	0.00			40.18	9.45		
	2W Trunk Side Unbundled Channelized DID Trunk Port	<u> </u>		UEPPX	UEPDM	52.00	0.00	0.00	0.00	0.00			40.18	9.45		
	Feature Activations - Unbundled Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank	<u> </u>		UEPPX	1PQWM	0.65	40.00	20.00	10.00	5.00			40.18	9.45		
\vdash	Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank	-	-	UEPPX	1PQWM	0.65	110.00	30.00	75.00	15.00			40.18	9.45	1	
-	Telephone Number/ Group Establishment Charges for DID Service			ULFFA	IFQWU	0.03	110.00	30.00	73.00	13.00			40.16	3.40		
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp & Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
<u> </u>	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								
	Local Number Portability Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
H-1	FEATURES - Vertical and Optional			ULFFX	LINECE	3.13	0.00	0.00								
	Local Switching Features Offered with Line Side Ports Only				+											
	All Features Available			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
	DLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
	1. Cost Based Rates are applied where BellSouth is required by FCC and/or															
-	2. Features shall apply to the Unbundled Port/Loop Combination - Cost Bas	ed Ra	te se	ection in the same ma	inner as the	y are applied	to the Stand-	Alone Unbund	lled Port	section o	f this Rate	Exhibit.				
- 1	End Office & Tandem Switching Usage & Common Transport Usage ratesThe first & add'l Port NRC charges apply to Not Currently Combined Com	in the	e Po	t section of this exhi	ont snall ap	ply to all com	binations of i	oop/port netw	ork elem	ents exce	ot for UNE	Coin Port/L	.oop Combin	ations.	l <u>. </u>	
	categorized accordingly.	JU3. I	0. 0				shall be the						Add'I NPC	e may annly		
				currently Combined C	Jonibos, tin	9 NRC charges	shall be tho	se identified ii	i tile ivite		tiy Combii	ieu sections	s. Add'I NRC	s may apply	also and are	
1 19	5. Market Rates for Unbundled Centrex Port/Loop Combination will be nego	tiate	d on		•		shall be tho	se identified ii	T the Mice		tiy Combii	ied sections	s. Add'I NRC	s may apply	also and are	1
		tiate	d on		•		shall be tho	se identified ii	Tule Nice		tiy Combii	led sections	s. Add'I NRC	s may apply	also and are	
	 Market Rates for Unbundled Centrex Port/Loop Combination will be negon UNE-P CENTREX - 5ESS (Valid in All States) Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo 	tiated	d on		•		shall be tho	se identified ii	Tule Nice		tiy Combii	led Sections	s. Add'I NRC	s may apply	also and are	
	 Market Rates for Unbundled Centrex Port/Loop Combination will be negouneer CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combouneer Combination Rates (Non-Design) 	tiated	d on	an Individual Case B	•	urther notice.	shall be tho	se identified ii	Tule Nice		tiy Combii	led Sections	s. Add'I NRC	s may apply	also and are	
	Market Rates for Unbundled Centrex Port/Loop Combination will be negoune-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	tiated	1	an Individual Case B	•	further notice.	s shall be tho	se identified ii			Try Combin	led Sections	s. Add'I NRC	s may apply	also and are	
	Market Rates for Unbundled Centrex Port/Loop Combination will be negounce. Description of Combination will be negounce. Power VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)	tiated	1 2	an Individual Case B UEP95 UEP95	•	13.03 21.33	s shall be tho	se identified if			Try Combin	led Sections	s. Ádd'I NRC	s may apply	also and are	
	5. Market Rates for Unbundled Centrex Port/Loop Combination will be negounce. UNE-P CENTREX - 5ESS (Valid in All States) - 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) - 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design - 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design - 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	tiated	1	an Individual Case B	•	further notice.	s shall be tho	se identified if			Tiy Combii	ed Sections	s. Ádd'I NRC	s may apply	also and are	
	Market Rates for Unbundled Centrex Port/Loop Combination will be negounce. Description of Combination will be negounce. Power VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design)	otiated	1 2	an Individual Case B UEP95 UEP95	•	13.03 21.33	s shall be tho	se identified if			Tiy Combii	ed sections	s. Add'I NRC	s may apply	also and are	
	5. Market Rates for Unbundled Centrex Port/Loop Combination will be nego UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) [2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design [2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design [2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design [2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design [2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design UNE Port/Loop Combination Rates (Design)	otiated	1 2 3	UEP95 UEP95 UEP95	•	13.03 21.33 32.61	shall be thos	se identified if			Tiy Combii	ed sections	s. Add'I NRC	s may apply	also and are	
	5. Market Rates for Unbundled Centrex Port/Loop Combination will be nego UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2W VG Port (Centrex) Port Combo-Design UNE Port/Loop Combination Rates (Design) 2-W VG Loop/2W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2W VG Port (Centrex) Port Combo-Design	tiated	1 2 3	UEP95 UEP95 UEP95 UEP95	•	13.03 21.33 32.61 17.25	shall be thos	se identified if			Tiy Combii	ed sections	s. Add'l NRC	s may apply	also and are	
	5. Market Rates for Unbundled Centrex Port/Loop Combination will be nego UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design UNE Loop Rate	tiated	1 2 3	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	asis, until f	13.03 21.33 32.61 17.25 28.21 43.09	shall be thos	se identified if			Combin	ed sections	s. Add'l NRC	s may apply	also and are	
	5. Market Rates for Unbundled Centrex Port/Loop Combination will be negoune-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design UNE Loop Rate 2W VG Loop (SL 1)-Zone 1	tiated	1 2 3 1 2 3	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	usis, until f	13.03 21.33 32.61 17.25 28.21 43.09	shall be tho	se identified if			Combin	ed sections	s. Add'l NRC	s may apply	also and are	
	5. Market Rates for Unbundled Centrex Port/Loop Combination will be nego UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2W VG Port (Centrex) Port Combo-Design UNE Port/Loop Combination Rates (Design) 2-W VG Loop/2W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2W VG Port (Centrex) Port Combo-Design UNE Loop Rate 2-W VG Loop (SL 1)-Zone 1 2-W VG Loop (SL 1)-Zone 2	tiated	1 2 3 1 2 3	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05	shall be tho	se identified if			Compil	eu sections	s. Add'l NRC	s may apply	also and are	
	5. Market Rates for Unbundled Centrex Port/Loop Combination will be nego UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design UNE Port/Loop Combination Rates (Design) 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design UNE Loop Rate 2-W VG Loop (SL 1)-Zone 1 2-W VG Loop (SL 1)-Zone 2 2-W VG Loop (SL 1)-Zone 3	tiated	1 2 3 1 2 3 1 2 3	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	uecs1 Uecs1 Uecs1	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33	shall be tho	se identified if			Compil	eu sections	s. Add'l NRC	s may apply	also and are	
	5. Market Rates for Unbundled Centrex Port/Loop Combination will be nego UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex) Port Combo-Design UNE Loop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 2)-Zone 3 2W VG Loop (SL 2)-Zone 1	otiated	1 2 3 1 2 3	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS1 UECS2	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05	shall be thos	se identified if			Compil	eu sections	s. Add'l NRC	s may apply	also and are	
	5. Market Rates for Unbundled Centrex Port/Loop Combination will be nego UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design UNE Port/Loop Combination Rates (Design) 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design UNE Loop Rate 2-W VG Loop (SL 1)-Zone 1 2-W VG Loop (SL 1)-Zone 2 2-W VG Loop (SL 1)-Zone 3	vitated	1 2 3 1 2 3 1 2 3	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	uecs1 Uecs1 Uecs1	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97	shall be tho	se identified if			Compil	ed sections	s. Add'l NRC	s may apply	also and are	
	5. Market Rates for Unbundled Centrex Port/Loop Combination will be nego UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design UNE Port/Loop Combination Rates (Design) 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design UNE Loop Rate 2-W VG Loop (SL 1)-Zone 1 2-W VG Loop (SL 1)-Zone 2 2-W VG Loop (SL 2)-Zone 1 2-W VG Loop (SL 2)-Zone 2	riated	1 2 3 1 2 3 1 2 3	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93	s shall be tho	se identified if			The complete of the complete o	eu sections	s. Add'l NRC	s may apply	also and are	
	5. Market Rates for Unbundled Centrex Port/Loop Combination will be nego UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop (SL 1)-Zone 1 2-W VG Loop (SL 1)-Zone 1 2-W VG Loop (SL 1)-Zone 1 2-W VG Loop (SL 2)-Zone 1 2-W VG Loop (SL 2)-Zone 2 2-W VG Loop (SL 2)-Zone 2 2-W VG Loop (SL 2)-Zone 3 2-W VG Loop (SL 2)-Zone 3 2-W VG Loop (SL 2)-Zone 3 2-W VG Loop (SL 2)-Zone 3 2-W VG Loop (SL 2)-Zone 3 2-W VG Loop (SL 2)-Zone 3 2-W VG Loop (SL 2)-Zone 3 2-W VG Loop (SL 2)-Zone 3 2-W VG Loop (SL 2)-Zone 3 2-W VG Loop (SL 2)-Zone 3 2-W VG Loop (SL 2)-Zone 3 2-W VG Loop (SL 2)-Zone 3 2-W VG Loop (SL 2)-Zone 3 2-W VG Loop (SL 2)-Zone 3	riated	1 2 3 1 2 3 1 2 3	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS1 UECS2 UECS2	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	shall be tho:				Compil	eu sections	s. Add'l NRC	s may apply		
	5. Market Rates for Unbundled Centrex Port/Loop Combination will be nego UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop (St. 1)-Zone 1 2-W VG Loop (St. 1)-Zone 1 2-W VG Loop (St. 2)-Zone 1 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3	viated	1 2 3 1 2 3 1 2 3	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	79.59	63.97			Compil	eu sections	40.18	s may apply		
	5. Market Rates for Unbundled Centrex Port/Loop Combination will be nego UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop (SL 1)-Zone 1 2-W VG Loop (SL 1)-Zone 1 2-W VG Loop (SL 1)-Zone 2 2-W VG Loop (SL 2)-Zone 1 2-W VG Loop (SL 2)-Zone 2 2-W VG Loop (SL 2)-Zone 3 2-W VG Loop (SL 2)-Zone 3 2-W VG Loop (SL 2)-Zone 3 2-W VG Loop (SL 2)-Zone 3 2-W VG Loop (SL 2)-Zone 3 2-W VG Loop (SL 2)-Zone 3 2-W VG Loop (SL 2)-Zone 3 2-W VG Loop (SL 2)-Zone 3 2-W VG Loop (SL 2)-Zone 3 2-W VG Loop (SL 2)-Zone 3 2-W VG Port (Centrex) Basic Local Area 2-W VG Port (Centrex) Basic Local Area 2-W VG Port (Centrex) Basic Local Area	viated	1 2 3 1 2 3 1 2 3	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECYS	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	79.59 79.59	63.97			Compil	eu sections	40.18 40.18	9.45 9.45		
	5. Market Rates for Unbundled Centrex Port/Loop Combination will be nego UNE-P CENTREX - 5ESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Non-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop/2-W VG Port (Centrex) Port Combo-Design 2-W VG Loop (St. 1)-Zone 1 2-W VG Loop (St. 1)-Zone 1 2-W VG Loop (St. 2)-Zone 1 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3 2-W VG Loop (St. 2)-Zone 3	viated	1 2 3 1 2 3 1 2 3	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	79.59	63.97			The second secon	eu sections	40.18	s may apply		

Version 3Q02: 10/07/02 Page 72 of 123

ONBONDLE	ED NETWORK ELEMENTS - North Carolina				1							Attachment:			bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc			ATES(\$)		Svc Order Submitte d Elec per LSF	per LSR	Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	I Charge Manual Svc Orde vs.
						Rec		curring	NRC Disconn				Rates(\$)		
					 		First	Add'l	First Add	'I SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	2.28	79.59	63.97				40.18	9.45		
NC Or	2W VG Port Terminated on 800 Service Term-Basic Local Area	1		UEP95	UEPY2	2.28	79.59	63.97		_	-	40.18	9.45		
	2W VG Port (Centrex)			UEP95	UEPUA	2.28	79.59	63.97				40.18	9.45		
	2W VG Port (Centrex 800 Term)			UEP95	UEPUB	2.28	79.59	63.97				40.18	9.45		
	2W VG Port (Centrex w Caller ID)1			UEP95	UEPUH	2.28	79.59	63.97				40.18	9.45		
	2W VG Port (Centrex from diff SWC)2			UEP95	UEPUM	2.28	164.57	128.16				40.18	9.45		
	2W VG Port, Diff SWC-800 Service Term			UEP95	UEPUZ	2.28	164.57	128.16				40.18	9.45		
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPU9	2.28	79.59	63.97				40.18	9.45		
	2W VG Port Terminated on 800 Service Term			UEP95	UEPU2	2.28	79.59	63.97				40.18	9.45		
	Switching														
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.903									<u> </u>
	Number Portability			LIEBOE	LNDOO	0.05									ļ
Featu	Local No Portability (1 per port)	1		UEP95	LNPCC	0.35			 	+					
	All Standard Features Offered, per port		-	UEP95	UEPVF	3.40				-					ļ
	All Select Features Offered, per port	+ +		UEP95	UEPVS	0.00	457.83		 	+		1		1	
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.40	407.00								
NARS															
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00				40.18	9.45		
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00				40.18	9.45		
	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00				40.18	9.45		
	Ilaneous Terminations														
	e Trunk Side														
	Trunk Side Terms, each			UEP95	CEND6	12.36									<u> </u>
	e Digital (1.544 Megabits)			LIEDOE	MALIBA	400.05						40.40	0.45		
	DS1 Circuit Terms, each DS0 Channels Activated, each			UEP95 UEP95	M1HD1 M1HDO	123.65 0.00	28.81			_		40.18 40.18	9.45 9.45		
Intoro	ffice Channel Mileage - 2-Wire		-	UEF95	MILLIPO	0.00	20.01			-		40.16	9.45		ļ
	Interoffice Channel Facilities Term			UEP95	MIGBC	18.00									
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	MIGBM	0.0282									
	re Activations (DS0) Centrex Loops on Channelized DS1 Service			02.00	05	0.0202									
	annel Bank Feature Activations														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.65									
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.65									
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.65									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different WC			UEP95	1PQWP	0.65									
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.65									ļ
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.65									
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.65				_					
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex NRC Conversion Currently Combined Switch-As-Is w allowed changes,	\vdash			+					+					
	per port		- 1	UEP95	USAC2		2.77	0.40				40.18	9.45		1
	New Centrex Standard Common Block	\vdash	-+	UEP95	M1ACS	0.00	695.11	0.40	 	-	1	40.18	9.45		
	New Centrex Customized Common Block	H	\dashv	UEP95	M1ACC	0.00	695.11			+		40.18	9.45		
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73		i i			40.18	9.45		
	CENTREX - DMS100 (Valid in All States)		一十						i i						
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
	Port/Loop Combination Rates (Non-Design)			•				•							
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	\Box	1	UEP9D		13.03									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D	ļ	21.33			ļļ			ļ			
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	$\sqcup \sqcup$	3	UEP9D	 	32.61			 	_					
	Port/Loop Combination Rates (Design)	1	4	LIEDAD	1	17.05			 			1			
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	1	2	UEP9D UEP9D	+	17.25			 	+					
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design	⊢	3	UEP9D UEP9D	+	28.21 43.09			 	-	1	-	-		
	Loop Rate	⊢	3	UEPSD	+	43.09			 	-	1	-	-		
UNEL	2W VG Loop (SL 1)-Zone 1	\vdash	1	UEP9D	UECS1	10.75			 	+	+	1			
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	19.05			 	+		 		+	
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	30.33				_	1			1	—
	2W VG Loop (SL 2)-Zone 1	t	1	UEP9D	UECS2	14.97						1			
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	25.93					†			 	

UNDUNDL	ED NETWORK ELEMENTS - North Carolina	_			, ,						- ·	Attachment:			ibit: B
CATEGORY	RATE ELEMENTS	Inte	Zo ne	BCS	USOC		R/	ATES(\$)		Svc Order Submitte d Elec per LSR	per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	I Charge Manua Svc Ord
						Rec		curring	NRC Disconn				Rates(\$)		
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	40.81	First	Add'l	First Add	1 SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
LINE	Port Rate	-	3	OLF9D	01.032	40.01									-
	STATES				+										+
ALL V	2W VG Port (Centrex) Basic Local Area			UEP9D	UEPYA	2.28	79.59	63.97				40.18	9.45		
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	2.28	79.59	63.97				40.18	9.45		
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	2.28	79.59	63.97				40.18	9.45		1
	2W VG Port (Centrex/EBS-M5009)3Basic Local Area			UEP9D	UEPYD	2.28	79.59	63.97				40.18	9.45		1
	2W VG Port (Centrex/EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	2.28	79.59	63.97				40.18	9.45		
	2W VG Port (Centrex/EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	2.28	79.59	63.97				40.18	9.45		
	2W VG Port (Centrex/EBS-M5312))3Basic Local Area			UEP9D	UEPYG	2.28	79.59	63.97				40.18	9.45		
	2W VG Port (Centrex/EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	2.28	79.59	63.97				40.18	9.45		
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	2.28	79.59	63.97	 			40.18	9.45		
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	2.28	79.59	63.97	 			40.18	9.45		<u> </u>
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area	1		UEP9D	UEPY3	2.28	79.59	63.97	 			40.18	9.45		
	2W VG Port (Centrex w Caller ID) Basic Local Area	+		UEP9D	UEPYH	2.28	79.59	63.97	 		1	40.18	9.45		₩
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local			HEDOD	HEDVA	0.00	70.50	00.07		1		40.40	0.45		
	Area 2W VG Port (Centrex/Msq Wtg Lamp Indication)3 Basic Local Area	+	-	UEP9D UEP9D	UEPYW	2.28 2.28	79.59 79.59	63.97 63.97	 			40.18 40.18	9.45 9.45		
	2W VG Port (Centrex/rising Witg Lamp Indication)'s Basic Local Area 2W VG Port (Centrex from diff SWC) 2 Basic Local Area	-		UEP9D	UEPYM	2.28	164.57	128.16				40.18	9.45		+
	2W VG Port (Centrex Horn din SWC) 2 Basic Local Area	-	-	UEP9D	UEPYO	2.28	164.57	128.16				40.18	9.45		+
	2W VG Port (Centrex/differ SWC/EBS-M5009)2, 3 Basic Local Area			UEP9D	UEPYP	2.28	164.57	128.16				40.18	9.45		+
	2W VG Port (Centrex/differ SWC/EBS-5209)2, 3 Basic Local Area			UEP9D	UEPYQ	2.28	164.57	128.16				40.18	9.45		+
	2W VG Port (Centrex/differ SWC/EBS-M5112)2, 3 Basic Local Area			UEP9D	UEPYR	2.28	164.57	128.16				40.18	9.45		†
	2W VG Port (Centrex/differ SWC/EBS-M5312)2, 3 Basic Local Area			UEP9D	UEPYS	2.28	164.57	128.16				40.18	9.45		
	2W VG Port (Centrex/differ SWC/EBS-M5008)2, 3 Basic Local Area			UEP9D	UEPY4	2.28	164.57	128.16				40.18	9.45		†
	2W VG Port (Centrex/differ SWC/EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	2.28	164.57	128.16				40.18	9.45		1
	2W VG Port (Centrex/differ SWC/EBS-M5216)2, 3 Basic Local Area			UEP9D	UEPY6	2.28	164.57	128.16				40.18	9.45		1
	2W VG Port (Centrex/differ SWC/EBS-M5316)2, 3 Basic Local Area			UEP9D	UEPY7	2.28	164.57	128.16				40.18	9.45		1
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPYZ	2.28	164.57	128.16				40.18	9.45		
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	2.28	79.59	63.97				40.18	9.45		
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	2.28	79.59	63.97				40.18	9.45		
NC O															
	2W VG Port (Centrex)			UEP9D	UEPUA	2.28	79.59	63.97				40.18	9.45		
	2W VG Port (Centrex 800 Term)			UEP9D	UEPUB	2.28	79.59	63.97				40.18	9.45		ļ
	2W VG Port (Centrex/EBS-PSET)3			UEP9D	UEPUC	2.28	79.59	63.97				40.18	9.45		
	2W VG Port (Centrex/EBS-M5009)3			UEP9D	UEPUD	2.28	79.59	63.97				40.18	9.45		-
	2W VG Port (Centrex/EBS-M5209)3 2W VG Port (Centrex/EBS-M5112)3	-		UEP9D UEP9D	UEPUE	2.28 2.28	79.59 79.59	63.97 63.97				40.18 40.18	9.45 9.45		+
	2W VG Port (Centrex/EBS-M5312)3	-	-	UEP9D	UEPUG	2.28	79.59	63.97				40.18	9.45		+
	2W VG Port (Centrex/EBS-M5008)3			UEP9D	UEPUT	2.28	79.59	63.97				40.18	9.45		+
	2W VG Port (Centrex/EBS-M5000)3			UEP9D	UEPUU	2.28	79.59	63.97				40.18	9.45		
	2W VG Port (Centrex/EBS-M5216)3			UEP9D	UEPUV	2.28	79.59	63.97				40.18	9.45		_
	2W VG Port (Centrex/EBS-M5316)3			UEP9D	UEPU3	2.28	79.59	63.97	i i			40.18	9.45		1
	2W VG Port (Centrex w Caller ID)			UEP9D	UEPUH	2.28	79.59	63.97				40.18	9.45		1
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3			UEP9D	UEPUW	2.28	79.59	63.97				40.18	9.45		
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPUJ	2.28	79.59	63.97				40.18	9.45		1
	2W VG Port (Centrex from diff SWC) 2			UEP9D	UEPUM	2.28	164.57	128.16				40.18	9.45		1
	2W VG Port (Centrex/differ SWC/EBS-PSET)2, 3			UEP9D	UEPUO	2.28	164.57	128.16				40.18	9.45		
	2W VG Port (Centrex/differ SWC/EBS-M5009)2, 3			UEP9D	UEPUP	2.28	164.57	128.16				40.18	9.45		
	2W VG Port (Centrex/differ SWC/EBS-5209)2, 3			UEP9D	UEPUQ	2.28	164.57	128.16	 			40.18	9.45		<u> </u>
	2W VG Port (Centrex/differ SWC/EBS-M5112)2, 3			UEP9D	UEPUR	2.28	164.57	128.16	 			40.18	9.45		<u> </u>
	2W VG Port (Centrex/differ SWC/EBS-M5312)2, 3			UEP9D	UEPUS	2.28	164.57	128.16	 			40.18	9.45		<u> </u>
	2W VG Port (Centrex/differ SWC/EBS-M5008)2, 3	+		UEP9D	UEPU4	2.28	164.57	128.16		-		40.18	9.45		
	2W VG Port (Centrey/differ SWC/EBS-M5208)2, 3	+		UEP9D	UEPU5	2.28	164.57	128.16	 	+	1	40.18	9.45		+
	2W VG Port (Centrex/differ SWC/EBS-M5216)2, 3	+		UEP9D	UEPU6	2.28	164.57 164.57	128.16 128.16	\vdash		 	40.18 40.18	9.45 9.45		+
	2W VG Port (Centrex/differ SWC/EBS-M5316)2, 3 2W VG Port, Diff SWC-800 Service Term	+		UEP9D UEP9D	UEPU7 UEPUZ	2.28	164.57	128.16	\vdash		 	40.18	9.45		+
-+	2W VG Port, Diff SWC-800 Service Term 2W VG Port terminated in on Megalink or equivalent	+		UEP9D	UEPU2	2.28	79.59	63.97	++		 	40.18	9.45		+
-+	2W VG Port Terminated in on Megalink or equivalent 2W VG Port Terminated on 800 Service Term	+	\vdash	UEP9D	UEPU2	2.28	79.59	63.97	 	+	}	40.18	9.45		+
Local	Switching	+		OLFSD	ULFU2	2.20	19.59	03.97	 	+	1	40.18	9.40		\vdash
Local	Centrex Intercom Funtionality, per port	+		UEP9D	URECS	0.903			 	+	1	 			+
	Number Portability	+	H	OLITAD	UNLUG	0.503		-	 	-	}	 	-		+

Version 3Q02: 10/07/02 Page 74 of 123

	ED NETWORK ELEMENTS - North Carolina											,	Attachment:		Exhi	
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	USOC			ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment I Charge Manual Svc Orde vs. Electronic
		.	_			Rec		curring	NRC Disco					Rates(\$)		
	Local Na Dostah litt. (4 non nost)	 		LIEDOD	LNDCC	0.25	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Featu	Local No Portability (1 per port)	 		UEP9D	LNPCC	0.35			-							
reatu	All Standard Features Offered, per port	 		UEP9D	UEPVF	3.40										
	All Select Features Offered, per port	t - t		UEP9D	UEPVS	0.00	457.83		l -				40.18	9.45		
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.40										
NARS	3															
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00					40.18	9.45		
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00					40.18	9.45		
	Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00					40.18	9.45		
	ellaneous Terminations re Trunk Side															
	Trunk Side Terms, each			UEP9D	CEND6	12.36										
	re Digital (1.544 Megabits)		-+	OL1 3D	CLINDO	12.50			 							
	DS1 Circuit Terms, each			UEP9D	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81						40.18	9.45		
	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP9D	MIGBC	18.00										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0282										
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	-														
D4 Ch	hannel Bank Feature Activations			UEP9D	1PQWS	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQWS	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	 		UEP9D	1PQW7	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different WC	 		UEP9D	1PQWP	0.65			l							
 	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.65										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.65										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.65										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex															
1	NRC Conversion Currently Combined Switch-As-Is w allowed changes,															
,	per port	.	_	UEP9D	USAC2		2.77	0.40					40.18	9.45		
	New Centrex Standard Common Block	-		UEP9D	M1ACS	0.00	695.11						40.18	9.45		
	New Centrex Customized Common Block NAR Establishment Charge, Per Occasion	 -		UEP9D UEP9D	M1ACC URECA	0.00	695.11 72.73		-				40.18 40.18	9.45 9.45		
LINBLINDI ED	D CENTREX PORT/LOOP COMBINATIONS - MARKET RATES	 		OLF9D	UNLUA	0.00	12.13						40.10	9.43		
	rket Rates are applied where BellSouth is not required by FCC and/or 0	Commi	ssio	n rule to provide Un	bundled Lo	cal Switching	or Switch Po	rts.								
	curring Charges for all Standard Centrex and Centrex Conrol Features															
3. End	d Office & Tandem Switching Usage & Common Transport Usage rates	in the	Port	section of this exhi	bit shall ap											
4. The	e first & add'l Port NRC charges apply to Not Currently Combined Com	bos. I	For C	Currently Combined	Combos, th	ne NRC charge	es shall be the	ose identified	in the NRC	- Currer	tly Comb	ined sectio	ns. Add'I NR	Cs may appl	y also and a	е
	orized accordingly.				_		1							,		
	P CENTREX - 5ESS (Valid in All States)	.	_													
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	 	1	UEP95	-	24.75			-							
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	\vdash	2	UEP95	1	33.05			 	-						
	2W VG Loop/2W VG Fort (Centrex)Port Combo-Non-Design		3	UEP95		44.33										
		-	-		+	00										
	Port/Loop Combination Rates (Design)	1 1										 			t	
UNE F	Port/Loop Combination Rates (Design) 2W VG Loop/2W VG Port (Centrex) Port Combo-Design	H	1	UEP95		28.97										
UNE F	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		39.93										
UNE F	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design															
UNE F	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate		2	UEP95 UEP95		39.93 54.81										
UNE F	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL 1)-Zone 1		3	UEP95 UEP95	UECS1	39.93 54.81 10.75										
UNE F	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2		2 3 1 2	UEP95 UEP95 UEP95 UEP95	UECS1	39.93 54.81 10.75 19.05										
UNE I	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL		2 3 1 2 3	UEP95 UEP95 UEP95 UEP95 UEP95	UECS1	39.93 54.81 10.75 19.05 30.33										
UNE F	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1		2 3 1 2 3 1	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2	39.93 54.81 10.75 19.05 30.33 14.97										
UNE L	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2w VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2		2 3 1 2 3 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2	39.93 54.81 10.75 19.05 30.33 14.97 25.93										
UNE I	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1		2 3 1 2 3 1	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2	39.93 54.81 10.75 19.05 30.33 14.97										
UNE I	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3 Port Rate		2 3 1 2 3 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2	39.93 54.81 10.75 19.05 30.33 14.97 25.93										
UNE I UNE I UNE I	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3 Port Rate		2 3 1 2 3 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2	39.93 54.81 10.75 19.05 30.33 14.97 25.93	105.00	85.00					40.18	9.45		
UNE I	2W VG Loop/2W VG Port (Centrex) Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design 2W VG Loop/2W VG Port (Centrex)Port Combo-Design Loop Rate 2W VG Loop (SL 1)-Zone 1 2W VG Loop (SL 1)-Zone 2 2W VG Loop (SL 1)-Zone 3 2W VG Loop (SL 2)-Zone 1 2W VG Loop (SL 2)-Zone 2 2W VG Loop (SL 2)-Zone 3 Port Rate Lates		2 3 1 2 3 1 2	UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2 UECS2 UECS2	39.93 54.81 10.75 19.05 30.33 14.97 25.93 40.81	105.00 105.00 105.00	85.00 85.00 85.00					40.18 40.18 40.18	9.45 9.45 9.45		

Version 3Q02: 10/07/02 Page 75 of 123

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc		R.A	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremer I Charge Manua Svc Ord vs. Electron
						Rec	Nonre			sconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP95	UEPYZ	14.00							40.18	9.45		
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	14.00	105.00	85.00					40.18	9.45		
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	14.00	105.00	85.00					40.18	9.45		
NC Or																
	2W VG Port (Centrex)			UEP95	UEPUA	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex 800 Term)			UEP95	UEPUB	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex w Caller ID)1			UEP95	UEPUH	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex from diff SWC)2			UEP95	UEPUM	14.00	215.00	165.00					40.18	9.45		
	2W VG Port, Diff SWC-800 Service Term			UEP95	UEPUZ	14.00	215.00	165.00					40.18	9.45		
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPU9	14.00	105.00	85.00					40.18	9.45		
	2W VG Port Terminated on 800 Service Term	\bot		UEP95	UEPU2	14.00	105.00	85.00					40.18	9.45		
	Switching						·									
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.903	·									
	Number Portability						·									
	Local No Portability (1 per port)			UEP95	LNPCC	0.35										
Featu	res															
	All Standard Features Offered, per port			UEP95	UEPVF	0.00										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	457.83									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00										
NARS																
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00					40.18	9.45		
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00					40.18	9.45		
	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00					40.18	9.45		
	Ilaneous Terminations				1											
	e Trunk Side															
	Trunk Side Terms, each			UEP95	CEND6	12.36										
	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP95	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.81						40.18	9.45		
	office Channel Mileage - 2-Wire				1	2.00								2.10		
	Interoffice Channel Facilities Term			UEP95	MIGBC	18.00										
	Interoffice Channel mileage, per mile or fraction of mile	1 1	-	UEP95	MIGBM	0.0282				1						
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	\dagger				5.5252				 						
	nannel Bank Feature Activations	1 1	-		1 1					1						
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1 1	-	UEP95	1PQWS	0.65				1						
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot	1 1	-	UEP95	1PQW6	0.65				1						
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot	+	-+	UEP95	1PQW7	0.65				1				1		
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different WC	+	-+	UEP95	1PQWP	0.65				 		1				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	+	-+	UEP95	1PQWV	0.65				 		1				
	Feature Activation on D-4 Channel Bank Title Line/Trunk Loop Slot	+	-+	UEP95	1PQWQ	0.65				 		1				
	Feature Activation on D-4 Channel Bank NJIE Line/ Hunk Loop Slot	+ +	-+	UEP95	1PQWQ	0.65				 		1				
	Recurring Charges (NRC) Associated with UNE-P Centrex	1 1		ULF33	IF QVVA	0.00				1		 		-		
	NRC Conversion Currently Combined Switch-As-Is w allowed changes,	+			+					 		 		-		
	,	1 1		UEP95	USAC2		2.77	0.40					40.18	9.45		
	per port New Centrex Standard Common Block	+		UEP95 UEP95		0.00	695.11	0.40		 		 	40.18	9.45		<u> </u>
	New Centrex Standard Common Block New Centrex Customized Common Block	+		UEP95 UEP95	M1ACS M1ACC	0.00	695.11		-	 			40.18	9.45		
																•

UNBUND	LED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhil	oit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc		R/	ATES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	Incremental	Incrementa I Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment I Charge Manual Svc Ord vs.
						Rec	Nonre	curring	NRC Disc	connect			oss	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
UNE	E-P CENTREX - DMS100 (Valid in All States)															
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		24.75										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		33.05										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		44.33										
UNI	Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		28.97										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		39.93										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		54.81										
UNI	Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	10.75										
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	19.05										
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	30.33										
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	14.97										
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	25.93										
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	40.81										
UNE	Port Rate															
ALL	STATES															
	2W VG Port (Centrex) Basic Local Area			UEP9D	UEPYA	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex/EBS-M5009)3Basic Local Area			UEP9D	UEPYD	14.00	105.00	85.00					40.18	9,45		
	2W VG Port (Centrex/EBS-M5209))3 Basic Local Area	1		UEP9D	UEPYE	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex/EBS-M5112)3 Basic Local Area	1		UEP9D	UEPYF	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex/EBS-M5312))3Basic Local Area			UEP9D	UEPYG	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex/EBS-M5008)3 Basic Local Area	1		UEP9D	UEPYT	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area	1		UEP9D	UEPYU	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area	1		UEP9D	UEPYV	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area	1		UEP9D	UEPY3	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex w Caller ID) Basic Local Area	1		UEP9D	UEPYH	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 Basic Local	1		OLI OD	OLI III	14.00	100.00	00.00					40.10	0.40		
	Area			UEP9D	UEPYW	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3 Basic Local Area	+		UEP9D	UEPYJ	14.00	105.00	85.00	1				40.18	9.45		
-	2W VG Port (Centrexinsg Wtg Lamp Indication) 3 Basic Local Area 2W VG Port (Centrex from diff SWC) 2 Basic Local Area	+		UEP9D	UEPYM	14.00	215.00	165.00	+				40.18	9.45		
	2W VG Port (Centrex/differ SWC/EBS-PSET)2, 3 Basic Local Area	+		UEP9D	UEPYO	14.00	215.00	165.00	1				40.18	9.45		
	2W VG Port (Centrex/differ SWC/EBS-M5009)2, 3 Basic Local Area	+		UEP9D	UEPYP	14.00	215.00	165.00	++				40.18	9.45	-	
	2W VG Port (Centrex/differ SWC/EBS-5209)2, 3 Basic Local Area	1	\vdash	UEP9D	UEPYQ	14.00	215.00	165.00	-				40.18	9.45		
		+		UEP9D	UEPYR	14.00	215.00	165.00	++				40.18	9.45	-	
_	2W VG Port (Centrex/differ SWC/EBS-M5112)2, 3 Basic Local Area	1	\vdash	UEP9D	UEPYS	14.00	215.00	165.00	-				40.18	9.45		
_	2W VG Port (Centrex/differ SWC/EBS-M5312)2, 3 Basic Local Area	1	\vdash	UEP9D	UEPYS	14.00	215.00	165.00	-				40.18	9.45		
	2W VG Port (Centrex/differ SWC/EBS-M5008)2, 3 Basic Local Area	-				14.00							40.18	9.45		
	2W VG Port (Centrex/differ SWC/EBS-M5208)2, 3 Basic Local Area	-		UEP9D	UEPY5		215.00	165.00	<u> </u>							
	2W VG Port (Centrex/differ SWC/EBS-M5216)2, 3 Basic Local Area	-		UEP9D	UEPY6	14.00	215.00	165.00	<u> </u>				40.18	9.45		
	2W VG Port (Centrex/differ SWC/EBS-M5316)2, 3 Basic Local Area	-		UEP9D	UEPY7	14.00	215.00	165.00	<u> </u>				40.18	9.45		
	2W VG Port, Diff SWC-800 Service Term	-		UEP9D	UEPYZ	14.00	215.00	165.00	<u> </u>				40.18	9.45		
	2W VG Port terminated in on Megalink or equivalent Basic Local Area	1		UEP9D	UEPY9	14.00	105.00	85.00					40.18	9.45		
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	14.00	105.00	85.00					40.18	9.45		
NC	Only	+	$\vdash \vdash$	LIEDAD	HEBU	11.00	105.00	05.00	├				10.10	0.4-	1	
	2W VG Port (Centrex)	+	$\vdash \vdash$	UEP9D	UEPUA	14.00	105.00	85.00	├				40.18	9.45	1	
	2W VG Port (Centrex 800 Term)	+	\vdash	UEP9D	UEPUB	14.00	105.00	85.00	-				40.18	9.45	1	
	2W VG Port (Centrex/EBS-PSET)3	+	$\vdash \vdash$	UEP9D	UEPUC	14.00	105.00	85.00	├				40.18	9.45	1	
	2W VG Port (Centrex/EBS-M5009)3	1	\vdash	UEP9D	UEPUD	14.00	105.00	85.00					40.18	9.45	1	
_	2W VG Port (Centrex/EBS-M5209)3	1	$\vdash \vdash$	UEP9D	UEPUE	14.00	105.00	85.00					40.18	9.45	-	
_	2W VG Port (Centrex/EBS-M5112)3	1	$\vdash \vdash$	UEP9D	UEPUF	14.00	105.00						40.18	9.45	-	
	2W VG Port (Centrex/EBS-M5312)3	1	\vdash	UEP9D	UEPUG	14.00	105.00	85.00					40.18	9.45		
_	2W VG Port (Centrex/EBS-M5008)3	1	$oxed{oxed}$	UEP9D	UEPUT	14.00	105.00	85.00					40.18	9.45	ļ	
	2W VG Port (Centrex/EBS-M5208)3	1	$oxed{oxed}$	UEP9D	UEPUU	14.00	105.00	85.00					40.18	9.45	ļ	
	2W VG Port (Centrex/EBS-M5216)3	1	$oxed{oxed}$	UEP9D	UEPUV	14.00	105.00	85.00					40.18	9.45	ļ	
_	2W VG Port (Centrex/EBS-M5316)3	1	$oxed{oxed}$	UEP9D	UEPU3	14.00	105.00	85.00					40.18	9.45	ļ	
_	2W VG Port (Centrex w Caller ID)	1	$oxed{oxed}$	UEP9D	UEPUH	14.00	105.00	85.00					40.18	9.45	ļ	
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3	1	oxdot	UEP9D	UEPUW	14.00	105.00	85.00					40.18	9.45		
	2W VG Port (Centrex/Msg Wtg Lamp Indication)3			UEP9D	UEPUJ	14.00	105.00	85.00					40.18	9.45		

Version 3Q02: 10/07/02 Page 77 of 123

INDUNDE	ED NETWORK ELEMENTS - North Carolina												Attachment:	2	Exhi	bit: B
											Svc	Svc Order	Incremental		Incremental	Increme
											Order	Submitted	Charge -	I Charge -	Charge -	I Charge
		Inte	7.								Submitte	Manually	Manual Svc		Manual Svo	Manua
ATEGORY	RATE ELEMENTS			BCS	USOC		R/	ATES(\$)			d Elec	per LSR	Order vs.	Svc Order	Order vs.	Svc Ord
		rim	ne					.,,			per LSR	per Lor	Electronic-		Electronic-	vs.
											per Lak			vs.		
													1st	Electronic-	Disc 1st	Electron
			 		1		Nonre	curring	NRC Dis	connect		l	220	Rates(\$)		l
			-			Rec	First	Add'l	First		COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
-	2W VG Port (Centrex from diff SWC) 2			UEP9D	UEPUM	14.00	215.00	165.00	FIISL	Auu	SOWIEC	SOWAN	40.18	9.45	SOMAN	JOINA
			-	UEP9D	UEPUO	14.00	215.00						40.18	9.45		
	2W VG Port (Centrex/differ SWC/EBS-PSET)2, 3 2W VG Port (Centrex/differ SWC/EBS-M5009)2, 3		\vdash	UEP9D	UEPUP	14.00	215.00	165.00 165.00					40.18	9.45		
			\vdash													
	2W VG Port (Centrex/differ SWC/EBS-5209)2, 3		<u> </u>	UEP9D	UEPUQ	14.00	215.00	165.00					40.18	9.45		
	2W VG Port (Centrex/differ SWC/EBS-M5112)2, 3		<u> </u>	UEP9D	UEPUR	14.00	215.00	165.00					40.18	9.45		
	2W VG Port (Centrex/differ SWC/EBS-M5312)2, 3			UEP9D	UEPUS	14.00	215.00	165.00					40.18	9.45		
	2W VG Port (Centrex/differ SWC/EBS-M5008)2, 3			UEP9D	UEPU4	14.00	215.00	165.00					40.18	9.45		
	2W VG Port (Centrex/differ SWC/EBS-M5208)2, 3			UEP9D	UEPU5	14.00	215.00	165.00					40.18	9.45		
	2W VG Port (Centrex/differ SWC/EBS-M5216)2, 3			UEP9D	UEPU6	14.00	215.00	165.00					40.18	9.45		
	2W VG Port (Centrex/differ SWC/EBS-M5316)2, 3			UEP9D	UEPU7	14.00	215.00	165.00					40.18	9.45		
	2W VG Port, Diff SWC-800 Service Term			UEP9D	UEPUZ	14.00	215.00	165.00					40.18	9.45		
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPU9	14.00	105.00	85.00					40.18	9.45		
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPU2	14.00	105.00	85.00					40.18	9.45		
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.903										
Local	Number Portability				1											
	Local No Portability (1 per port)		t t	UEP9D	LNPCC	0.35										
Featu																
· outu	All Standard Features Offered, per port			UEP9D	UEPVF	0.00									1	
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	457.83						40.18	9.45	1	
	All Centrex Control Features Offered, per port		 	UEP9D	UEPVC	0.00	407.00						40.10	0.40		
NARS				OLI 3D	OLI VO	0.00								1	-	
IVAING	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00					40.18	9.45	-	
	Unbundled Network Access Register-Combination Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00	-				40.18	9.45		
	Unbundled Network Access Register-Inward Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00	-				40.18	9.45	-	
Missa	ellaneous Terminations			UEP9D	UARUX	0.00	0.00	0.00	-				40.16	9.45	-	
	e Trunk Side		-		 											
2-7711			<u> </u>	LIEDOD	OFNE	40.00										
	Trunk Side Terms, each		<u> </u>	UEP9D	CEND6	12.36										
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9D	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81						40.18	9.45		
Interd	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP9D	MIGBC	18.00										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	MIGBM	0.0282										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Ch	nannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.65										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different WC			UEP9D	1PQWP	0.65										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.65										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.65									1	
	Feature Activation on D-4 Channel Bank WATS Loop Slot		 	UEP9D	1PQWA	0.65										
Non-E	Recurring Charges (NRC) Associated with UNE-P Centrex		-	OLI OD	11 00 11/11	0.00										
NOTIF	NRC Conversion Currently Combined Switch-As-Is w allowed changes,		H		1 1									1	1	
				UEP9D	USAC2		2.77	0.40				1	40.18	9.45	1	
	per port New Centrex Standard Common Block		\vdash	UEP9D	M1ACS	0.00	695.11	0.40					40.18	9.45	-	
		-	├									 			1	
	New Centrex Customized Common Block		⊢ ∔	UEP9D	M1ACC	0.00	695.11		ļ				40.18	9.45	-	
	NAR Establishment Charge, Per Occasion	<u> </u>	₩.	UEP9D	URECA	0.00	72.73						40.18	9.45		
	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD		$\sqcup \bot$													
	2 - Requres Interoffice Channel Mileage				1											
Note:	3 - Requires Specific Customer Premises Equipment		ıf		1				l I	_		l		1	1	1

UNBUNDL	ED NETWORK ELEMENTS - Tennessee												Attachment	:: 2	Exhil	bit: B
											Svc			Incrementa	Incremental	Incrementa
											Order	Submitted	I Charge -	I Charge -	Charge -	Charge -
		nte Z									Submitte	Manually	Manual	Manual	Manual Svc	Manual Sv
CATEGORY	RAIF FIEMENIS I	im n	I R	CS	USOC		RA	TES(\$)			d Elec	per LSR	Svc Order	Svc Order	Order vs.	Order vs.
			e								per LSR	•	vs.	vs.	Electronic-	Electronic
											po. 20.1		Electronic-		Disc 1st	Disc Add'l
													Licotronio	Licotronio	D130 13t	Disc Add I
						Rec	Nonrec	urring	NRC Dis	connect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The '	"Zone" shown in the sections for stand-alone loops or loops as part of a c	ombir	nation refers	to Geogra	phically De	averaged UNE	Zones. To vie	w Georgrap	phically De	eaveraged	UNE Zone	Desigantio	ns by C O, r	efer to Interi	net Website:	
http:/	//www.interconnection.bellsouth.com/become_a_clec/html/interconnectio	n.htm														
	AL SUPPORT SYSTEMS															
	E: (1) Electronic Service Order: CLEC should contact its contract negotiat															
rate e	exhibit is the BellSouth regional electronic service ordering charge. CLEC E: (2) Any element that can be ordered electronically will be billed accord	may	elect either t	ne state sp	ecific Com	mission order	ed rates for the	e electronic	service or	dering ch	arges, or (CLEC may e	lect the regi	onal electroi	nic service or	rdering
	ronically. For those elements that cannot be ordered electronically at pre-						egory reflects	the charge	that would	be billed	to a CLEC	once elect	ronic orderi	ng capabiliti	es come on-l	line for that
elem	ent. Otherwise, the manual ordering charge, SOMAN, will be applied to a	CLEC	s bill when it	submits a	ın LSR to E	BellSouth.										
	Electronic OSS Charge, per LSR, submitted via BST's OSS interactive															
	interfaces (Regional)				SOMEC		3.50									
UNE SERVIC	CE DATE ADVANCEMENT CHARGE															
NOT	E: The Expedite charge will be maintained commensurate with BellSouth'	s FCC	No.1 Tariff,	Section 5 a	as applicab	le.										
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day		ALL	UNE	SDASP		200.00									
UNBUNDLED	D EXCHANGE ACCESS LOOP															
2-WII	RE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL1-Zone 1	-	UE	ANL	UEAL2	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Analog VG Loop-SL1-Zone 2	- 2	2 UE	ANL	UEAL2	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Analog VG Loop-SL1-Zone 3	- 3		ANL	UEAL2	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Loop Testing-Basic 1st Half Hour			ANL	URET1	22.00	78.92	78.92	10.00				20.35	10.54	13.32	13.3
	Loop Testing Basic Add'l Half Hour		UE		URETA		23.33	23.33					20.35	10.54	13.32	13.3
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)	-	UE		UREWO		15.80	8.95					20.35	10.54	13.32	13.32
	Unbundled Voice Loop, Unbundled Non-Design Voice Loop, billing for		- OL	- INL	OKLWO		13.00	0.33					20.55	10.54	10.02	10.02
			UE	ANII	UEANM		28.80	28.80								
	BST providing make-up			ANL	UEAMC			36.52	-							
	Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)	_					36.52	36.52								
0.14/1/		_	UE	ANL	OCOSL		34.29	34.29								
2-WII	RE Unbundled COPPER LOOP				LIEGOV	40.40	04.00	00.00	40.05				00.05	40.54	40.00	40.00
	2W Unbundled Copper Loop-Non-Designed Zone 1	1 1		EQ.	UEQ2X	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled Copper Loop-Non-Designed-Zone 2			EQ.	UEQ2X	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled Copper Loop-Non-Designed-Zone 3	1 3		Q	UEQ2X	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			Q	USBMC		36.52	36.52								
	Unbundled Copper Loop, Non-Designed Billing for BST providing make-up			EQ	UEQMU		28.80	28.80					20.35	10.54	13.32	13.32
	Loop Testing-Basic 1st Half Hour			Q	URET1		78.92	78.92					20.35	10.54	13.32	13.32
	Loop Testing-Basic Add'l Half Hour			EQ	URETA		23.33	23.33					20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)		UI	EQ	UREWO		14.29	7.44					20.35	10.54	13.32	13.32
	D EXCHANGE ACCESS LOOP															
2-WII	RE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL1-Line Splitting-Zone 1	1		UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Analog VG Loop-SL1-Line Splitting-Zone 1	1		UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Analog VG Loop-SL1-Line Splitting-Zone 2	2		UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Analog VG Loop-SL1-Line Splitting-Zone 2	2		UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2W Analog VG Loop-SL1-Line Splitting-Zone 3	(1)		UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Analog VG Loop-SL1-Line Splitting-Zone 3	3	3 UEPSR	UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
UNE	Loop Rates for Line Splitting															
	2W VG Loop (SL1) for Line Splitting-Zone 1	1	UE	PRX	UEPLX	14.18										
	2W VG Loop (SL1) for Line Splitting-Zone 2	2	2 UE	PRX	UEPLX	18.01										
	2W VG Loop (SL1)for Line Splitting-Zone 3	3	3 UE	PRX	UEPLX	23.02										
UNBUNDLED	D EXCHANGE ACCESS LOOP															
2-WII	RE ANALOG VOICE GRADE LOOP		1													
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1	1	U	EA	UEAL2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2	- 2		ΕA	UEAL2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3			ΕA	UEAL2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	Order Coordination for Specified Conversion Time (per LSR)	- -		ΕA	OCOSL		34.29									
	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 1	-		EA	UEAR2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 1 2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 2			EA .	UEAR2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
 	2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 2 2W Analog VG Loop-SL2 w/Reverse Battery Signaling-Zone 3			EA	UEAR2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
 	Order Coordination for Specified Conversion Time (per LSR)	+		EA	OCOSL	20.20	34.29	70.20	20.70	17.04			20.33	10.34	10.02	10.0
 	CLEC to CLEC Conversion Charge w/o outside dispatch			EA EA	UREWO	1	75.06	36.41	-				20.35	10.54	13.32	13.3
4 1871			1 0		UKEWU	1	75.06	30.41	-				20.35	10.54	13.32	13.3
4-1/11	RE ANALOG VOICE GRADE LOOP	+		ΕΛ.	HEALA	04.70	400.70	05.57	70.05	20.40			20.05	40.51	40.00	40.0
	4W Analog VG Loop-Zone 1			EA	UEAL4	24.70	122.76	85.57	76.35	39.16 39.16			20.35 20.35	10.54 10.54	13.32 13.32	13.3
·	4\0/ 4==1== \(/ C \ 1 === 7=== 0															13.32
	4W Analog VG Loop-Zone 2	- 2		EA	UEAL4	32.25	122.76	85.57	76.35							
	4W Analog VG Loop-Zone 2 4W Analog VG Loop-Zone 3 Order Coordination for Specified Conversion Time (per LSR)	3	3 U	EA EA EA	UEAL4 UEAL4 OCOSL	32.25 42.17	122.76 122.76 34.29	85.57	76.35	39.16			20.35	10.54	13.32	13.32

Version 3Q02: 10/07/02 Page 79 of 123

ONBONDLE	D NETWORK ELEMENTS - Tennessee			I	1	ı							Attachment			bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	usoc			TES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR		I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrect			connect	001150	001441		Rates(\$)	001441	001111
2 WID	E ISDN DIGITAL GRADE LOOP				1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination For Specified Conversion Time (per LSR)		Ť	UDN	OCOSL	000	34.29									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
	E Universal Digital Channel (UDC) COMPATIBLE LOOP															
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 1		1	UDC	UDC2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 2		2	UDC	UDC2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2W Universal Digital Channel (UDC) Compatible Loop-Zone 3		3	UDC	UDC2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge w/o outside dispatch		Ļ	UDC	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE 2W Unbundled ADSL Loop including manl svc inq & facility reservation-	LOUI	_		1				1	-						1
	Zone 1	1	1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14	1	1	20.35	10.54	13.32	13.32
	2W Unbundled ADSL Loop including manl svc ing & facility reservation-		Ė	O/ 1L	U/ ILZX	10.02	270.01	204.00	7 7.04	00.14			20.00	10.04	10.02	10.02
	Zone 2	1	2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14	1	1	20.35	10.54	13.32	13.32
	2W Unbundled ADSL Loop including manl svc ing & facility reservation-															
	Zone 3		3	UAL	UAL2X	23.60	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34.29									
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 1	ı	1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 2	- 1	2	UAL	UAL2W	18.05	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 3	ı	3	UAL	UAL2W	23.60	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)	.		UAL	OCOSL		34.29	00.00					00.05	40.54	40.00	40.00
	CLEC to CLEC Conversion Charge w/o outside dispatch	000		UAL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE L 2W Unbundled HDSL Loop including manl svc inq & facility reservation-	UUF	1	UHL	UHL2X	10.83	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2W Unbundled HDSL Loop including man! svc ing & facility reservation-		2	UHL	UHL2X	14.15	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	2W Unbundled HDSL Loop including manl svc ing & facility reservation-		3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)		Ť	UHL	OCOSL		34.29									
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 1	-	1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 2	1	2	UHL	UHL2W	14.15	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled HDSL Loop w/o manl svc inq & facility reservation-Zone 3		3	UHL	UHL2W	18.50	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE L	OOP	_		111111 437	40.00	070.00	0.14.00	74.54	00.44			00.05	40.54	40.00	40.00
	4W Unbundled HDSL Loop including manl svc inq & facility reservation-		1	UHL UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32
	4W Unbundled HDSL Loop including manl svc inq & facility reservation- 4W Unbundled HDSL Loop including manl svc ing & facility reservation-		3	UHL	UHL4X UHL4X	18.20 23.80	279.60 279.60	244.22 244.22	74.54 74.54	39.14 39.14			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	23.00	34.29	244.22	74.54	39.14			20.35	10.54	13.32	13.34
	4W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 1	1	1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	4W Unbundled HDSL Loop w/o man! svc inq & facility reservation-Zone 2	Ė	2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	4W Unbundled HDSL Loop w/o manl svc ing & facility reservation-Zone 3	-	3	UHL	UHL4W	23.80	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	CLEC to CLEC Conversion Charge w/o outside dispatch	T		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
	E DS1 DIGITAL LOOP															
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	57.73	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	4W DS1 Digital Loop-Zone 2	.	2	USL	USLXX	75.40	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	4W DS1 Digital Loop-Zone 3	-	3	USL	USLXX	98.59	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	Order Coordination for Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge w/o outside dispatch		-	USL USL	OCOSL UREWO		34.59 130.47	40.11	-				20.35	10.54	13.32	13.32
	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	-	 	USL	UKEWU		130.47	40.11		 	-	-	20.35	10.54	13.32	13.32
	4W Unbundled Digital 19.2 Kbps	\vdash	1	UDL	UDL19	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4W Unbundled Digital 19.2 Kbps		3		UDL19	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.3
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.3
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.3
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.3
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29									
											1	1	20.25	40.54		13.3
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1		UDL64	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	
	4W Unbundled Digital Loop 64 Kbps-Zone 1 4W Unbundled Digital Loop 64 Kbps-Zone 2 4W Unbundled Digital Loop 64 Kbps-Zone 3		2	UDL	UDL64 UDL64 UDL64	31.10 40.61 53.11	207.01	141.38 141.38 141.38	90.70 90.70 90.70	44.18 44.18 44.18			20.35 20.35 20.35	10.54 10.54 10.54	13.32 13.32 13.32	13.32

Version 3Q02: 10/07/02 Page 80 of 123

ONRONDLE	D NETWORK ELEMENTS - Tennessee												Attachment			bit: B
CATEGORY	RATE ELEMENTS	Inte rim	Zo ne	BCS	USOC		RA ⁻	TES(\$)			Svc Order Submitte d Elec per LSR	Submitted	Manual Svc Order vs. Electronic-	I Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonrecu		NRC Dis					Rates(\$)		
	CLEC to CLEC Conversion Charge w/o cutaide dispetch			UDL	UREWO	+	First 102.28	Add'l 49.82	First	Add'l	SOMEC	SOMAN	20.35	SOMAN 10.54	SOMAN 13.32	SOMAN
2.WID	CLEC to CLEC Conversion Charge w/o outside dispatch E Unbundled COPPER LOOP			UDL	UKEWU		102.20	49.02					20.33	10.54	13.32	13.32
2 ****	2W Unbundled Copper Loop/Short including manl svc ing & facility															
	reservation-Zone 1	-1	1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled Copper Loop/Short including manl svc inq & facility reservation-Zone 2	_	2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled Copper Loop/Short including manl svc ing & facility		_	002	OOL. D	20	01.00	20.02	10.00				20.00	10.01	10.02	10.02
	reservation-Zone 3	1	3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-															
	Zone 1	- 1	1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation- Zone 2	1	2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled Copper Loop/Short w/o manl svc inq & facility reservation-															
	Zone 3	I	3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								1
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility															
—	reservation-Zone 1	ı	1	UCL	UCL2L	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled Copper Loop/Long-includes manl svc inq & facility reservation-Zone 2		2	UCL	UCL2L	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
 	2W Unbundled Copper Loop/Long-includes manl svc ing & facility	-		OCL	UCLZL	17.23	31.55	20.02	10.03	1.41			20.33	10.54	13.32	13.32
	reservation-Zone 3		3	UCL	UCL2L	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)		_	UCL	UCLMC		36.52	36.52								
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-															
	Zone 1	-1	1	UCL	UCL2W	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-															
	Zone 2	ı	2	UCL	UCL2W	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation- Zone 3		3	UCL	UCL2W	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCLMC	22.55	36.52	36.52	10.65	1.41			20.33	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)			UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WIR	E COPPER LOOP					1										
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone 1	-	1	UCL	UCL4S	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone 2	- 1	2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4W Copper Loop/Short-including manl svc inq & facility reservation-Zone 3	- 1	3	UCL	UCL4S	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
-	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	0.1.00	36.52	36.52						10.51	10.00	
	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 1	-	2	UCL UCL	UCL4W UCL4W	24.70 32.25	122.76 122.76	85.57 85.57	76.35 76.35	39.16 39.16			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
h + + + + + + + + + + + + + + + + + + +	4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 2 4W Copper Loop/Short-w/o manl svc inq & facility reservation-Zone 3		3	UCL	UCL4W	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
-	Order Coordination for Unbundled Copper Loops (per loop)	- 1	3	UCL	UCLMC	42.17	36.52	36.52	70.55	33.10			20.55	10.54	13.32	10.02
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	† †										
	reservation-Zone 1	-1	1	UCL	UCL4L	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility															
	reservation-Zone 2	- 1	2	UCL	UCL4L	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4W Unbundled Copper Loop/Long-includes manl svc inq & facility		2	LICI	LIC! 4!	40.47	100.70	05.53	70.05	20.40			00.05	40.54	40.00	40.00
	reservation-Zone 3 Order Coordination for Unbundled Copper Loops (per loop)	ı	3	UCL UCL	UCL4L UCLMC	42.17	122.76 36.52	85.57 36.52	76.35	39.16			20.35	10.54	13.32	13.32
 	4W Unbundled Copper Loop/Long-w/o manl svc ing & facility reservation-			UUL	UCLIVIC	 	30.32	30.32			-					
	Zone 1		1	UCL	UCL4O	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-					İ										
	Zone 2	-1	2	UCL	UCL40	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4W Unbundled Copper Loop/Long-w/o manl svc inq & facility reservation-	.	ا ا													
	Zone 3 Order Coordination for Unbundled Copper Leans (per lean)	- 1	3	UCL	UCL40	42.17	122.76	85.57	76.35	39.16	-		20.35	10.54	13.32	13.32
\vdash	Order Coordination for Unbundled Copper Loops (per loop) CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)			UCL UCL	UCLMC	+	36.52 31.99	36.52 20.02			-		20.35	10.54	13.32	13.32
LOOP MODIF		'		UUL	OKEWO	+	31.99	20.02			1		20.35	10.54	13.32	13.32
_cc. mobir				UAL,UHL,UCL,UEQ,U		 										
				LS,UEA,UEANL,UDL,												1
	Unbundled Loop Modification, Removal of Load Coils-2W pr < or = 18kft	1		UDC,UDN,USL	ULM2L	<u> </u>	65.40	65.40	L		<u> </u>	<u> </u>	20.35	10.54	13.32	13.32
	Unbundled Loop Modification, Removal of Load Coils-2W > 18kft	I		UCL,ULS,UEQ	ULM2G		710.71	23.77					20.35	10.54	13.32	13.32
	Unbundled Loop Modification Removal of Load Coils-4W < or = 18kft	Γ		UHL,UCL	ULM4L		65.40	65.40					20.35	10.54	13.32	13.32
1 1	Unbundled Loop Modification Removal of Load Coils-4W pr > 18kft	- 1		UCL	ULM4G		710.71	23.77					20.35	10.54	13.32	13.32

Version 3Q02: 10/07/02 Page 81 of 123

UNDUNDL	ED NETWORK ELEMENTS - Tennessee											Attachment			bit: B
CATEGORY	RATE ELEMENTS	Inte Z	BCS .	usoc		RA	TES(\$)			Svc Order Submitte d Elec per LSR	Svc Order Submitted Manually per LSR	I Charge - Manual	Incrementa I Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-	Charge - Manual Sv Order vs.
					Rec	Nonrec		NRC Dis					Rates(\$)		
-						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	ı	UAL,UHL,UCL,UEQ,U EF,ULS,UEA,UEANL, UDL,UDC,UDN,USL	ULMBT		65.44	65.44					20.35	10.54	13.32	13.32
SUB-LOOPS Sub-l	oop Distribution														
Jour-1	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	1	UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	Ì	UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.3
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	ı	UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	13.3
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	ı	UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.3
	Sub-Loop Distribution Per 2W Analog VG Loop-Statewide	S	w UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
\vdash	Order Coordination for Unbundled Sub-Loops, per sub-loop pr Sub-Loop Distribution Per 4W Analog VG Loop-Zone 1		UEANL 1 UEANL	USBMC USBN4	7.30	34.29 147.93	34.29 75.11	99.96	16.98	<u> </u>		20.35	10.54	13.32	13.3
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 1 Sub-Loop Distribution Per 4W Analog VG Loop-Zone 2		2 UEANL	USBN4	9.54	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.3
	Sub-Loop Distribution Per 4W Analog VG Loop-Zone 3		3 UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		UEANL	USBMC		34.29	34.29								
	Sub-Loop 2W Intrabuilding Network Cable (INC)	I	UEANL	USBR2	1.35	94.56	29.35					20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		UEANL	USBMC		34.29	34.29								
	Sub-Loop 4W Intrabuilding Network Cable (INC)	1	UEANL	USBR4	2.26	116.14	37.10					20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr	-	UEANL	USBMC	5.40	34.29	34.29	04.44	42.00			20.25	10.51	40.00	40.0
	2W Copper Unbundled Sub-Loop Distribution-Zone 1 2W Copper Unbundled Sub-Loop Distribution-Zone 2		1 UEF 2 UEF	UCS2X UCS2X	5.16 6.74	110.71 110.71	37.89 37.89	94.41 94.41	13.09 13.09			20.35 20.35	10.54 10.54	13.32 13.32	13.3 13.3
	2W Copper Unbundled Sub-Loop Distribution-Zone 3		3 UEF	UCS2X	8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr		UEF	USBMC	0.01	34.29	34.29	04.41	10.00			20.00	10.04	10.02	10.0
	4W Copper Unbundled Sub-Loop Distribution-Zone 1	1	1 UEF	UCS4X	6.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.3
	4W Copper Unbundled Sub-Loop Distribution-Zone 2	1 :	2 UEF	UCS4X	8.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.3
	4W Copper Unbundled Sub-Loop Distribution-Zone 3	1 ;	3 UEF	UCS4X	11.14	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.3
Unbu	Order Coordination for Unbundled Sub-Loops, per sub-loop pr ndled Sub-Loop Modification		UEF	USBMC		34.29	34.29								
	Unbundled Sub-Loop Modification-2W Copper Dist Load Coil/Equip Removal per 2W PR		UEF	ULM2X		335.36	7.82					20.34	10.54	13.32	13.3
	Unbundled Sub-loop Modification-4W Copper Dist Load Coil/Equip Removal per 4W PR		UEF	ULM4X		335.36	7.82					20.35	10.54	13.32	13.3
	Unbundled Sub-loop Modification-2W/4W Copper Dist Bridged Tap		OLI	OLIVIAX		333.30	7.02					20.55	10.54	10.02	10.0
	Removal, per PR unloaded		UEF	ULM4T		528.48	9.74					20.35	10.54	13.32	13.3
Unbu	ndled Network Terminating Wire (UNTW)														
	Unbundled Network Terminating Wire (UNTW) per pr		UENTW	UENPP	0.4555	2.48	2.48					20.35	10.54	13.32	13.3
Netwo	ork Interface Device (NID)														
	Network Interface Device (NID)-1-2 lines		UENTW UENTW	UND12		89.69	54.56	0.6391	0.6391			20.35 20.35	10.54	13.32	13.3
	Network Interface Device (NID)-1-6 lines Network Interface Device Cross Connect-2 W		UENTW	UND16 UNDC2		129.65 11.11	94.51 11.11	0.6522	0.6522			20.35	10.54 10.54	13.32 13.32	13.3 13.3
	Network Interface Device Cross Connect-4W		UENTW	UNDC4		11.11	11.11					20.35	10.54		13.3
SUB-LOOPS	Trother mendes before cross comment.		02	0.150.								20.00	10.01	10.02	
Sub-L	oop Feeder														
	USL-Feeder, DS0 Set-up per Cross Box location-CLEC Distribution Facility set-up		UEA,UDN,UCL,UDL, UDC	USBFW		517.25						20.35	10.54	13.32	13.3
	USL Feeder-DS0 Set-up per Cross Box location-per 25 pr set-up		UEA,UDN,UCL,UDL, UDC	USBFX		42.68	42.68					20.35	10.54	13.32	13.3
\vdash	USL Feeder DS1 Set-up at DSX location, per DS1 Term	_	USL	USBFZ	10.0-	531.04	11.34	70.05	00.15			20.35	10.54	13.32	13.3
\vdash	Unbundled Sub-Loop Feeder Loop, 2W Ground-Start, VG-Statewide	S	w UEA	USBFA	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.3
\vdash	Order Coordination for Specified Conversion Time, per LSR Unbundled Sub-Loop Feeder Loop, 2W Loop-Start, VG-Statewide	+	UEA	OCOSL USBFB	12.05	34.29 122.24	95.0F	76.2F	39.16	<u> </u>		20.25	10.54	12 22	12.2
	Order Coordination for Specified Time Conversion, per LSR	l s	W UEA UEA	OCOSL	12.05	34.29	85.05	76.35	39.10			20.35	10.34	13.32	13.3
	Unbundled Sub-Loop Feeder Loop, 2W Rev Bat, VG Loop-Statewide	s	w UEA	USBFC	12.05	122.24	85.05	76.35	39.16			20.35	10.54	13.32	13.3
	Order Coordination For Specified Conversion Time, per LSR	- 1	UEA	OCOSL	.2.30	34.29	55.56	. 0.00	200	İ		20.50		.0.02	.5.0
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 1		1 UEA	USBFD	21.52	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.3
	Unbundled Sub-Loop Feeder Loop, 4W Ground-Start, VG-Zone 2		2 UEA	USBFD	28.11	137.31		118.04	30.13			20.35	10.54		13.3
	Unbundled Sub-Loop Feeder Loop, 4W Ground Start, VG-Zone 3	;	B UEA	USBFD	36.76	137.31	61.93	118.04	30.13			20.35	10.54	13.32	13.3
 	Order Coordination For Specified Conversion Time, Per LSR		UEA	OCOSL	04.50	34.29	04.00	110.01	20.40			20.05	40.54	40.00	40.0
 	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 1 Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 2		1 UEA 2 UEA	USBFE	21.52 28.11	137.31 137.31	61.93 61.93		30.13 30.13	-		20.35 20.35	10.54 10.54	13.32 13.32	13.3 13.3
	Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 2 Unbundled Sub-Loop Feeder Loop, 4W Loop-Start, VG-Zone 3		UEA UEA	USBFE USBFE		137.31				-		20.35			

UNDUNDLE	ED NETWORK ELEMENTS - Tennessee												Attachment	:: 2	Exhi	bit: B
											Svc	Svc Order	Incrementa	Incrementa	Incremental	Incremen
											Order	Submitted	I Charge -	I Charge -	Charge -	Charge
											Submitte	Manually	Manual	Manual	Manual Svc	
ATEGORY	RATE ELEMENTS		Zo	BCS	USOC		RΔ	TES(\$)						1		
AILOOKI	KATE ELEMENTO	rim	ne	Воо	0000		104	. Ευ(ψ)			d Elec	per LSR	Svc Order	Svc Order	Order vs.	Order v
											per LSR		vs.	vs.	Electronic-	Electron
													Electronic-	Electronic-	Disc 1st	Disc Ad
1							Nonrecu	ırrina	NPC Die	sconnect			088	Rates(\$)	1	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMA
	Order Coordination For Specified Conversion Time, Per LSR			UEA	OCOSL		34.29	Addi	11100	Auu	COMILO	COMPAR	COMPAN	COMPAR	COMPAR	001117
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 1		1	UDN	USBFF	16.11	142.83	67.45	104.67	18.53	1		19.99	19.99	19.99	19
	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 2		2	UDN	USBFF	21.04	142.83	67.45	104.67	18.53	1		19.99	19.99	19.99	19
_	Unbundled Sub-Loop Feeder Loop, 2W ISDN BRI-Zone 3		3	UDN	USBFF	27.51	142.83	67.45	104.64	18.53	 		19.99	19.99	19.99	19
			3	UDN		27.51		67.45	104.64	18.53			19.99	19.99	19.99	13
	Order Coordination For Specified Conversion Time, Per LSR		_		OCOSL	40.44	34.29	07.45	404.07	40.50	ļ		40.00	40.00	40.00	
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		1	UDC	USBFS	16.11	142.83	67.45	104.67	18.53			19.99	19.99	19.99	19
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		2	UDC	USBFS	21.04	142.83	67.45	104.67	18.53			19.99	19.99	19.99	19
	Unbundled Sub-Loop Feeder, 2W UDC (IDSL compatible)		3	UDC	USBFS	27.51	142.83	67.45	104.64	18.53			19.99	19.99	19.99	19
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 1		1	USL	USBFG	39.74	116.00	40.62	106.82	18.91	ļ		19.99	19.99	19.99	19
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 2		2	USL	USBFG	51.90	116.00	40.62	106.82	18.91			19.99	19.99	19.99	1:
	Unbundled Sub-Loop Feeder Loop, 4W DS1-Zone 3		3	USL	USBFG	67.86	116.00	40.62	106.82	18.91			19.99	19.99	19.99	1:
	Order Coordination For Specified Conversion Time, Per LSR			USL	OCOSL		34.59									
	Unbundled Sub-Loop Feeder, 2W Copper Loop-Zone 1		1	UCL	USBFH	9.52	114.27	38.89	104.64	18.53			19.99	19.99	19.99	1
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 2		2	UCL	USBFH	12.43	114.27	38.89	104.64	18.53			19.99	19.99	19.99	1
	Unbundled Sub-Loop Feeder Loop, 2W Copper Loop-Zone 3		3	UCL	USBFH	16.26	114.27	38.89	104.64	18.53			19.99	19.99	19.99	1
	Order Coordination For Specified Conversion Time, per LSR			UCL	OCOSL		34.29									
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 1		1	UCL	USBFJ	14.37	123.41	48.03	110.44	22.53			19.99	19.99	19.99	1
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 2		2	UCL	USBFJ	18.76	123.41	48.03	110.44	22.53			19.99	19.99	19.99	1
	Sub-Loop Feeder-Per 4W Copper Loop-Zone 3		3	UCL	USBFJ	24.53	123.41	48.03	110.44		†		19.99	19.99	19.99	1
	Order Coordination For Specified Conversion Time, per LSR		Ü	UCL	OCOSL	24.00	34.29	40.00	110.44	22.00			10.00	10.00	10.00	
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		1	UDL	USBFN	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	1
	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		2	UDL	USBFN	34.03	116.00	40.62	106.82	18.91	1		19.99	19.99	19.99	1
_	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop		3	UDL	USBFN	44.50	116.00	40.62	106.82	18.91	 		19.99	19.99	19.99	1
_	Sub-Loop Feeder-Per 4W 19.2 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFO	26.06	116.00	40.62	106.82	18.91	 		19.99	19.99	19.99	1
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 1 Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFO	34.03	116.00	40.62	106.82	18.91	-		19.99	19.99	19.99	1
				UDL	USBFO	34.03 44.50		40.62					19.99			1
	Sub-Loop Feeder-Per 4W 56 Kbps Digital Grade Loop-Zone 3		3			44.50	116.00	40.62	106.82	18.91	ļ		19.99	19.99	19.99	
	Order Coordination For Specified Time Conversion, per LSR		<u> </u>	UDL	OCOSL		34.29									
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 1		1	UDL	USBFP	26.06	116.00	40.62	106.82	18.91			19.99	19.99	19.99	1
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 2		2	UDL	USBFP	34.03	116.00	40.62	106.82	18.91			19.99	19.99	19.99	1
	Sub-Loop Feeder-Per 4W 64 Kbps Digital Grade Loop-Zone 3		3	UDL	USBFP	44.50	116.00	40.62	106.82	18.91			19.99	19.99	19.99	1
	Order Coordination For Specified Conversion Time, per LSR			UDL	OCOSL		34.29									
JB-LOOPS																
Sub-L	oop Feeder															
	Sub Loop Feeder-DS3-Per Mile Per mo			UE3	1L5SL	14.11										
	Sub Loop Feeder-DS3-Facility Term Per mo	_		UE3	USBF1	333.26	3,406.61	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder – STS-1 – Per Mile Per mo			UDLSX	1L5SL	14.11										
	Sub Loop Feeder-STS-1-Facility Term Per mo			UDLSX	USBF7	359.02	3,406.61	407.68	165.17	501.31			20.35	10.54	13.32	
	Sub Loop Feeder – OC-3 – Per Mile Per mo			UDLO3	1L5SL	10.71	,									
	Sub Loop Feeder-OC-3-Facility Term Protection Per mo			UDLO3	USBF5	56.64										
	Sub Loop Feeder-OC-3-Facility Term Per mo	Ti		UDLO3	USBF2	546.31	3,406,61	407.68	165.17	501.31			20.35	10.54	13.32	1
	Sub Loop Feeder-OC-12-Per Mile Per mo	T i		UDL12	1L5SL	13.18	0,.00.0.									
	Sub Loop Feeder-OC-12-Facility Term Protection Per mo	T i		UDL12	USBF6	639.98			1	1	1		1	t	I	t
	Sub Loop Feeder-OC-12-racinty Term Per mo	- -		UDL12	USBF3	1.697.00	3.406.61	407.68	165.17	501.31	1		20.35	10.54	13.32	
	Sub Loop Feeder-OC-12-1 actify Term Fer mo	- - 		UDL48	1L5SL	43.22	0,-100.01	-01.00	100.17	551.51	 		20.00	10.54	10.02	
	Sub Loop Feeder-OC-48-Facility Term Protection Per mo			UDL48	USBF9	320.36			 	 				1	 	
_			1	UDL48 UDL48	USBF9 USBF4	1,457.00	3,592.61	407.68	165.17	501.31	 		20.35	10.54	13.32	<u> </u>
	Sub Loop Feeder-OC-48-Facility Term Per mo	+ !	1								1					├
	Sub Loop Feeder-OC-12 Interface On OC-48		1	UDL48	USBF8	361.44	806.02	407.68	165.17	501.31	1		20.35	10.54	13.32	₩
RONDLED	LOOP CONCENTRATION		L	12.0	111.000			=								—
	Loop Channelization System		!	ULC	ULCCS	307.07	307.34	74.37	4.18	0.57			20.35	10.54	13.32	1
	CO Channel Interface-2W VG			ULC	ULCC2	1.20	9.57	9.52	8.66	8.60	1		20.35	10.54	13.32	1
	Unbundled Loop Concentration-System A (TR008)	1	1	ULC	UCT8A	500.18	613.60	613.60	1	1	1	l	20.35	10.54	13.32	